

American Heart Journal

The international publication for the study of the heart and circulation

Editor in Chief: DEAN T. MASON, M.D. *San Francisco, Calif.*

Managing Editor: LESLIE J. SILVERNAIL *San Francisco, Calif.*

Senior Manuscript Editor: PETER MALIK *St. Louis, Mo.*

Editorial Board

Hugh D. Allen, M.D., *Tucson*
W. Gerald Austen, M.D., *Boston*
Najam A. Awan, M.D., *Sacramento*
Stanley Beder, M.D., *Cleveland*
Daniel S. Berman, M.D., *Los Angeles*
J. Thomas Bigger, M.D., *New York*
William J. Bommer, M.D., *Davis*
Lawrence I. Bonchek, M.D., *Lancaster*
Lawrence S. Cohen, M.D., *New Haven*
Lawrence H. Cohn, M.D., *Boston*
John J. Collins, Jr., M.D., *Boston*
C. Richard Conti, M.D., *Gainesville*
Anthony N. DeMaria, M.D., *Lexington*
Mary Allen Engle, M.D., *New York*
Harvey Feigenbaum, M.D., *Indianapolis*
Victor F. Froelicher, M.D., *Long Beach*
Paul C. Gillette, M.D., *Charleston*
John F. Goodwin, M.D., *London*
Antonio M. Gotto, Jr., M.D., *Houston*
Richard J. Gray, M.D., *Los Angeles*
Rolf M. Gunnar, M.D., *Maywood*
W. Proctor Harvey, M.D., *Washington, D.C.*
Richard H. Helfant, M.D., *Philadelphia*
Walter L. Henry, M.D., *Irvine*
J. O'Neal Humphries, M.D., *Columbia*
J. Willis Hurst, M.D., *Atlanta*
Abdulmassih S. Iskandrian, M.D., *Philadelphia*
Mark E. Josephson, M.D., *Philadelphia*
William B. Kannel, M.D., *Framingham*

Norman M. Kaplan, M.D., *Dallas*
Samuel Kaplan, M.D., *Cincinnati*
Joseph A. Kisslo, M.D., *Durham*
Atul R. Laddu, M.D., *McGaw Park*
Garrett Lee, M.D., *San Francisco*
Michael Lesch, M.D., *Chicago*
Robert I. Levy, M.D., *New York*
Floyd D. Loop, M.D., *Cleveland*
Reginald I. Low, M.D., *Sacramento*
Dan G. McNamara, M.D., *Houston*
Richard R. Miller, M.D., *Santa Rosa*
Robert A. O'Rourke, M.D., *San Antonio*
Joseph K. Perloff, M.D., *Los Angeles*
Bertram Pitt, M.D., *Ann Arbor*
Charles E. Rackley, M.D., *Washington, D.C.*
Robert L. Reis, M.D., *Miami*
Thomas A. Riemenschneider, M.D., *Cleveland*
William C. Roberts, M.D., *Bethesda*
David J. Sahn, M.D., *San Diego*
Robert C. Schlant, M.D., *Atlanta*
Pravin M. Shah, M.D., *Los Angeles*
Bramah N. Singh, M.D., *Los Angeles*
Walter Sommerville, M.D., *London*
James T. Willerson, M.D., *Dallas*
David O. Williams, M.D., *Providence*
Roger A. Winkle, M.D., *Stanford*
Richard M. Zakheim, M.D., *Miami*
Robert F. Zelis, M.D., *Hershey*
Douglas P. Zipes, M.D., *Indianapolis*

VOLUME 111
JANUARY-JUNE 1986

VOLUME 111

COPYRIGHT© 1986 BY

THE C.V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

Author index*

- Abbott RD (see Kannel and Abbott). 1986; 111:391-7 (Prog. cardi.)
- Ablaza S (see Kahn et al). 1986; 111:606-8 (Brief comm.)
- Abouantoun S (see Ahnve et al). 1986; 111:909-16
- Ackouli A (see Giorgi et al). 1986; 111:891-902
- Adamec R (see Zimmermann et al). 1986; 111:184-7 (Brief comm.)
- Agarwal JB (see Klein et al). 1986; 111:791-2 (Brief comm.)
- (see Weintraub et al). 1986; 111:537-42
- Agatston AS, Robinson MJ, Trigo L, Machado R, Samet P: Echocardiographic findings in primary pericardial mesothelioma. 1986; 111:986-8 (Brief comm.)
- (see Reinfeld et al). 1986; 111:800-1 (Brief comm.)
- Agmon J (see Berliner et al). 1986; 111:19-22
- (see Friedmann et al). 1986; 111:1011-3 (Brief comm.)
- (see Strasberg et al). 1986; 111:190-2 (Brief comm.)
- Ahnve S, Savvides M, Abouantoun S, Atwood JE, Froelicher V: Can myocardial ischemia be recognized by the exercise electrocardiogram in coronary disease patients with abnormal resting Q waves? 1986; 111:909-16
- , Sullivan M, Myers J, Froelicher V: Computer analysis of exercise-induced changes in QRS duration in patients with angina pectoris and in normal subjects. 1986; 111:903-8
- Akins CW (see Fifer et al). 1986; 111:787-8 (Brief comm.)
- Alberti E (see Pinamonti et al). 1986; 111:406-9 (Brief comm.)
- Alderman EL (see Oesterle et al). 1986; 111:489-97
- Allen HD, Riemenschneider TA, Epstein ML, Mason DT: Hemodynamic responses of the acutely stressed neonatal right ventricle: A maturational study in lambs. 1986; 111:737-42
- (see Goldberg et al). 1986; 111:709-13
- (see Riemenschneider et al). 1986; 111:731-6
- Alli C (see Radice et al). 1986; 111:115-20
- Almange C (see Laurent et al). 1986; 111:597-9 (Brief comm.)
- Alpert MA, Carney RJ, Munuswamy K, Ruder MA, Kapoor AS, Weibel RR, Sanfelippo JF, Haikal M, Perkins SK, Kelly DL: Observer variation in the echocardiographic diagnosis of mitral valve prolapse. 1986; 111:1123-9
- Altman F, Yazdanfar S, Wertheimer J, Ghosh S, Kotler M: Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage. 1986; 111:1196-7 (Brief comm.)
- Amann FW, Blatt, CM, Podrid PJ, Lown B: Relationship between ease of inducibility of arrhythmia with electrophysiologic testing and response to antiarrhythmic therapy. 1986; 111:625-31
- Amirparviz F (see Hartmann et al). 1986; 111:1030-4
- Anders RJ, Shanes JG, Zeller FP: Lower incidence of doxorubicin-induced cardiomyopathy by once-a-week low-dose administration. 1986; 111:755-9 (Curriculum cardi.)
- Anderson HV, Zaatari GS, Roubin GS, Leimgruber PP, Gruentzig AR: Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits. 1986; 111:1065-72
- Anderson JL, Askins JC, Gilbert EM, Menlove RL, Lutz JR: Occurrence of ventricular arrhythmias in patients receiving acute and chronic infusions of milrinone. 1986; 111:466-74
- Anderson RJ, Reed WG: Current concepts in treatment of hypertensive urgencies. 1986; 111:211-9 (Symposium)
- (see Reed and Anderson). 1986; 111:226-8 (Symposium)
- Anderson S, Blanski L, Byrd RC, Das G, Engler R, Laddu A, Lee R, Rajfer S, Schroeder J, Steck JD, Sung R, Turlapaty P, Williams D, Wilner G, Zoble R: Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias. 1986; 111:42-8
- Ando K, Fujita T, Ito Y, Noda H, Yamashita K: The role of renal hemodynamics in the antihypertensive effect of captopril. 1986; 111:347-52
- Angoli L (see de Servi et al). 1986; 111:6-11
- Annesley TM (see Baerman et al). 1986; 111:644-8
- (see Morady et al). 1986; 111:252-7
- Antignano A (see Critelli et al). 1986; 111:1106-12

- Aoi W (see Matsumoto et al). 1986; 111:420-2 (Brief comm.)
- Aracil C (see Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Arciniegas E (see Clapp et al). 1986; 111:796-7 (Brief comm.)
- Ardissino D (see de Servi et al). 1986; 111:6-11
- Arditti A (see Strasberg et al). 1986; 111:190-2 (Brief comm.)
- Armstrong WF (see Markel et al). 1986; 111:409-13 (Brief comm.)
- (see Ryan et al). 1986; 111:237-44, 714-20
- Aroesty J (see Brown et al). 1986; 111:103-7
- Aronson M (see Berliner et al). 1986; 111:19-22
- Arteaga-Fernandez E (see Barretto et al). 1986; 111:307-12
- Arvan S: Incidental interarterial septal aneurysm associated with mitral valve prolapse. 1986; 111:603-4 (Brief comm.)
- Ashburn RW, Savage RW: IV metoprolol in RV-AMI. 1986; 111:621-2 (Letter)
- Askins JC (see Anderson et al). 1986; 111:466-74
- Attie F (see Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Atwood JE (see Ahnve et al). 1986; 111:909-16
- Aust SD (see Krause et al). 1986; 111:768-80 (Prog. cardi.)
- Autore C (see Fiorito et al). 1986; 111:91-4
- Avanzini F (see Radice et al). 1986; 111:115-20

- Baba T, Boku A, Ishizaki T, Sone K, Takebe K: Renal effects of nicardipine in patients with mild-to-moderate essential hypertension. 1986; 111:552-7
- Baciarello G, Villani M, Di Maio F, Sciacca A: Late surface potentials in myotonic dystrophy with ventricular tachycardia. 1986; 111:413-4 (Brief comm.)
- Baerman JM, Annesley T, DiCarlo LA Jr, Foley MK, Nicklas JM, Crevey BJ, Morady F: Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃ and the QT interval during long-term amiodarone treatment. 1986; 111:644-8
- Bailey WW (see Hannon et al). 1986; 111:316-21
- Baim DS (see Oesterle et al). 1986; 111:489-97
- Baker BJ, Leddy C, Galie N, Casebolt P, Franciosa JA: Predictive value of M-mode echocardiography in patients with congestive heart failure. 1986; 111:697-702
- Barcelas L (see Kabela et al). 1986; 111:702-9
- Bar-El Y, Shimoni Z, Flatau E: Quinidine-induced lupus erythematosus. 1986; 111:1209-10 (Brief comm.)
- Baron B (see Rocha et al). 1986; 111:62-8
- Barraine R (see Petitalot et al). 1986; 111:187-9 (Brief comm.)
- Barretto ACP, Mady C, Arteaga-Fernandez E, Stolf N, Lopes EA, Higuchi MdL, Bellotti G, Pileggi F: Right ventricular endomyocardial biopsy in chronic Chagas' disease. 1986; 111:307-12
- Barrio JR (see Schelbert et al). 1986; 111:1055-64
- Bashour TT, Hanna ES, Mason DT: Myocardial revascularization with internal mammary artery bypass: An emerging treatment of choice. 1986; 111:143-51 (Prog. cardi.)
- Batchelder JE (see Taylor et al). 1986; 111:840-4
- Batsford WP (see Rosenfeld et al). 1986; 111:868-74
- Baudet E (see Gosse et al). 1986; 111:803-5 (Brief comm.)
- Bauer CR (see Zachman et al). 1986; 111:189-90 (Brief comm.)
- Bauernfeind RA (see Bauman et al). 1986; 111:654-60
- Baughman KL (see Feldman and Baughman). 1986; 111:784-7 (Brief comm.)
- Bauman JL, Gallastegui J, Strasberg B, Swiryn S, Hoff J, Welch WJ, Bauernfeind RA: Long-term therapy with disopyramide phosphate: Side effects and effectiveness. 1986; 111:654-60
- Bedard M (see Clapp et al). 1986; 111:796-7 (Brief comm.)
- Behar P (see Berland et al). 1986; 111:481-8
- Behar S (see Friedmann et al). 1986; 111:1011-3 (Brief comm.)
- Beier-Scott L (see Oesterle et al). 1986; 111:489-97
- Bellamy GR, Hollman J: Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty. 1986; 111:168-9 (Brief comm.)
- Bellotti G (see Barretto et al). 1986; 111:307-12
- Ben-Ezra JM (see Gelman et al). 1986; 111:808-11 (Brief comm.)

*January, pp. 1-232; February, pp. 233-432; March, pp. 433-624; April, pp. 625-820; May, pp. 821-1020; June, pp. 1021-1262.

- Benirschke K (see Jones et al). 1986; 111:1013-5 (Brief comm.)
- Berger E, Williams DO, Reinert S, Most AS: Sustained efficacy of percutaneous transluminal coronary angioplasty. 1986; 111:233-6
- Berger Y (see Escoubet et al). 1986; 111:280-5
- Berland J, Cribier A, Behar P, Letac B: Anterior ST depression in inferior myocardial infarction: Correlation with results of intracoronary thrombolysis. 1986; 111:481-8
- Berliner S, Sclarovsky S, Lavie G, Pinkhas J, Aronson M, Agmon J: The leukergy test in patients with ischemic heart disease. 1986; 111:19-22
- Berman D (see Prigent et al). 1986; 111:578-86 (Prog. cardi.)
- Bernstein AD (see Parsonnet and Bernstein). 1986; 111:817-20 (Editorial)
- Best JF, Hassanein KM, Pugh DM, Dunn M: Starr-Edwards aortic prosthesis: A 20-year retrospective study. 1986; 111:136-42 (Curriculum cardi.)
- Bett JHN (see McKeon et al). 1986; 111:1208-9 (Brief comm.)
- Betz R (see Gould et al). 1986; 111:802-3 (Brief comm.)
- Bhatia ML (see Radhakrishnan et al). 1986; 111:622 (Letter)
- Bhatia SJS, Swedberg K, Chatterjee K: Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₁ agonist, in patients with dilated cardiomyopathy. 1986; 111:692-6
- Bilsker MS (see Kessler et al). 1986; 111:602-3 (Brief comm.)
- Biron Y (see Laurent et al). 1986; 111:597-9 (Brief comm.)
- Black DM (see Siegel and Black). 1986; 111:1214-5 (Letter)
- Blair SN (see Wilson et al). 1986; 111:1177-92 (Spec. rep.)
- Blanski L (see Anderson et al). 1986; 111:42-8
- Blatt CM (see Amann et al). 1986; 111:625-31
- Blaustein AS, Schmitt G, Foster MC, Hayes RV, Bronstein S: Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy. 1986; 111:340-6
- (see Hong et al). 1986; 111:1041-7
- Blevins RD, Kerin NZ, Frumin H, Faitel K, Jarandilla R, Garfinkel C, Rubenfire M: Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk. 1986; 111:638-44
- , Mathias P, Pesola D, Faitel K, Jarandilla R, Garfinkel C, Rubenfire M: Intravenous lorainide versus lidocaine in the treatment of frequent and complex ventricular arrhythmias. 1986; 111:447-51
- Block PC (see Peterson et al). 1986; 111:1-6
- Bloom KJ (see Silver et al). 1986; 111:984-6 (Brief comm.)
- Bloomfield P, Schoen FJ, Force T, Khuri S, Parisi AF: Calcified left atrial mass associated with mitral valve prolapse. 1986; 111:1205-7 (Brief comm.)
- Bloor C (see Glover et al). 1986; 111:805-6 (Brief comm.)
- (see Jones et al). 1986; 111:1013-5 (Brief comm.)
- Boehm J (see Zachman et al). 1986; 111:189-90 (Brief comm.)
- Boku A (see Baba et al). 1986; 111:552-7
- Bolli R, Fisher DJ, Entman ML: Factors that determine the occurrence of arrhythmias during acute myocardial ischemia. 1986; 111:261-70
- Bonin JD (see Salem et al). 1986; 111:533-6
- Bonzel T (see Zeiher et al). 1986; 111:297-306
- Borovik R (see Markeiwicz et al). 1986; 111:1138-42
- Bourguignon MH, Sebag C, Le Guludec D, Davy J-M, Laine J-F, Slama M, Motte G, Syrota A: Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography. 1986; 111:997-1000 (Brief comm.)
- Bove AA (see Mann et al). 1986; 111:108-15
- Boveris A (see Milei et al). 1986; 111:95-102
- Boxer RA, LaCorte MA, Singh S, Davis J, Goldman M, Stein HL: Evaluation of the aorta in the Marfan syndrome by magnetic resonance imaging. 1986; 111:1001-2 (Brief comm.)
- , Singh S, Goldman M, LaCorte MA: Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood. 1986; 111:604-6 (Brief comm.)
- Boyle CM (see McKeon et al). 1986; 111:1208-9 (Brief comm.)
- Bramucci E (see de Servi et al). 1986; 111:6-11
- Brandt J (see Rosenqvist et al). 1986; 111:292-7
- Bronstein S (see Blaustein et al). 1986; 111:340-6
- Brown KA, McKay R, Heller GV, Royal HD, Parker JA, Silverman KJ, Aroesty J: Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress. 1986; 111:103-7
- Brown MD: Retraction. 1986; 111:623 (Letter)
- Brugada P (see Stevenson et al). 1986; 111:1073-80
- Buchanan D, Gillette PC, Zinner A, Crawford F: Ventricular tachydysrhythmias in near-miss sudden infant death syndrome. 1986; 111:398-400 (Brief comm.)
- Buckingham TA (see Kennedy et al). 1986; 111:667-72
- Buckman R (see Maher and Buckman). 1986; 111:613-4 (Brief comm.)
- Buda AJ, Dubbin JD, Meindok H: Radionuclide assessment of regional left ventricular function in acute myocardial infarction. 1986; 111:36-41
- , Zoltz RJ, Pace DP, Krause LC: Comparison of two-dimensional echocardiographic wall motion and wall thickening abnormalities in relation to the myocardium at risk. 1986; 111:587-92 (Prog. cardi.)
- Bufalino VB (see Hartmann et al). 1986; 111:1030-4
- Burns RJ (see Wilansky et al). 1986; 111:1204-5 (Brief comm.)
- Butman LK (see Butman et al). 1986; 111:11-8
- Butman SM, Olson HG, Butman LK: Early exercise testing after stabilization of unstable angina: Correlation with coronary angiographic findings and subsequent cardiac events. 1986; 111:11-8
- (see Olson et al). 1986; 111:1021-9
- Buttignol G (see Pinamonti et al). 1986; 111:406-9 (Brief comm.)
- Byrd RC (see Anderson et al). 1986; 111:42-8

C

- Camerini F (see Klugmann et al). 1986; 111:1202-4 (Brief comm.)
- (see Pinamonti et al). 1986; 111:406-9 (Brief comm.)
- Campbell RM (see Forman et al). 1986; 111:982-4 (Brief comm.)
- Cannata D (see Fiorito et al). 1986; 111:91-4
- Carney RJ (see Alpert et al). 1986; 111:1123-9
- Caron C (see Manouvrier et al). 1986; 111:1005-7 (Brief comm.)
- Casazza F, Giagnoni E: Echographic LV wall motion in mitral prolapse. 1986; 111:1214 (Letter)
- Casebolt P (see Baker et al). 1986; 111:697-702
- Cast A, Wolf WJ: Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children. 1986; 111:321-4
- Cazor J-L (see Rocha et al). 1986; 111:62-8
- Chai AF (see Pettitot et al). 1986; 111:187-9 (Brief comm.)
- Charbonneau P (see Scanu et al). 1986; 111:422-5 (Brief comm.)
- Chatterjee K (see Bhatia et al). 1986; 111:692-6
- Chen CC (see Hsu et al). 1986; 111:807-8 (Brief comm.)
- Cheng TO (see Zhang et al). 1986; 111:572-7 (Curriculum cardi.)
- Chiang BN (see Hsu et al). 1986; 111:807-8 (Brief comm.)
- Chilazi G (see Olson et al). 1986; 111:1021-9
- Chilson DA, Peigh PS, Mahomed Y, Waller BF, Zipes DP: Chemical ablation of ventricular tachycardia in the dog. 1986; 111:1113-8
- Chua W (see Zheutlin et al). 1986; 111:860-7
- Clapp S, Bedard M, Farooki ZQ, Arciniegas E: Pulmonary artery thrombus associated with the ductus arteriosus. 1986; 111:796-7 (Brief comm.)
- Clark S (see Stevenson et al). 1986; 111:611-3 (Brief comm.)
- Clay D (see Swerdlow et al). 1986; 111:433-8
- Coeurderoy A (see Laurent et al). 1986; 111:597-9 (Brief comm.)
- Cohen DE, Mora C, Keefe DL: Echocardiographic findings of metastatic chondrosarcoma involving the left atrium. 1986; 111:993-7 (Brief comm.)
- , Vogel RA: Left ventricular aneurysm as a coronary —, Vogel RA: Left ventricular aneurysm as a coronary risk factor independent of overall left ventricular function. 1986; 111:23-30
- Cohen M (see Cole et al). 1986; 111:417-8 (Brief comm.)
- Colavita PG (see O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
- Cole WJ, Slater J, Kronzon I, Galler M, Trehan N, Cohen M, Gargiulo A: *Candida albicans*-infected transvenous pacemaker wire: Detection by two-dimensional echocardiography. 1986; 111:417-8 (Brief comm.)
- Colombo A (see Olson et al). 1986; 111:1021-9
- Comer T (see Wiener et al). 1986; 111:258-61
- Commeau P (see Scanu et al). 1986; 111:422-5 (Brief comm.)

- Commerford PJ (see Jennings et al). 1986; 111:557-63
Commin P (see Escoubet et al). 1986; 111:280-5
Cook LS, Elkins RC, Doherty JE: Cardiovascular effects of atropine in postoperative cardiac patients receiving digoxin for ventricular dysfunction. 1986; 111:80-4
Cooper MW, Lutherer LO, Stanton MW, Lust RM Jr: Postextrasystolic potentiation: Analysis of methods of induction. 1986; 111:330-3
——, ——, ——: Postextrasystolic potentiation: Regional wall motion before and after revascularization. 1986; 111:334-9
Coplan NL, Goldman B, Mechanic G, Mazzucchi F, Halperin JL: Sudden hemodynamic collapse following relief of cardiac tamponade in aortic dissection. 1986; 111:405-6 (Brief comm.)
Cowley MJ (see DiSciascio et al). 1986; 111:833-9
Crawford F (see Buchanan et al). 1986; 111:398-400 (Brief comm.)
Crawford MH (see Miller et al). 1986; 111:988-90 (Brief comm.)
Cremer K (see Joyal et al). 1986; 111:54-61
Crevey BJ (see Baerman et al). 1986; 111:644-8
Cribier A (see Berland et al). 1986; 111:481-8
Cristaldi A (see Pinamonti et al). 1986; 111:406-9 (Brief comm.)
Critelli G, Scherillo M, Monda V, d'Ascia C, Musumeci S, Antigiano A: Transvenous catheter ablation of the His bundle in ventricular tachycardia. 1986; 111:1106-12
Cubeddu LX (see Halperin and Cubeddu). 1986; 111:363-82 (Curriculum cardiol.)
Cunningham JN (see Wexelman et al). 1986; 111:923-7
Curione M, Fuoco U, Ferranti E, Puletti M: Ventricular tachycardia with QRS of variable amplitude: An implication of atrio-ventricular dissociation. 1986; 111:1197-1200 (Brief comm.)
- D**
- Dalocchio M (see Gosse et al). 1986; 111:803-5 (Brief comm.)
Das G (see Anderson et al). 1986; 111:42-8
d'Ascia C (see Critelli et al). 1986; 111:1106-12
David GK (see Visser et al). 1986; 111:1035-41
David TE (see Wilansky et al). 1986; 111:1204-5 (Brief comm.)
Davis J (see Boxer et al). 1986; 111:1001-2 (Brief comm.)
Davy J-M (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
Dawson PL (see Smith et al). 1986; 111:245-52
de Buitelir M (see Morady et al). 1986; 111:252-7
de Servi S, Ghio S, Ferrario M, Ardisino D, Angoli L, Mussini A, Bramucci E, Salerno J, Viganò M, Montemartini C, Specchia G: Clinical and angiographic findings in angina at rest. 1986; 111:6-11
Dean G (see Lalonde et al). 1986; 111:679-82
Dedhia HV (see Jain et al). 1986; 111:794-5 (Brief comm.)
Del Negro AA (see Satler et al). 1986; 111:821-5
Delestrain A (see Rocha et al). 1986; 111:62-8
DeMaria AN (see Smith et al). 1986; 111:245-52
Denenberg BS (see Mann et al). 1986; 111:108-15
Denes P (see Murabit et al). 1986; 111:69-80
Derbekyan V (see Lalonde et al). 1986; 111:679-82
Di Maio F (see Baciarello et al). 1986; 111:413-4 (Brief comm.)
Di Tullio M (see Radice et al). 1986; 111:115-20
DiCarlo LA Jr (see Baerman et al). 1986; 111:644-8
—— (see Morady et al). 1986; 111:252-7
Dillon JC (see Ryan et al). 1986; 111:237-44, 714-20
DiSciascio G, Vetrovec GW, Cowley MJ, Wolfgang TC: Early and late outcome of percutaneous transluminal coronary angioplasty for subacute and chronic total coronary occlusion. 1986; 111:833-9
Distante A (see Picano et al). 1986; 111:688-91
Dittrich H (see Jones et al). 1986; 111:1013-5 (Brief comm.)
Doherty JE (see Cook et al). 1986; 111:80-4
Doi Y: Echocardiographic LV wall motion in mitral prolapse. 1986; 111:1214 (Letter reply)
Dottore E, Vigneri G, Massimino A, Grassi R, Modica G: Spontaneous angina during serial resting thallium-201 myocardial scintigraphy. 1986; 111:788-91 (Brief comm.)
Dove JT (see Taylor et al). 1986; 111:840-4
Drew TM (see Macina et al). 1986; 111:175-8 (Brief comm.)
Dubbin JD (see Buda et al). 1986; 111:36-41
Ducoux G (see Manouvrier et al). 1986; 111:1005-7 (Brief comm.)

- Dunn M (see Best et al). 1986; 111:136-42 (Curriculum cardiol.)
Dunning AJ (see Visser et al). 1986; 111:1035-41
Dutcher JP (see Gelman et al). 1986; 111:808-11 (Brief comm.)
Dylewicz P (see Kirch et al). 1986; 111:325-9

E

- Echter E (see Escoubet et al). 1986; 111:280-5
Ecker S (see Markiewicz et al). 1986; 111:1138-42
Edelman RR, Royal HD, Parker JA, Sussman S: Papillary muscle activity on thallium scintigraphy: A potential source of misinterpretation. 1986; 111:1210-2 (Brief comm.)
Elion JL (see Smith et al). 1986; 111:245-52
Elkayam U, Roth A, Hsueh W, Weber L, Freidenberger L, Rahimtoola SH: Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure. 1986; 111:1130-8
—— (see Ryzen et al). 1986; 111:475-80
Elkins RC (see Cook et al). 1986; 111:80-4
Ellenbogen KA (see O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
Engelmeier R (see Hwang et al). 1986; 111:312-6
Engler R (see Anderson et al). 1986; 111:42-8
Entman ML (see Bolli et al). 1986; 111:261-70
Epstein ML (see Allen et al). 1986; 111:737-42
Erhardt L (see Ericsson et al). 1986; 111:916-22
Ericsson C-G, Hamsten A, Granath A, Mesko L, Zetterquist S, Erhardt L: Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo. 1986; 111:916-22
Escoubet B, Jaillon P, Berger Y, Commin P, Menasché P, Pivnicka A, Echter E: Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients. 1986; 111:280-5
Eshaghpour E (see Meissner et al). 1986; 111:599-601 (Brief comm.)
Eybel C (see Vicari et al). 1986; 111:593-4 (Brief comm.)

F

- Factor SM (see Gelman et al). 1986; 111:808-11 (Brief comm.)
Faitel K (see Blevins et al). 1986; 111:447-51, 638-44
Farah A (see Kabala et al). 1986; 111:702-9
Farooki ZQ (see Clapp et al). 1986; 111:796-7 (Brief comm.)
Feigenbaum H (see Ryan et al). 1986; 111:237-44, 714-20
Feldman AM, Baughman KL: Myocardial infarction associated with a myocardial bridge. 1986; 111:784-7 (Brief comm.)
Feldman RL (see Joyal et al). 1986; 111:54-61
Fenster PE (see Ring and Fenster). 1986; 111:1009-11 (Brief comm.)
Ferencz C: Offspring of fathers with cardiovascular malformations. 1986; 111:1212-3 (Brief comm.)
Ferranti E (see Curione et al). 1986; 111:1197-200 (Brief comm.)
Ferrario M (see de Servi et al). 1986; 111:6-11
Ferry DR, Henry RL, Kern MJ: Epinephrine-induced myocardial infarction in a patient with angiographically normal coronary arteries. 1986; 111:1193-5 (Brief comm.)
Fessenden KK (see Higgins et al). 1986; 111:608-10 (Brief comm.)
Fifer MA, Neiterman AJ, Akins CW: Right main coronary artery disease: Antemortem diagnosis and treatment. 1986; 111:787-8 (Brief comm.)
Fiorito S, Autore C, Fragola PV, Purpura M, Cannata D, Sangiorgi M: HLA-DR3 antigen linkage in patients with hypertrophic obstructive cardiomyopathy. 1986; 111:91-4
Fisher DJ (see Bolli et al). 1986; 111:261-70
Fisher JD, Lehmann MH: Marked intra-atrial conduction delay with split atrial electrograms: Substrate for reentrant supraventricular tachycardia. 1986; 111:781-4 (Brief comm.)
Flatau E (see Bar-El et al). 1986; 111:1209-10 (Brief comm.)
Fletcher PJ, Pfeffer JM, Pfeffer MA: Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction. 1986; 111:120-7
Flowers D (see Wynn et al). 1986; 111:632-8
Foley MK (see Baerman et al). 1986; 111:644-8
Folli G (see Radice et al). 1986; 111:115-20
Force T (see Bloomfield et al). 1986; 111:1205-7 (Brief comm.)

- Forman MB, Campbell RM, Mazer M, Perry JM: Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia. 1986; 111:982-4 (Brief comm.)
- , Kopelman HA, Gleaton JH, Janco RL, Perry JM: Percutaneous transluminal coronary angioplasty in hemophilia. 1986; 111:169-72 (Brief comm.)
- Foster MC (see Blaustein et al). 1986; 111:340-6
- Foulgoc J-L (see Laurent et al). 1986; 111:597-9 (Brief comm.)
- Fox LM (see Satler et al). 1986; 111:821-5
- Fragola PV (see Fiorito et al). 1986; 111:91-4
- Franciosa JA (see Baker et al). 1986; 111:697-702
- Frankel A (see Marmor et al). 1986; 111:746-51
- Freedman RA (see Swerdlow et al). 1986; 111:433-8
- Freidenberger L (see Elkayam et al). 1986; 111:1130-8
- Friedman J (see Prigent et al). 1986; 111:578-86 (Prog. cardiol.)
- Friedman M: Type A behavior and myocardial infarction. 1986; 111:1216 (Letter reply)
- Friedmann J, Behar S, Reicher H, Agmon J, Neufeld HN: Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT). 1986; 111:1011-3 (Brief comm.)
- Friehling TD (see O'Connor et al). 1986; 111:683-8
- Frishman WH (see Robbins et al). 1986; 111:128-35 (Curriculum cardiol.)
- Froelicher V (see Ahnve et al). 1986; 111:903-8, 909-16
- Front D (see Marmor et al). 1986; 111:746-51
- Frumin H (see Blevins et al). 1986; 111:638-44
- Fujita T (see Ando et al). 1986; 111:347-52
- Fujiwara R, Kutsumi Y, Yamamura I, Nakai T, Miyabo S: Bilateral coronary arteriovenous fistulas associated with idiopathic hypertrophic cardiomyopathy. 1986; 111:1207-8 (Brief comm.)
- Fukami K (see Ogawa et al). 1986; 111:513-8
- Fukuyama H (see Miyazawa et al). 1986; 111:519-24
- Fuoco U (see Curione et al). 1986; 111:1197-1200 (Brief comm.)
- ### G
- Gabathuler J (see Zimmermann et al). 1986; 111:184-7 (Brief comm.)
- Gallie N (see Baker et al). 1986; 111:697-702
- Gallastegui J (see Bauman et al). 1986; 111:654-60
- Galler M (see Cole et al). 1986; 111:417-8 (Brief comm.)
- Garcia E (see Prigent et al). 1986; 111:578-86 (Prog. cardiol.)
- Garcia JM (see Goldbaum et al). 1986; 111:992-3 (Brief comm.)
- Gardin JM (see Olson et al). 1986; 111:1021-9
- Garfinkel C (see Blevins et al). 1986; 111:447-51, 638-44
- Gargiulo A (see Cole et al). 1986; 111:417-8 (Brief comm.)
- Garson A Jr, Gutgesell HP, Pinsky WW, McNamara DG: The 10-minute talk: Organization, slides, writing, and delivery. 1986; 111:193-203 (Editorial)
- Gash AK (see Mann et al). 1986; 111:108-15
- Gelfand MJ (see Hannon et al). 1986; 111:316-21
- Gelman KM, Ben-Ezra JM, Steinschneider M, Dutcher JP, Keefe DL, Factor SM: Lymphoma with primary cardiac manifestations. 1986; 111:808-11 (Brief comm.)
- German LD (see O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
- Ghio S (see de Servi et al). 1986; 111:6-11
- Ghosh S (see Altman et al). 1986; 111:1196-7 (Brief comm.)
- Giagnoni E (see Casazza and Giagnoni). 1986; 111:1214 (Letter)
- Gibbs HR (see Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)
- Gilbert EM (see Anderson et al). 1986; 111:466-74
- Gilbert MR (see O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
- Gillam L (see Harrigan et al). 1986; 111:425-7 (Brief comm.)
- Gillette PC (see Buchanan et al). 1986; 111:398-400 (Brief comm.)
- Gillum RF: Idiopathic cardiomyopathy in the United States, 1970-1982. 1986; 111:752-5 (Curriculum cardiol.)
- : Trends in acute rheumatic fever and chronic rheumatic heart disease: A national perspective. 1986; 111:430-2 (Editorial)
- Gil-Moreno M (see Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Giorgi C, Ackaoui A, Nadeau R, Savard P, Primeau R, Page P: Wolff-Parkinson-White VCG patterns that mimic other cardiac pathologies: A correlative study with the preexcitation pathway localization. 1986; 111:891-902
- Görup T, Kalbaek H, Hartling OJ, Nielsen SL: Controlled double-blind trial of the clinical effect of nifedipine in the treatment of idiopathic Raynaud's phenomenon. 1986; 111:742-5
- Gleaton JH (see Forman et al). 1986; 111:169-72 (Brief comm.)
- Glover MU, Bloor C, Vieweg WVR: Anomalous left ventricular band diagnosed by two-dimensional echocardiography. 1986; 111:805-6 (Brief comm.)
- Goel I (see Panidis et al). 1986; 111:427-9 (Brief comm.)
- Goldbaum TS, Lindsay J Jr, Garcia JM, Pichard AD: Ascending aortic calcification and calcific aortic stenosis in a young woman. 1986; 111:992-3 (Brief comm.)
- Goldberg SJ, Vasko SD, Allen HD, Marx G: Can the technique for Doppler estimate of pulmonary stenosis gradient be simplified? 1986; 111:709-13
- Goldberger M, Tabak SW, Shah PK, Robinson L, Kolitska J: Clinical experience with intra-aortic balloon counterpulsation in 112 consecutive patients. 1986; 111:497-502
- Goldman AP, Kotler MN, Scanlon MH, Ostrum B, Parameswaran R, Parry WR: The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms. 1986; 111:970-81 (Prog. cardiol.)
- (see Kahn et al). 1986; 111:606-8 (Brief comm.)
- Goldman B (see Coplan et al). 1986; 111:405-6 (Brief comm.)
- Goldman M (see Boxer et al). 1986; 111:604-6 (Brief comm.), 405-6 (Brief comm.)
- Goldstein HA (see Satler et al). 1986; 111:821-5
- Gosse P, Herpin D, Roudaut R, Malergue MC, Longy M, Baudet E, Dallochio M: Myxoma of the mitral valve diagnosed by echocardiography. 1986; 111:803-5 (Brief comm.)
- Goto Y (see Ogawa et al). 1986; 111:513-8
- Gould L, Patel C, Betzu R, Din I: Pericarditis and ulcerative colitis. 1986; 111:802-3 (Brief comm.)
- Granath A (see Ericsson et al). 1986; 111:916-22
- Grassi R (see Dottore et al). 1986; 111:788-91 (Brief comm.)
- Green CE (see Satler et al). 1986; 111:821-5
- Green MS, Yucha E, Luz Y: Blood pressure in smokers and nonsmokers: Epidemiologic findings. 1986; 111:932-40
- Greenfield D (see Somberg et al). 1986; 111:615-20 (Editorial)
- Greengart A (see Wexelman et al). 1986; 111:923-7
- Grollier G (see Scanu et al). 1986; 111:422-5 (Brief comm.)
- Grossman RG (see Schelbert et al). 1986; 111:1055-64
- Gruentzig AR (see Anderson et al). 1986; 111:1065-72
- Gunnar RM, Loeb HS: Are the CASS statisticians answering a question no clinician is asking? 1986; 111:1016-9 (Brief comm.)
- Gustafson NF (see Zachman et al). 1986; 111:189-90 (Brief comm.)
- Gutgesell HP (see Garson Jr et al). 1986; 111:193-203 (Editorial)
- Guyer D (see Harrigan et al). 1986; 111:425-7 (Brief comm.)
- ### H
- Haagsma B (see McKeon et al). 1986; 111:1208-9 (Brief comm.)
- Hageman GR (see Urthaler et al). 1986; 111:462-5
- Haikal M (see Alpert et al). 1986; 111:1123-9
- Hakki A-H, Iskandrian AS: Effect of gender on left ventricular function during exercise in patients with coronary artery disease. 1986; 111:543-6
- (see Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)
- Hallinan MO (see Rissanen et al). 1986; 111:286-92
- Hall JW (see Hannon et al). 1986; 111:316-21
- Halperin AK, Cubeddu LX: The role of calcium channel blockers in the treatment of hypertension. 1986; 111:363-82 (Curriculum cardiol.)
- Halperin JL (see Coplan et al). 1986; 111:405-6 (Brief comm.)
- Hamsten A (see Ericsson et al). 1986; 111:916-22
- Handshoe S (see Smith et al). 1986; 111:245-52
- Hanna ES (see Bashour et al). 1986; 111:143-51 (Prog. cardiol.)
- Hannon DW, Gelfand MJ, Bailey WW, Hall JW, Kaplan S: Pinhole radionuclide ventriculography in small infants. 1986; 111:316-21

- Hansen JF, Mellemegaard K: Coronary spasm and AMI. 1986; 111:621 (Letter)
- Hare DL, Horowitz JD: Verapamil hepatotoxicity: A hypersensitivity reaction. 1986; 111:610-1 (Brief comm.)
- Harrigan P, Gillam L, Guyer D: Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation. 1986; 111:425-7 (Brief comm.)
- Hartling OJ (see Gjerp et al). 1986; 111:742-5
- Hartmann JR, McKeever LM, Bufalino VB, Amirparviz F, Scanlon PJ: Intravenous streptokinase in acute myocardial infarction: Experience of community hospitals served by paramedics. 1986; 111:1030-4
- Hashiba K (see Matsumoto et al). 1986; 111:420-2 (Brief comm.)
- Hassanein KM (see Best et al). 1986; 111:136-42 (Curriculum cardiol.)
- Hattori N (see Hiromasa et al). 1986; 111:85-91
- Havlik RJ (see Wilson et al). 1986; 111:1177-92 (Spec. rep.)
- Hayes RV (see Blaustein et al). 1986; 111:340-6
- Haze K (see Ogawa et al). 1986; 111:513-8
- Heikkilä J (see Karjalainen and Heikkilä). 1986; 111:546-52
- Helfant RH (see Klein et al). 1986; 111:791-2 (Brief comm.)
- (see Weintraub et al). 1986; 111:537-42
- Heller GV (see Brown et al). 1986; 111:103-7
- (see Hong et al). 1986; 111:1041-7
- Henry RL (see Ferry et al). 1986; 111:1193-5 (Brief comm.)
- (see Kern et al). 1986; 111:845-52
- Henze E (see Schelbert et al). 1986; 111:1055-64
- Heo J (see Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)
- Herpin D (see Gosse et al). 1986; 111:803-5 (Brief comm.)
- Higgins JR, Swartz JF, Fessenden KK: Pseudopacemaker malfunction secondary to digital ECG artifact. 1986; 111:608-10 (Brief comm.)
- Higuchi MdL (see Barretto et al). 1986; 111:307-12
- Hildner FJ (see Reinfeld et al). 1986; 111:800-1 (Brief comm.)
- Hilgard JH (see Silver et al). 1986; 111:984-6 (Brief comm.)
- Hiramori K (see Ogawa et al). 1986; 111:513-8
- Hiromasa S, Ikeda T, Kubota K, Takata S, Hattori N, Nishimura M, Watanabe Y: A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography. 1986; 111:85-91
- Hirshowitz G, Podrid PJ, Lampert S, Stein J, Lown B: The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia. 1986; 111:852-60
- Hoff J (see Bauman et al). 1986; 111:654-60
- Hohnloser S (see Zeiher et al). 1986; 111:297-306
- Hollander G (see Wexelman et al). 1986; 111:923-7
- Hollman J (see Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)
- Hong RA, Licht JD, Wei JY, Heller GV, Blaustein AS, Pasternak RC: Elevated CK-MB with normal total creatine kinase in suspected myocardial infarction: Associated clinical findings and early prognosis. 1986; 111:1041-7
- Horowitz JD (see Hare and Horowitz). 1986; 111:610-1 (Brief comm.)
- Houston MC: Hypertensive emergencies and urgencies: Pathophysiology and clinical aspects. 1986; 111:205-10 (Symposium)
- : Treatment of hypertensive urgencies and emergencies with nifedipine. 1986; 111:963-9 (Curriculum cardiol.)
- Hsiung MC (see Hsu et al). 1986; 111:807-8 (Brief comm.)
- Hsu TL, Chen CC, Hsiung MC, Yu TJ, Chiang BN: Paradoxical motion of the left ventricular free wall in cardiac tamponade. 1986; 111:807-8 (Brief comm.)
- Hsueh W (see Elkayam et al). 1986; 111:1130-8
- Huang S-C (see Schelbert et al). 1986; 111:1055-64
- Hust MH (see Zeiher et al). 1986; 111:297-306
- Hwang MH, Pacold I, Piao ZE, Engelmeier R, Scanlon PJ, Loeb HS: The usefulness of dobutamine in the assessment of the severity of mitral stenosis. 1986; 111:312-6

I

- Ikeda M (see Ogawa et al). 1986; 111:513-8
- Ikeda T (see Hiromasa et al). 1986; 111:85-91
- Inoue H, Murakawa Y, Toda I, Nozaki A, Matsuo H, Mashima S, Sugimoto T: Epicardial activation patterns of torsade de

- pointes in canine hearts with quinidine-induced long QT interval but without myocardial infarction. 1986; 111:1080-7
- Ishizaki T (see Baba et al). 1986; 111:552-7
- Iskandrian AS: Radionuclide evaluation of cardiac function in obesity. 1986; 111:1003-4 (Brief comm.)
- , Hakki AH, Kane S: Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction. 1986; 111:760-7 (Prog. cardiol.)
- , Heo J: Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise in patients with aortic regurgitation. 1986; 111:1143-9 (Curriculum cardiol.)
- (see Hakki and Iskandrian). 1986; 111:543-6
- Isner JM (see Salem et al). 1986; 111:533-6
- Ito Y (see Ando et al). 1986; 111:347-52
- Iwama T (see Kitazume et al). 1986; 111:826-32

J

- Jaillon P (see Escoubet et al). 1986; 111:280-5
- Jain AC, Dedhia HV, Savrin RA, Withers AS, Rochlani S: Laser and balloon angioplasty in chronic occlusion of femoral artery in a canine model. 1986; 111:794-5 (Brief comm.)
- Janco RL (see Forman et al). 1986; 111:169-72 (Brief comm.)
- Jarandilla R (see Blevins et al). 1986; 111:447-51, 638-44
- Jarvis E (see Rattles et al). 1986; 111:874-8
- Jee LD (see Jennings et al). 1986; 111:557-63
- Jennings AA, Jee LD, Smith JA, Commerford PJ, Opie LH: Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy. 1986; 111:557-63
- Jensen P (see Jones et al). 1986; 111:1013-5 (Brief comm.)
- Johnson KP (see Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)
- Jones DL (see Rattles et al). 1986; 111:874-8
- Jones KL, Wolf PL, Jensen P, Dittich H, Benirschke K, Bloor C: The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor. 1986; 111:1013-5 (Brief comm.)
- Jones L (see Olson et al). 1986; 111:1021-9
- Joyal M, Pieper J, Cremer K, Feldman RL, Pepine CJ: Pharmacodynamic aspects of intravenous diltiazem administration. 1986; 111:54-61
- Just H (see Zeiher et al). 1986; 111:297-306

K

- Kabela E, Barcanas L, Farah A: The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation. 1986; 111:702-9
- Kahn J-C (see Rocha et al). 1986; 111:62-8
- Kahn KL: The efficacy of ambulatory cardiac catheterization in the hospital and free-standing setting. 1986; 111:152-67 (Spec. rep.)
- Kahn SE, Kotler MN, Goldman AP, Ablaza S: Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta. 1986; 111:606-8 (Brief comm.)
- Kan G (see Visser et al). 1986; 111:1035-41
- Kanamori K (see Makita et al). 1986; 111:594-7 (Brief comm.)
- Kanaya T (see Tono-oka et al). 1986; 111:525-33
- Kane S (see Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)
- Kannel WB, Abbott RD: A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham Study. 1986; 111:391-7 (Prog. cardiol.)
- (see Lerner and Kannel). 1986; 111:383-90 (Prog. cardiol.)
- Kaplan S (see Hannon et al). 1986; 111:316-21
- Kapoor AS (see Alpert et al). 1986; 111:1123-9
- Karagueuzian HS, Sugi K, Ohta M, Mandel WJ, Peter T, McCullen A: The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion. 1986; 111:438-46
- Karjalainen J, Heikkilä J: "Acute pericarditis": Myocardial enzyme release as evidence for myocarditis. 1986; 111:546-52
- Kashani IA (see Seitz et al). 1986; 111:1118-22
- Kato R, Singh BN: Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers. 1986; 111:271-9
- Kaushal R (see Radhakrishnan et al). 1986; 111:622 (Letter)

- Kay GN (see O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
- Keefe DL, Miura D, Somberg JC: Supraventricular tachyarrhythmias: Their evaluation and therapy. 1986; 111:1150-61 (Prog. cardiol.)
- (see Cohen et al). 1986; 111:993-7 (Brief comm.)
- (see Gelman et al). 1986; 111:808-11 (Brief comm.)
- (see Miura et al). 1986; 111:661-6
- (see Somberg et al). 1986; 111:648-53
- (see Wynn et al). 1986; 111:632-8
- Kehoe RF (see Zheutlin et al). 1986; 111:860-7
- Keirns C (see Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Kelbaek H (see Gjørup et al). 1986; 111:742-5
- Kelliher GJ (see O'Connor et al). 1986; 111:683-8
- Kelly DL (see Alpert et al). 1986; 111:1123-9
- Kennedy EE (see Rosenfeld et al). 1986; 111:868-74
- Kennedy HL, Sprague MK, Redd RM, Wiens RD, Blum RI, Buckingham TA: Serum digoxin concentrations during ethmazine antiarrhythmic therapy. 1986; 111:667-72
- Kent KM (see Satler et al). 1986; 111:821-5
- Kerin NZ (see Blevins et al). 1986; 111:447-51, 638-44
- Kern MJ, Miller JT, Henry RL: Dose related effects of intracoronary nitroglycerin on coronary hyperemia in patients with coronary artery disease. 1986; 111:845-52
- (see Ferry et al). 1986; 111:1193-5 (Brief comm.)
- Kessler KM, Bilsker MS, Manasa M, Laignhold M, Myerburg RJ: Pericardial web: Extensive pericardial adhesions associated with idiopathic pericarditis. 1986; 111:602-3 (Brief comm.)
- Khuri S (see Bloomfield et al). 1986; 111:1205-7 (Brief comm.)
- Kirch W, Ohnhaus EE, Dylewicz P, Pabst J, Storstein L: Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency. 1986; 111:325-9
- Kitazume H, Iwama T, Suzuki A: Combined thrombolytic therapy and coronary angioplasty for acute myocardial infarction. 1986; 111:826-32
- Klein GJ (see Rattes et al). 1986; 111:874-8
- Klein HO: RBBB with transvenous pacemaker. 1986; 111:622-3 (Letter)
- Klein LW, Weinberg FM, Agarwal JB, Helfant RH: Digital ventriculographic demonstration of ventricular septal defect after myocardial infarction. 1986; 111:791-2 (Brief comm.)
- Klugmann S, Salvi A, Valente M, Zanei P, Maiolino P, Camerini F: Coronary artery spasm after administration of dextran 40: Implications concerning percutaneous transluminal coronary angioplasty. 1986; 111:1202-4 (Brief comm.)
- Koblic M (see Watt et al). 1986; 111:174-5 (Brief comm.)
- Kolitska J (see Goldberger et al). 1986; 111:497-502
- Komatani A (see Tono-oka et al). 1986; 111:525-33
- Komatsu E (see Miyazawa et al). 1986; 111:519-24
- Konstam MA (see Salem et al). 1986; 111:533-6
- Koolen JM (see Visser et al). 1986; 111:1035-41
- Kopelman HA (see Forman et al). 1986; 111:169-72 (Brief comm.)
- Kordenat K, Leasure J: Effect of tiapamil on canine myocardial infarct size. 1986; 111:502-12
- Korones SB (see Zachman et al). 1986; 111:189-90 (Brief comm.)
- Kotler MN (see Altman et al). 1986; 111:1196-7 (Brief comm.)
- (see Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- (see Kahn et al). 1986; 111:606-8 (Brief comm.)
- Kowey PR (see O'Connor et al). 1986; 111:683-8
- Kralios AC (see Nanas and Kralios). 1986; 111:1094-1100
- Krause GS, Kumar K, White BC, Aust SD, Wiegstein JG: Ischemia, resuscitation, and reperfusion: Mechanisms of tissue injury and prospects for protection. 1986; 111:768-80 (Prog. cardiol.)
- Krause LC (see Buda et al). 1986; 111:587-92 (Prog. cardiol.)
- Krol RB (see Morady et al). 1986; 111:252-7
- Kronzon I (see Cole et al). 1986; 111:417-8 (Brief comm.)
- Kubota K (see Hiromasa et al). 1986; 111:85-91
- Kumar A (see Olson et al). 1986; 111:1021-9
- Kumar K (see Krause et al). 1986; 111:768-80 (Prog. cardiol.)
- Kusniec J (see Strasberg et al). 1986; 111:190-2 (Brief comm.)
- Kutsumi Y (see Fujiwara et al). 1986; 111:1206-7 (Brief comm.)
- Kwan OL (see Smith et al). 1986; 111:245-52
- L'Abbate A (see Picano et al). 1986; 111:688-91
- LaCorte MA (see Boxer et al). 1986; 111:604-6 (Brief comm.), 1001-2 (Brief comm.)
- Laddu A (see Anderson et al). 1986; 111:42-8
- Laignhold M (see Kessler et al). 1986; 111:602-3 (Brief comm.)
- Laine J-F (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Lalonde G, Sniderman A, Marpole D, Dean G, Derbekyan V, Lisbona R: Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning. 1986; 111:679-82
- Lamas GA, Pfeffer MA: Increased left ventricular volume following myocardial infarction in man. 1986; 111:30-5
- Lampert S (see Hirsowitz et al). 1986; 111:852-60
- Lamy E (see Scanu et al). 1986; 111:422-5 (Brief comm.)
- Lattanzi F (see Picano et al). 1986; 111:688-91
- Laurent M, Almange C, Biron Y, Coeurderoy A, Foulgoc J-L, Raoul P-Y, Leborgne P: Junctional ectopic tachycardia in a young woman with chronic complete heart block. 1986; 111:597-9 (Brief comm.)
- Laux B (see Miura et al). 1986; 111:661-6
- (see Somberg et al). 1986; 111:648-53
- Lavie G (see Berliner et al). 1986; 111:19-22
- Le Guludec D (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Leak D: Intravenous amiodarone in the treatment of refractory life-threatening cardiac arrhythmias in the critically ill patient. 1986; 111:456-62
- Leasure J (see Kordenat and Leasure). 1986; 111:502-12
- Leborgne P (see Laurent et al). 1986; 111:597-9 (Brief comm.)
- Leddy C (see Baker et al). 1986; 111:697-702
- Lee R (see Anderson et al). 1986; 111:42-8
- Lehmann MH (see Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)
- Leimgruber PP (see Anderson et al). 1986; 111:1065-72
- Lerner DJ, Kannel WB: Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population. 1986; 111:383-90 (Prog. cardiol.)
- Leroy R (see Manouvrier et al). 1986; 111:1005-7 (Brief comm.)
- Lesch M (see Zheutlin et al). 1986; 111:860-7
- Letac B (see Berland et al). 1986; 111:481-8
- Lew AS, Prigent F, Maddahi J: Exercise-induced precordial ST segment elevation due to right ventricular ischemia. 1986; 111:172-4 (Brief comm.)
- Lewin RF (see Strasberg et al). 1986; 111:190-2 (Brief comm.)
- Lewis SA (see Thompson et al). 1986; 111:418-20 (Brief comm.)
- Lewis W (see Stevenson et al). 1986; 111:611-3 (Brief comm.)
- Lichstein E (see Wexelman et al). 1986; 111:923-7
- Licht JD (see Hong et al). 1986; 111:1041-7
- Lindsay J Jr (see Goldbaum et al). 1986; 111:992-3 (Brief comm.)
- Lisbona R (see Lalonde et al). 1986; 111:679-82
- Liesuy S (see Milei et al). 1986; 111:95-102
- Loeb HS (see Gunnar and Loeb). 1986; 111:1016-9 (Brief comm.)
- (see Hwang et al). 1986; 111:312-6
- Longy M (see Gosse et al). 1986; 111:803-5 (Brief comm.)
- Lopes EA (see Barretto et al). 1986; 111:307-12
- Lowe JE (see O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
- Lown B (see Amann et al). 1986; 111:625-31
- (see Hirsowitz et al). 1986; 111:852-60
- (see Raeder et al). 1986; 111:878-82
- Lucchesi BR (see Lynch et al). 1986; 111:883-90
- Lust RM Jr (see Cooper et al). 1986; 111:330-3, 334-9
- Lutherer LO (see Cooper et al). 1986; 111:330-3, 334-9
- Lutz JR (see Anderson et al). 1986; 111:466-74
- Luz Y (see Green et al). 1986; 111:932-40
- Lynch JJ, Montgomery DG, Lucchesi BR: Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs. 1986; 111:883-90
- Lyons KP (see Olson et al). 1986; 111:1021-9

M

- MacAlpin RN (see Stevenson et al). 1986; 111:611-3 (Brief comm.)
- Machado R (see Agatston et al). 1986; 111:986-8 (Brief comm.)
- Machaj V (see Peterson et al). 1986; 111:1-6
- Macina G, Singh A, Drew TM, Moran JM, Most AS: Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death. 1986; 111:175-8 (Brief comm.)
- MacNab MW (see O'Connor et al). 1986; 111:683-8

L

- L'Abbate A (see Picano et al). 1986; 111:688-91
- LaCorte MA (see Boxer et al). 1986; 111:604-6 (Brief comm.), 1001-2 (Brief comm.)

- Maddahi J (see Lew et al). 1986; 111:172-4 (Brief comm.)
— (see Prigent et al). 1986; 111:578-86 (Prog. cardiol.)
Mady C (see Barretto et al). 1986; 111:307-12
Maher ER, Buckman R: Intrapericardial installation of bleomycin in malignant pericardial effusion. 1986; 111:613-4 (Brief comm.)
Mahomed Y (see Chilson et al). 1986; 111:1113-8
— (see Markel et al). 1986; 111:409-13 (Brief comm.)
Maiolino P (see Klugmann et al). 1986; 111:1202-4 (Brief comm.)
Makita N, Takahashi K, Miyamoto A, Kanamori K, Tanabe Y, Yasuda H: Triple-vessel coronary artery spasm. 1986; 111:594-7 (Brief comm.)
Makler PT (see Mann et al). 1986; 111:108-15
Malergue MC (see Gosse et al). 1986; 111:803-5 (Brief comm.)
Mallis GI (see Vlay and Mallis). 1986; 111:452-5
Manasa M (see Kessler et al). 1986; 111:602-3 (Brief comm.)
Mandel WJ (see Karagueuzian et al). 1986; 111:438-46
Mann DL, Denenberg BS, Gash AK, Makler PT, Bove AA: Effects of age on ventricular performance during graded supine exercise. 1986; 111:108-15
Manouvrier J, Sagot M, Caron C, Vaskmann G, Leroy R, Reade R, Ducloux G: Nine cases of torsade de pointes with bepridil administration. 1986; 111:1005-7 (Brief comm.)
Marin J (see Massumi et al). 1986; 111:400-5 (Brief comm.)
Mariotti G (see Radice et al). 1986; 111:115-20
Markel ML, Armstrong WF, Waller BF, Mahomed Y: Left atrial myxoma with multicentric recurrence and evidence of metastases. 1986; 111:409-13 (Brief comm.)
Markiewicz W, Borovik R, Ecker S: Cardiac tamponade in medical patients: Treatment and prognosis in the echocardiographic era. 1986; 111:1138-42
Marmor AT, Frankel A, Plich M, Saterian A, Front D: Decrease in global ejection fraction after volume challenge in long-standing hypertension. 1986; 111:746-51
Maroko PR (see Vik-Mo et al). 1986; 111:1048-54
Marpole D (see Lalonde et al). 1986; 111:679-82
Marx G (see Goldberg et al). 1986; 111:709-13
Mashima S (see Inoue et al). 1986; 111:1080-7
Masini M (see Picano et al). 1986; 111:688-91
Mason DT (see Allen et al). 1986; 111:737-42
— (see Bashour et al). 1986; 111:143-51 (Prog. cardiol.)
— (see Riemenschneider et al). 1986; 111:731-6
Massimino A (see Dottore et al). 1986; 111:788-91 (Brief comm.)
Massumi RA, Marin J, Udhoji VN: Verapamil in parasympathetic ventricular tachycardia and other wide QRS rhythms. 1986; 111:400-5 (Brief comm.)
Mathias P (see Blevins et al). 1986; 111:447-51
Matsumoto Y, Yano K, Aoi W, Oku Y, Hashiba K: Echocardiographic evaluation of pulmonary flow pattern in Uhl's anomaly. 1986; 111:420-2 (Brief comm.)
Matsuo H (see Inoue et al). 1986; 111:1080-7
Mauck HP (see Thompson et al). 1986; 111:418-20 (Brief comm.)
Mazer M (see Forman et al). 1986; 111:982-4 (Brief comm.)
Mazzucchi F (see Coplan et al). 1986; 111:405-6 (Brief comm.)
McAllister M (see Panidis et al). 1986; 111:427-9 (Brief comm.), 927-31
McCullen A (see Karagueuzian et al). 1986; 111:438-46
McIlroy MB (see Seitz et al). 1986; 111:1118-22
McKay R (see Brown et al). 1986; 111:103-7
McKeever LM (see Hartmann et al). 1986; 111:1030-4
McKeon J, Haagsma B, Bett JHN, Boyle CM: Fatal giant cell myocarditis after colectomy for ulcerative colitis. 1986; 111:1208-9 (Brief comm.)
McManus CD (see Perry et al). 1986; 111:721-30
McNamara DG (see Garson Jr et al). 1986; 111:193-203 (Editorial)
McPherson CA (see Rosenfeld et al). 1986; 111:868-74
Mechanic G (see Coplan et al). 1986; 111:405-6 (Brief comm.)
Meindok H (see Buda et al). 1986; 111:36-41
Meissner MD, Panidis IP, Eshaghpour E, Mintz GS, Ross J: Corrected transposition of the great arteries: Evaluation by two-dimensional and Doppler echocardiography. 1986; 111:599-601 (Brief comm.)
Mellemegaard K (see Hansen and Mellemegaard). 1986; 111:621 (Letter)
Meltzer RS (see Visser et al). 1986; 111:1035-41
Menasché P (see Escoubet et al). 1986; 111:280-5
Menlove RL (see Anderson et al). 1986; 111:466-74
Mesko L (see Ericsson et al). 1986; 111:916-22
Mikell FL (see Taylor et al). 1986; 111:840-4
Milei J, Boveris A, Llesuy S, Molina HA, Storino R, Ortega D, Milei SE: Amelioration of adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E. 1986; 111:95-102
Milei SE (see Milei et al). 1986; 111:95-102
Miller JF (see Miller et al). 1986; 111:988-90 (Brief comm.)
Miller JT, Richards KL, Miller JF, Crawford MH: Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma. 1986; 111:988-90 (Brief comm.)
— (see Kern et al). 1986; 111:845-52
Mintz GS (see Meissner et al). 1986; 111:599-601 (Brief comm.)
— (see Panidis et al). 1986; 111:427-9 (Brief comm.), 927-31
Miura DS, Wynn J, Torres V, Laux B, Keefe D, Somberg JC: Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation. 1986; 111:661-6
— (see Keefe et al). 1986; 111:1150-61 (Prog. cardiol.)
— (see Somberg et al). 1986; 111:648-53, 1162-76 (Prog. cardiol.)
— (see Wynn et al). 1986; 111:632-8
Miyabo S (see Fujiwara et al). 1986; 111:1207-8 (Brief comm.)
Miyamoto A (see Makita et al). 1986; 111:594-7 (Brief comm.)
Miyazawa K, Fukuyama H, Komatsu E, Yamaguchi I: Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion. 1986; 111:519-24
Mizuchi M (see Wynn et al). 1986; 111:632-8
Mjøs OD (see Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)
— (see Vik-Mo et al). 1986; 111:1048-54
Modica G (see Dottore et al). 1986; 111:788-91 (Brief comm.)
Molina HA (see Milei et al). 1986; 111:95-102
Monda V (see Critelli et al). 1986; 111:1106-12
Monson D (see Vicari et al). 1986; 111:593-4 (Brief comm.)
Montemartini C (see de Servi et al). 1986; 111:6-11
Montgomery DG (see Lynch et al). 1986; 111:883-90
Mora C (see Cohen et al). 1986; 111:993-7 (Brief comm.)
Morady F, DiCarlo LA Jr, Krol RB, de Buitelir M, Nicklas JM, Annesley TM: Effect of programmed ventricular stimulation on myocardial lactate extraction in patients with and without coronary artery disease. 1986; 111:252-7
— (see Baerman et al). 1986; 111:644-8
Morales MA (see Picano et al). 1986; 111:688-91
Moran JM (see Macina et al). 1986; 111:175-8 (Brief comm.)
Morris JN (see Wilson et al). 1986; 111:177-92 (Spec. rep.)
Moscarelli E (see Picano et al). 1986; 111:688-91
Moses HW (see Taylor et al). 1986; 111:840-4
Most AS (see Berger et al). 1986; 111:233-6
— (see Macina et al). 1986; 111:175-8 (Brief comm.)
Mostow ND, Vrobel TR, Rakita L: Transient exacerbation followed by control of ventricular tachycardia with amiodarone. 1986; 111:178-80 (Brief comm.)
Motte G (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
Munuswamy K (see Alpert et al). 1986; 111:1123-9
Murabit I, Sosa E, Pileggi F, Denes P: Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases. 1986; 111:69-80
— (see Silver et al). 1986; 111:984-6 (Brief comm.)
Murakawa Y (see Inoue et al). 1986; 111:1080-7
Mussini A (see de Servi et al). 1986; 111:6-11
Musumeci S (see Critelli et al). 1986; 111:1106-12
Myerburg RJ (see Kessler et al). 1986; 111:602-3 (Brief comm.)
Myers J (see Ahnve et al). 1986; 111:903-8
Myrtek M: Type A behavior and myocardial infarction. 1986; 111:1215-6 (Letter)

N

- Nadeau R (see Giorgi et al). 1986; 111:891-902
Nakai T (see Fujiwara et al). 1986; 111:1207-8 (Brief comm.)
Nakas JN, Kralios AC: Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog. 1986; 111:1094-1100
Neely JR (see Vik-Mo et al). 1986; 111:1048-54
Neiterman AJ (see Fifer et al). 1986; 111:787-8 (Brief comm.)
Neufeld HN (see Friedmann et al). 1986; 111:1011-3 (Brief comm.)

- Nicklas JM (see Baerman et al). 1986; 111:644-8
— (see Morady et al). 1986; 111:252-7
Nielsen SL (see Gjörup et al). 1986; 111:742-5
Nishimura M (see Hiromasa et al). 1986; 111:85-91
Noda H (see Ando et al). 1986; 111:347-52
Nozaki A (see Inoue et al). 1986; 111:1080-7
- O**
- O'Callaghan WG, Colavita PG, Kay GN, Ellenbogen KA, Lowe JE, Gilbert MR, German LD: Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory pathway. 1986; 111:1200-2 (Brief comm.)
O'Connor KM, Friehling TD, Kelliher GJ, MacNab MW, Weinstein L, Kowey PR: Effect of thromboxane synthetase inhibition on vulnerability to ventricular arrhythmia following coronary occlusion. 1986; 111:683-8
Oesterle SN, Alderman EL, Beier-Scott L, Baim DS, Rothman MT, Schroeder JS: Diltiazem and propranolol in combination: Hemodynamic effects following acute intravenous administration. 1986; 111:489-97
Ogawa H, Hiramoto K, Haze K, Saito M, Sumiyoshi T, Fukami K, Goto Y, Ikeda M: Comparison of clinical features of non-Q wave and Q wave myocardial infarction. 1986; 111:513-8
Ohnhaus EE (see Kirch et al). 1986; 111:325-9
Ohta M (see Karagueuzian et al). 1986; 111:438-46
Oku Y (see Matsumoto et al). 1986; 111:420-2 (Brief comm.)
Olson HG, Butman SM, PETERS KM, Gardin JM, Lyons KP, Jones L, Chilazi G, Kumar A, Colombo A: A randomized controlled trial of intravenous streptokinase in evolving acute myocardial infarction. 1986; 111:1021-9
— (see Butman et al). 1986; 111:11-8
Operschall J (see Seitz et al). 1986; 111:1118-22
Opie LH (see Jennings et al). 1986; 111:557-63
Ortega D (see Milei et al). 1986; 111:95-102
Ostrum B (see Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- P**
- Pabst J (see Kirch et al). 1986; 111:325-9
Pace DP (see Buda et al). 1986; 111:587-92 (Prog. cardiol.)
Pacold I (see Hwang et al). 1986; 111:312-6
Paffenbarger RS Jr (see Wilson et al). 1986; 111:1177-92 (Spec. rep.)
Page P (see Giorgi et al). 1986; 111:891-902
Palacios I (see Peterson et al). 1986; 111:1-6
Pallas RS (see Satler et al). 1986; 111:821-5
Panidis IP, Mintz GS, Goel I, McAllister M, Ross J: Acquired ventricular septal defect after myocardial infarction: Detection by combined two-dimensional and Doppler echocardiography. 1986; 111:427-9 (Brief comm.)
—, —, McAllister M: Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound. 1986; 111:927-31
— (see Meissner et al). 1986; 111:599-601 (Brief comm.)
Papademetriou V: Diuretics, hypokalemia, and cardiac arrhythmias: A critical analysis. 1986; 111:1217-24 (Editorial)
—: Thiazide therapy and ventricular arrhythmias. 1986; 111:1215 (Letter reply)
Parameswaran R (see Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
Parisi AF (see Bloomfield et al). 1986; 111:1205-7 (Brief comm.)
Parker JA (see Brown et al). 1986; 111:103-7
— (see Edelman et al). 1986; 111:1210-2 (Brief comm.)
Parsonnet V, Bernstein AD: An annotation system for displaying operating parameter values in dual-chamber pacing. 1986; 111:817-20 (Editorial)
Pasternak RC (see Hong et al). 1986; 111:1041-7
Patel C (see Gould et al). 1986; 111:802-3 (Brief comm.)
Pathe M (see Rocha et al). 1986; 111:62-8
Pearle DL (see Satler et al). 1986; 111:821-5
Peigh PS (see Chilson et al). 1986; 111:1113-8
Pepine CJ (see Joyal et al). 1986; 111:54-61
Perkins SK (see Alpert et al). 1986; 111:1123-9
Perry JM (see Forman et al). 1986; 111:169-72 (Brief comm.), 982-4 (Brief comm.)
Perry LW, Pipberger HV, Pipberger HA, McManus CD, Scott LP III: Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children. 1986; 111:721-30
Pesola D (see Blevins et al). 1986; 111:447-51
Peter T (see Karagueuzian et al). 1986; 111:438-46
Peterson J (see Swerdlow et al). 1986; 111:49-53, 433-8
Peterson MB, Machaj V, Block PC, Palacios I, Philbin D, Watkins WD: Thromboxane release during percutaneous transluminal coronary angioplasty. 1986; 111:1-6
Petitalot JP, Chaix AF, Barraine R: Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome. 1986; 111:187-9 (Brief comm.)
Petrovic O (see Ryan et al). 1986; 111:714-20
Pfeffer JM (see Fletcher et al). 1986; 111:120-7
Pfeffer MA (see Fletcher et al). 1986; 111:120-7
— (see Lamas and Pfeffer). 1986; 111:30-5
Phelps ME (see Schelbert et al). 1986; 111:1055-64
Philbin D (see Peterson et al). 1986; 111:1-6
Piao ZE (see Hwang et al). 1986; 111:312-6
Picano E, Morales MA, Distante A, Lattanzi F, Moscarelli W, Masini M, L'Abbate A: Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm. 1986; 111:688-91
Pichard AD (see Goldbaum et al). 1986; 111:992-3 (Brief comm.)
Pieper J (see Joyal et al). 1986; 111:54-61
Pileggi F (see Barretto et al). 1986; 111:307-12
— (see Murabit et al). 1986; 111:69-80
Pinamonti B, Alberti E, Buttignol G, Cristaldi A, Camerini F: Echocardiographic diagnosis of congenital left atrial aneurysm. 1986; 111:406-9 (Brief comm.)
Pinget L (see Zimmermann et al). 1986; 111:184-7 (Brief comm.)
Pinkhas J (see Berliner et al). 1986; 111:19-22
Pinsky WW (see Garson Jr et al). 1986; 111:193-203 (Editorial)
Pipberger HA (see Perry et al). 1986; 111:721-30
Pipberger HV (see Perry et al). 1986; 111:721-30
Peters KM (see Olson et al). 1986; 111:1021-9
Piwnicka A (see Escoubet et al). 1986; 111:280-5
Plich M (see Marmor et al). 1986; 111:746-51
Podrid PJ (see Amann et al). 1986; 111:625-31
— (see Hirsowitz et al). 1986; 111:852-60
Pollick C (see Wilansky et al). 1986; 111:1204-5 (Brief comm.)
Prigent F, Maddahi J, Garcia E, Van Train K, Friedman J, Berman D: Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography. 1986; 111:578-86 (Prog. cardiol.)
— (see Lew et al). 1986; 111:172-4 (Brief comm.)
Primeau R (see Giorgi et al). 1986; 111:891-902
Primm RK (see Roden et al). 1986; 111:1088-93
Pugh DM (see Best et al). 1986; 111:136-42 (Curriculum cardiol.)
Puletti M (see Curione et al). 1986; 111:1197-200 (Brief comm.)
Purpura M (see Fiorito et al). 1986; 111:91-4
- R**
- Rabinovich E (see Taylor et al). 1986; 111:840-4
Rackley CE (see Satler et al). 1986; 111:821-5
Radhakrishnan S, Talwar KK, Kaushal R, Bhatia ML: Respiratory arrest with IV verapamil. 1986; 111:622 (Letter)
Radice M, Alli C, Avanzini F, Di Tullio M, Mariotti G, Taioli E, Zussino A, Folli G: Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension. 1986; 111:115-20
Raeder EA, Verrier RL, Lown B: Protective effect of tiapamil against ventricular fibrillation during coronary artery occlusion. 1986; 111:878-82
Rahimtoola SH (see Elkayam et al). 1986; 111:1130-8
Rajfer S (see Anderson et al). 1986; 111:42-8
Rakita L (see Mostow et al). 1986; 111:178-80 (Brief comm.)
Raoul P-Y (see Laurent et al). 1986; 111:597-9 (Brief comm.)
Rattes MF, Jones DL, Sohla A, Sharma AD, Jarvis E, Klein GJ: Defibrillation with the sequential pulse technique: Reproducibility with repeated shocks. 1986; 111:874-8
Raunio H (see Rissanen et al). 1986; 111:286-92
Reade R (see Manouvrier et al). 1986; 111:1005-7 (Brief comm.)

- Redd, RM (see Kennedy et al). 1986; 111:667-72
- Reed WG, Anderson RJ: Effects of rapid blood pressure reduction on cerebral blood flow. 1986; 111:226-8 (Symposium)
- (see Anderson and Reed). 1986; 111:211-9 (Symposium)
- Rehnberg S (see Rissanen et al). 1986; 111:286-92
- Reicher H (see Friedmann et al). 1986; 111:1011-3 (Brief comm.)
- Reinert S (see Berger et al). 1986; 111:233-6
- Reinfeld HB, Agatston AS, Robinson MJ, Hildner FJ: Bioprosthetic mitral valve dysfunction following blunt chest trauma. 1986; 111:800-1 (Brief comm.)
- Ribeiro LGT (see Vik-Mo et al). 1986; 111:1048-54
- Richards KL (see Miller et al). 1986; 111:988-90 (Brief comm.)
- Riemenschneider TA, Allen HD, Mason DT: Maturation changes in myocardial pump performance in newborn lambs. 1986; 111:731-6
- (see Allen et al). 1986; 111:737-42
- (see Tiefenbrunn and Riemenschneider). 1986; 111:564-72 (Curriculum cardiol.)
- Rigatto H (see Zachman et al). 1986; 111:189-90 (Brief comm.)
- Ring ME, Fenster PE: Exercise-induced ST segment alternans. 1986; 111:1009-11 (Brief comm.)
- Rissanen V, Raunio H, Halinen MO, Rehnberg S: Changes occurring in the postinfarction ECG in relation to age, sex, and previous myocardial infarction. 1986; 111:286-92
- Robbins MJ, Soeiro R, Frishman WH, Strom JA: Right-sided valvular endocarditis: Etiology, diagnosis, and an approach to therapy. 1986; 111:128-35 (Curriculum cardiol.)
- Roberts WC: Major anomalies of coronary arterial origin seen in adulthood. 1986; 111:941-63
- Robinson L (see Goldberger et al). 1986; 111:497-502
- Robinson MJ (see Agatston et al). 1986; 111:986-8 (Brief comm.)
- (see Reinfeld et al). 1986; 111:800-1 (Brief comm.)
- Rocha P, Baron B, Delestrain A, Pathe M, Cazor J-L, Kahn J-C: Hemodynamic effects of intravenous diltiazem in patients treated chronically with propranolol. 1986; 111:62-8
- Rochlani S (see Jain et al). 1986; 111:794-5 (Brief comm.)
- Roden DM, Woosley RL, Pimm RK: Incidence and clinical features of the quinidine-associated long QT syndrome: Implications for patient care. 1986; 111:1088-93
- Rogers WJ (see Satler et al). 1986; 111:821-5
- Romijn KH (see Visser et al). 1986; 111:1035-41
- Rosenfeld LE, McPherson CA, Kennedy EE, Stark SI, Batsford WP: Ventricular tachycardia induction: Comparison of triple extrastimuli with an abrupt change in ventricular drive cycle length. 1986; 111:868-74
- Rosenqvist M, Brandt J, Schuller H: Atrial versus ventricular pacing in sinus node disease: A treatment comparison study. 1986; 111:292-7
- Rosenthal L (see Urthaler et al). 1986; 111:462-5
- Ross J (see Meissner et al). 1986; 111:599-601 (Brief comm.)
- (see Panidis et al). 1986; 111:427-9 (Brief comm.)
- Roth A (see Elkayam et al). 1986; 111:1130-8
- Roth H (see Zheutlin et al). 1986; 111:860-7
- Rothman MT (see Oesterle et al). 1986; 111:489-97
- Roubin GS (see Anderson et al). 1986; 111:1065-72
- Roudaut R (see Gosse et al). 1986; 111:803-5 (Brief comm.)
- Royal HD (see Brown et al). 1986; 111:103-7
- (see Edelman et al). 1986; 111:1210-2 (Brief comm.)
- Rubenfire M (see Blevins et al). 1986; 111:447-51, 638-44
- Rude RK (see Ryzen et al). 1986; 111:475-80
- Ruder MA (see Alpert et al). 1986; 111:1123-9
- Ryan T, Armstrong WF, Dillon JC, Feigenbaum H: Doppler echocardiographic evaluation of patients with porcine mitral valves. 1986; 111:237-44
- , Petrovic O, Armstrong WF, Dillon JC, Feigenbaum H: Quantitative two-dimensional echocardiographic assessment of patients undergoing left ventricular aneurysmectomy. 1986; 111:714-20
- Ryzen E, Elkayam U, Rude RK: Low blood mononuclear cell magnesium in intensive cardiac care unit patients. 1986; 111:475-80
- Salerno J (see de Servi et al). 1986; 111:6-11
- Salvi A (see Klugmann et al). 1986; 111:1202-4 (Brief comm.)
- Samet P (see Agatston et al). 1986; 111:986-8 (Brief comm.)
- Sanfelippo JF (see Alpert et al). 1986; 111:1123-9
- Sangiorgi M (see Fiorito et al). 1986; 111:91-4
- Satler LF (see Marmor et al). 1986; 111:746-51
- Satler LF, Kent KM, Fox LM, Goldstein HA, Green CE, Rogers WJ, Pallas RS, Del Negro AA, Pearle DL, Rackley CE: The assessment of contractile reserve after thrombolytic therapy for acute myocardial infarction. 1986; 111:821-5
- Sato S (see Tono-oka et al). 1986; 111:525-33
- Savage RW (see Ashburn and Savage). 1986; 111:621-2 (Letter)
- Savard P (see Giorgi et al). 1986; 111:891-902
- Savrin RA (see Jain et al). 1986; 111:794-5 (Brief comm.)
- Savvides M (see Ahnve et al). 1986; 111:909-16
- Saxena N (see Wiener et al). 1986; 111:258-61
- Scanlon MH (see Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- Scanlon PJ (see Hartmann et al). 1986; 111:1030-4
- (see Hwang et al). 1986; 111:312-6
- Scapu P, Lamy E, Combeau P, Grollier G, Charbonneau P: Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study. 1986; 111:422-5 (Brief comm.)
- Schellert HR, Henze E, Sochor H, Grossman RG, Huang S-C, Barrio JR, Schwaiger M, Phelps ME: Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction. 1986; 111:1055-64
- Scherillo M (see Critelli et al). 1986; 111:1106-12
- Schmitt G (see Blaustein et al). 1986; 111:340-6
- Schneider JA (see Taylor et al). 1986; 111:840-4
- Schneider RM (see Weintraub et al). 1986; 111:537-42
- Schoen FJ (see Bloomfield et al). 1986; 111:1205-7 (Brief comm.)
- Schroeder JS (see Anderson et al). 1986; 111:42-8
- (see Oesterle et al). 1986; 111:489-97
- Schuchard GH, Tristani FE: A new use for the esophageal lead: Continuous telemetry monitoring. 1986; 111:1007-9 (Brief comm.)
- Schuller H (see Rosenqvist et al). 1986; 111:292-7
- Schwaiger M (see Schellert et al). 1986; 111:1055-64
- Sciaccia A (see Baciarello et al). 1986; 111:413-4 (Brief comm.)
- Sclarovsky S (see Berliner et al). 1986; 111:19-22
- (see Strasberg et al). 1986; 111:190-2 (Brief comm.)
- Scott LP III (see Perry et al). 1986; 111:721-30
- Sebag C (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Seelaus PA (see Weintraub et al). 1986; 111:537-42
- Seitz WS, McIlroy MB, Opershall J, Kashani IA: Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients. 1986; 111:1118-22
- Shah PK (see Goldberger et al). 1986; 111:497-502
- Shanes JG (see Anders et al). 1986; 111:755-9 (Curriculum cardiol.)
- Shani J (see Wexelman et al). 1986; 111:923-7
- Sharma AD (see Rattes et al). 1986; 111:874-8
- Shimoni Z (see Bar-El et al). 1986; 111:1209-10 (Brief comm.)
- Siegel D, Black DM: Thiazide therapy and ventricular arrhythmias. 1986; 111:1214-5 (Letter)
- Silver MA, Hilgard JH, Murabit I, Bloom KJ: Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction. 1986; 111:984-6 (Brief comm.)
- Silverman KJ (see Brown et al). 1986; 111:103-7
- Singh A (see Macina et al). 1986; 111:175-8 (Brief comm.)
- Singh BN (see Kato and Singh). 1986; 111:271-9
- (see Wahl et al). 1986; 111:353-62
- Singh S (see Boxer et al). 1986; 111:604-6 (Brief comm.), 1001-2 (Brief comm.)
- Slama M (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Slater J (see Cole et al). 1986; 111:417-8 (Brief comm.)
- Smiseth OA, Mjøs OD: Increased left atrial myocardial blood flow during acute ischemic left ventricular failure. 1986; 111:793-9 (Brief comm.)
- Smith JA (see Jennings et al). 1986; 111:557-63
- Smith JC (see Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)

- Smith MD, Dawson PL, Elion JL, Wisenbaugh T, Kwan OL, Handshoe S, DeMaria AN: Systematic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis. 1986; 111:245-52
- Sniderman A (see Lalonde et al). 1986; 111:679-82
- Sochor H (see Schelbert et al). 1986; 111:1055-64
- Soeiro R (see Robbins et al). 1986; 111:128-35 (Curriculum cardiol.)
- Sohla A (see Rattes et al). 1986; 111:874-8
- Somberg J, Greenfield D, Tepper D: Digitalis: 200 years in perspective. 1986; 111:615-20 (Editorial)
- , Laux B, Wynn J, Keefe D, Mirua DS: Lorcaidine therapy in a cardiac arrest population. 1986; 111:648-53
- , Miura D, Keefe DL: The treatment of ventricular rhythm disturbances. 1986; 111:1162-76 (Prog. cardiol.)
- (see Keefe et al). 1986; 111:1150-61 (Prog. cardiol.)
- (see Miura et al). 1986; 111:661-6
- (see Wynn et al). 1986; 111:632-8
- Sone K (see Baba et al). 1986; 111:552-7
- Sosa E (see Murabit et al). 1986; 111:69-80
- Specchia G (see de Servi et al). 1986; 111:6-11
- Sprague MK (see Kennedy et al). 1986; 111:667-72
- Stanton MW (see Cooper et al). 1986; 111:330-3, 334-9
- Stark SI (see Rosenfeld et al). 1986; 111:868-74
- Steck JD (see Anderson et al). 1986; 111:42-8
- Stein HL (see Boxer et al). 1986; 111:1001-2 (Brief comm.)
- Stein J (see Hirsowitz et al). 1986; 111:852-60
- Steinman R (see Zheutlin et al). 1986; 111:860-7
- Steinschneider M (see Gelman et al). 1986; 111:808-11 (Brief comm.)
- Stephens MR (see Watt et al). 1986; 111:174-5 (Brief comm.)
- Stevenson LW, Lewis W, MacAlpin RN, Clark S: Acute reversible cardiogenic shock: Immune-mediated with mild histologic change. 1986; 111:611-3 (Brief comm.)
- Stevenson WG, Brugada P, Waldecker B, Zehender M, Wellens HJJ: Can potentially significant polymorphic ventricular arrhythmias initiated by programmed stimulation be distinguished from those that are nonspecific? 1986; 111:1073-80
- Stolf N (see Barretto et al). 1986; 111:307-12
- Storino R (see Milei et al). 1986; 111:95-102
- Storstein L (see Kirch et al). 1986; 111:325-9
- Strasberg B, Kusniec J, Lewin RF, Sclarovsky S, Arditti A, Agmon J: An unusual ventricular tachycardia responsive to verapamil. 1986; 111:190-2 (Brief comm.)
- (see Bauman et al). 1986; 111:654-60
- Strom JA (see Robbins et al). 1986; 111:128-35 (Curriculum cardiol.)
- Sturgill BC (see Teja and Sturgill). 1986; 111:1004-5 (Brief comm.)
- Sugi K (see Karagueuzian et al). 1986; 111:438-46
- Sugimoto T (see Inoue et al). 1986; 111:1080-7
- Sullivan M (see Ahnve et al). 1986; 111:903-8
- Sumiyoshi T (see Ogawa et al). 1986; 111:513-8
- Summers C (see Zheutlin et al). 1986; 111:860-7
- Sun Q-B (see Zhang et al). 1986; 111:572-7 (Curriculum cardiol.)
- Sung R (see Anderson et al). 1986; 111:42-8
- Sussman S (see Edelman et al). 1986; 111:1210-2 (Brief comm.)
- Suzuki A (see Kitazume et al). 1986; 111:826-32
- Swartz JF (see Higgins et al). 1986; 111:608-10 (Brief comm.)
- Swedberg K (see Bhatia et al). 1986; 111:692-6
- Swerdlow CD, Freedman RA, Peterson J, Clay D: Determinants of prognosis in ventricular tachyarrhythmia patients without induced sustained arrhythmias. 1986; 111:433-8
- , Peterson J, Turlapaty P: Clinical electrophysiology of flecainide, a potent ultra short-acting beta blocker. 1986; 111:49-53
- Swiryn S (see Bauman et al). 1986; 111:654-60
- Syrota A (see Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- T**
- Tabak SW (see Goldberger et al). 1986; 111:497-502
- Taioli E (see Radice et al). 1986; 111:115-20
- Takahashi K (see Makita et al). 1986; 111:594-7 (Brief comm.)
- (see Tono-oka et al). 1986; 111:525-33
- Takata S (see Hiromasa et al). 1986; 111:85-91
- Takebe K (see Baba et al). 1986; 111:552-7
- Talwar KK (see Radhakrishnan et al). 1986; 111:622 (Letter)
- Tanabe Y (see Makita et al). 1986; 111:594-7 (Brief comm.)
- Tanz RD: Possible contribution of digitalis-induced coronary constriction to toxicity. 1986; 111:812-7 (Editorial)
- Taylor GJ, Rabinovich E, Mikell FL, Moses HW, Dove JT, Batchelder JE, Wellons HA Jr, Schneider JA: Percutaneous transluminal coronary angioplasty as palliation for patients considered poor surgical candidates. 1986; 111:840-4
- Teja K, Sturgill BC: Bifid cardiac apex. 1986; 111:1004-5 (Brief comm.)
- Tepper D (see Somberg et al). 1986; 111:615-20 (Editorial)
- Thoden WR (see Wahl et al). 1986; 111:353-62
- Thompson JA, Lewis SA, Mauck HP: Absence of the left pulmonary artery: Anomalous collateral from the coronary artery to affected lung. 1986; 111:418-20 (Brief comm.)
- Tiefenbrunn LJ, Riemenschneider TA: Persistent pulmonary hypertension of the newborn. 1986; 111:564-72 (Curriculum cardiol.)
- Toda I (see Inoue et al). 1986; 111:1080-7
- Tono-oka I, Satoh S, Kanaya T, Komatani A, Takahashi K, Tsuiki K, Yasui S: Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy. 1986; 111:525-33
- Torres V (see Miura et al). 1986; 111:661-6
- (see Wynn et al). 1986; 111:632-8
- Trehan N (see Cole et al). 1986; 111:417-8 (Brief comm.)
- Trigo L (see Agatston et al). 1986; 111:986-8 (Brief comm.)
- Tristani FE (see Schuchard and Tristani). 1986; 111:1007-9 (Brief comm.)
- Tse WW: Transmembrane potentials of canine AV junctional tissues. 1986; 111:1000-5
- Tsuiki K (see Tono-oka et al). 1986; 111:525-33
- Turlapaty P (see Anderson et al). 1986; 111:42-8
- (see Swerdlow et al). 1986; 111:49-53
- U**
- Udhoji VN (see Massumi et al). 1986; 111:400-5 (Brief comm.)
- Urthaler F: Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart. 1986; 111:672-8
- , Rosenshtraukh LV, Walker AA, Hageman GR: Differential inotropic actions of ethmozine and ethacizin (diethylamine analog of ethmozine). 1986; 111:462-5
- V**
- Valente M (see Klugmann et al). 1986; 111:1202-4 (Brief comm.)
- Van Train K (see Prigent et al). 1986; 111:578-86 (Prog. cardiol.)
- Vargas-Barron J, Keirns C, Attie F, Gil-Moreno M, Aracil C: Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography. 1986; 111:181-4 (Brief comm.)
- Vaskmann G (see Manouvrier et al). 1986; 111:1005-7 (Brief comm.)
- Vasko SD (see Goldberg et al). 1986; 111:709-13
- Verrier RL (see Raeder et al). 1986; 111:878-82
- Vetrovec GW (see DiSciascio et al). 1986; 111:833-9
- Vicari R, Eybel C, Monson D: Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma. 1986; 111:593-4 (Brief comm.)
- Vidit DG: Current concepts in treatment of hypertensive emergencies. 1986; 111:220-5 (Symposium)
- : The practical management of patients with severe hypertension and hypertensive emergencies: Introduction. 1986; 111:205 (Symposium)
- Vieweg WVR (see Glover et al). 1986; 111:805-6 (Brief comm.)
- Vigano M (see de Servi et al). 1986; 111:6-11
- Vigneri G (see Dottore et al). 1986; 111:788-91 (Brief comm.)
- Vik-Mo H, Mjøs OD, Neely JR, Maroko PR, Ribeiro LGT: Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium. 1986; 111:1048-54
- Villani M (see Baciarello et al). 1986; 111:413-4 (Brief comm.)
- Visser CA, David GK, Kan G, Romijn KH, Meltzer RS, Koolen JM, Dunning AJ: Two-dimensional echocardiography during percutaneous transluminal coronary angioplasty. 1986; 111:1035-41

- Vlay SC, Mallis GI: Intravenous and oral lorainide: Assessment of central nervous system toxicity and antiarrhythmic efficacy. 1986; 111:452-5
Vogel RA (see Cohen and Vogel). 1986; 111:23-30
Vrobel TR (see Mostow et al). 1986; 111:178-80 (Brief comm.)

W

- Wahl J, Singh BN, Thoden WR: Comparative hypotensive effects of acebutolol and hydrochlorothiazide in patients with mild to moderate essential hypertension: A double-blind multicenter evaluation. 1986; 111:353-62
Waldeck B (see Stevenson et al). 1986; 111:1073-80
Walker AA (see Urthaler et al). 1986; 111:462-5
Waller BF (see Chilson et al). 1986; 111:1113-8
— (see Markel et al). 1986; 111:409-13 (Brief comm.)
Watanabe Y (see Hiromasa et al). 1986; 111:85-91
Watkins WD (see Peterson et al). 1986; 111:1-6
Watt AH, Koblic M, Stephens MR: Traumatic ventricular septal defect diagnosed by echocardiography. 1986; 111:174-5 (Brief comm.)
Weber RR (see Alpert et al). 1986; 111:1123-9
Weber L (see Elkayam et al). 1986; 111:1130-8
Wei JY (see Hong et al). 1986; 111:1041-7
Weinberg FM (see Klein et al). 1986; 111:791-2 (Brief comm.)
Weins RD (see Kennedy et al). 1986; 111:667-72
Weintraub WS, Schneider RM, Seelaus PA, Wiener DH, Agarwal JB, Helfant RH: Prospective evaluation of the severity of coronary artery disease with exercise radionuclide angiography and electrocardiography. 1986; 111:537-42
Weiss, RJ: Recurrent myocardial infarction caused by cocaine abuse. 1986; 111:793 (Brief comm.)
Welch WJ (see Bauman et al). 1986; 111:654-60
Wellens HJJ (see Stevenson et al). 1986; 111:1073-80
Wellons HA Jr (see Taylor et al). 1986; 111:840-4
Wertheimer J (see Altman et al). 1986; 111:1196-7 (Brief comm.)
Wetstein L (see O'Connor et al). 1986; 111:683-8
Wexelman W, Lichstein E, Cunningham JN, Hollander G, Green-gart A, Shani J: Etiology and clinical significance of new fascicular conduction defects following coronary bypass surgery. 1986; 111:923-7
White BC (see Krause et al). 1986; 111:768-80 (Prog. cardiol.)
Wiegenstein JG (see Krause et al). 1986; 111:768-80 (Prog. cardiol.)
Wiener DH (see Weintraub et al). 1986; 111:537-42
Wiener I, Yamashita J, Saxena N, Comer T: Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease. 1986; 111:258-61
Wilansky S, Burns RJ, David TE, Pollick C: Valve-like intimal flap: A new echocardiographic finding of aortic dissection. 1986; 111:1204-5 (Brief comm.)
Williams DO (see Anderson et al). 1986; 111:42-8
— (see Berger et al). 1986; 111:233-6
Wilner G (see Anderson et al). 1986; 111:42-8
Wilson PWF, Paffenbarger RS Jr, Morris JN, Havlik RJ: Assessment methods for physical activity and physical fitness in population studies: Report of a NHLBI workshop. 1986; 111:1177-92 (Spec. rep.)
Wisnibaugh T (see Smith et al). 1986; 111:245-52
Withers AS (see Jain et al). 1986; 111:794-5 (Brief comm.)
Wolf PL (see Jones et al). 1986; 111:1013-5 (Brief comm.)

- Wolf WJ: Echocardiographic features of a purulent pericardial peel. 1986; 111:990-2 (Brief comm.)
— (see Casta and Wolf). 1986; 111:321-4
Wolfgang TC (see DiSciascio et al). 1986; 111:833-9
Wollschlaeger H (see Zeiher et al). 1986; 111:297-306
Woosley RL (see Roden et al). 1986; 111:1088-93
Wynn J, Torres V, Flowers D, Mizuchi M, Keefe D, Miura D, Somberg J: Antiarrhythmic drug efficacy at electrophysiology testing: Predictive effectiveness of procainamide and flecainide. 1986; 111:632-8
— (see Miura et al). 1986; 111:661-6
— (see Stomberg et al). 1986; 111:648-53

Y

- Yamaguchi I (see Miyazawa et al). 1986; 111:519-24
Yamamura I (see Fujiwara et al). 1986; 111:1207-8 (Brief comm.)
Yamashita J (see Wiener et al). 1986; 111:258-61
Yamashita K (see Ando et al). 1986; 111:347-52
Yano K (see Matsumoto et al). 1986; 111:420-2 (Brief comm.)
Yasuda H (see Makita et al). 1986; 111:594-7 (Brief comm.)
Yasui S (see Tono-oka et al). 1986; 111:525-33
Yazdanfar S (see Altman et al). 1986; 111:1196-7 (Brief comm.)
Yu TJ (see Hsu et al). 1986; 111:807-8 (Brief comm.)
Yucha E (see Green et al). 1986; 111:932-40

Z

- Zaatai GS (see Anderson et al). 1986; 111:1065-72
Zachman RD, Bauer CR, Boehm J, Korones SB, Rigatto H, Gustafson NF: Neonatal blood pressure at birth by the Doppler method. 1986; 111:189-90 (Brief comm.)
Zanei P (see Klugmann et al). 1986; 111:1202-4 (Brief comm.)
Zee-Cheng C-S, Gibbs HR, Johnson KP, Smith JC: Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma. 1986; 111:414-7 (Brief comm.)
Zehender M (see Stevenson et al). 1986; 111:1073-80
Zeiher AM, Bonzel T, Wollschlaeger H, Hohnloser S, Hust MH, Just H: Noninvasive evaluation of pulmonary hypertension by quantitative contrast M-mode echocardiography. 1986; 111:297-306
Zeller FP (see Anders et al). 1986; 111:755-9 (Curriculum cardiol.)
Zetterquist S (see Ericsson et al). 1986; 111:916-22
Zhang K-Z, Sun Q-B, Cheng TO: Holt-Oram syndrome in China: A collective review of 18 cases. 1986; 111:572-7 (Curriculum cardiol.)
Zheutlin TA, Roth H, Chua W, Steinman R, Summers C, Leech M, Kehoe RF: Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity. 1986; 111:860-7
Zimmermann M, Gabathuler J, Adamec R, Pinget L: Unusual manifestations of heart involvement in Friedreich's ataxia. 1986; 111:184-7 (Brief comm.)
Zinner A (see Buchanan et al). 1986; 111:398-400 (Brief comm.)
Zipes DP (see Chilson et al). 1986; 111:1113-8
Zoble R (see Anderson et al). 1986; 111:42-8
Zotz RJ (see Buda et al). 1986; 111:587-92 (Prog. cardiol.)
Zussino A (see Radice et al). 1986; 111:115-20

Subject index*

A

Ablation

- Chemical ablation of ventricular tachycardia in the dog (Chil-son et al). 1986; 111:1113-8
- Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12

Acebutolol

- Comparative hypotensive effects of acebutolol and hydrochlorothiazide in patients with mild to moderate essential hypertension: A double-blind multicenter evaluation (Wahl et al). 1986; 111:353-62

Adhesion

- Pericardial web: Extensive pericardial adhesions associated with idiopathic pericarditis (Kessler et al). 1986; 111:602-3 (Brief comm.)

Adjunct therapy

- The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia (Hirshowitz et al). 1986; 111:852-60

Adolescent; see also Child

- Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension (Radice et al). 1986; 111:115-20

Adriamycin toxicity

- Amelioration of Adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E (Milei et al). 1986; 111:95-102

Age; see also Maturation

- Changes occurring in the postinfarction ECG in relation to age, sex, and previous myocardial infarction (Rissanen et al). 1986; 111:286-92
- Effects of age on ventricular performance during graded supine exercise (Mann et al). 1986; 111:108-15
- Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension (Radice et al). 1986; 111:115-20

Ambulatory cardiac catheterization

- The efficacy of ambulatory cardiac catheterization in the hospital and free-standing setting (Kahn). 1986; 111:152-67 (Spec. rep.)

Amiodarone

- Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5
- Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃ and the QT interval during long-term amiodarone treatment (Baerman et al). 1986; 111:644-8
- Intravenous amiodarone in the treatment of refractory life-threatening cardiac arrhythmias in the critically ill patient (Leak). 1986; 111:456-62
- Transient exacerbation followed by control of ventricular tachycardia with amiodarone (Mostow et al). 1986; 111:178-80 (Brief comm.)

Aneurysm

- Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)
- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography (Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Echocardiographic diagnosis of congenital left atrial aneurysm (Pinamonti et al). 1986; 111:406-9 (Brief comm.)
- Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; 111:603-4 (Brief comm.)
- Left ventricular aneurysm as a coronary risk factor independent of overall left ventricular function (Cohen and Vogel). 1986; 111:23-30

- Quantitative two-dimensional echocardiographic assessment of patients undergoing left ventricular aneurysmectomy (Ryan et al). 1986; 111:714-20
- Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta (Kahn et al). 1986; 111:606-8 (Brief comm.)

Angina

- Clinical and angiographic findings in angina at rest (de Servi et al). 1986; 111:6-11
- Computer analysis of exercise-induced changes in QRS duration in patients with angina pectoris and in normal subjects (Ahnve et al). 1986; 111:903-8
- Diltiazem and propranolol in combination: Hemodynamic effects following acute intravenous administration (Oesterle et al). 1986; 111:489-97
- Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm (Picano et al). 1986; 111:688-91
- Early exercise testing after stabilization of unstable angina: Correlation with coronary angiographic findings and subsequent cardiac events (Butman et al). 1986; 111:11-8
- Spontaneous angina during serial resting thallium-201 myocardial scintigraphy (Dottore et al). 1986; 111:788-91 (Brief comm.)

Angiography

- Clinical and angiographic findings in angina at rest (de Servi et al). 1986; 111:6-11
- Early exercise testing after stabilization of unstable angina: Correlation with coronary angiographic findings and subsequent cardiac events (Butman et al). 1986; 111:11-8
- Epinephrine-induced myocardial infarction in a patient with angiographically normal coronary arteries (Ferry et al). 1986; 111:1193-5 (Brief comm.)
- Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4
- Prospective evaluation of the severity of coronary artery disease with exercise radionuclide angiography and electrocardiography (Weintraub et al). 1986; 111:537-42
- Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise with aortic regurgitation (Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)

Angioplasty

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)
- Combined thrombolytic therapy and coronary angioplasty for acute myocardial infarction (Kitazume et al). 1986; 111:826-32
- Coronary artery spasm after administration of dextran 40: implications concerning percutaneous transluminal coronary angioplasty (Klugmann et al). 1986; 111:1202-4 (Brief comm.)
- Early and late outcome of percutaneous transluminal coronary angioplasty for subacute and chronic total coronary occlusion (DiSciascio et al). 1986; 111:833-9
- Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty (Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)
- Laser and balloon angioplasty in chronic occlusion of femoral artery in a canine model (Jain et al). 1986; 111:794-5 (Brief comm.)
- Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)
- Percutaneous transluminal coronary angioplasty as palliation for patients considered poor surgical candidates (Taylor et al). 1986; 111:840-4
- Percutaneous transluminal coronary angioplasty in hemophilia (Forman et al). 1986; 111:169-72 (Brief comm.)
- Sustained efficacy of percutaneous transluminal coronary angioplasty (Berger et al). 1986; 111:233-6
- Thromboxane release during percutaneous transluminal coronary angioplasty (Peterson et al). 1986; 111:1-6

*January, pp. 1-232; February, pp. 233-432; March, pp. 433-624; April, pp. 625-820; May, pp. 821-1020; June, pp. 1021-1262.

Angioplasty—Cont'd

Two-dimensional echocardiography during percutaneous transluminal coronary angioplasty (Visser et al). 1986; 111:1035-41

Annotation system

An annotation system for displaying operating parameter values in dual-chamber pacing (Parsonnet and Bernstein). 1986; 111:817-20 (Editorial)

Anomaly

Anomalous left ventricular band diagnosed by two-dimensional echocardiography (Glover et al). 1986; 111:805-6 (Brief comm.)

Echocardiographic evaluation of pulmonary flow pattern in Uhl's anomaly (Matsumoto et al). 1986; 111:420-2 (Brief comm.)

Major anomalies of coronary arterial origin seen in adulthood (Roberts). 1986; 111:941-63 (Curriculum cardiol.)

Antiarrhythmic; see Arrhythmia

Antigen

HLA-DR3 antigen linkage in patients with hypertrophic obstructive cardiomyopathy (Fiorito et al). 1986; 111:91-4

Aorta

Ascending aortic calcification and calcific aortic stenosis in a young woman (Goldbaum et al). 1986; 111:992-3 (Brief comm.)

Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7 (Brief comm.)

Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients (Seitz et al). 1986; 111:1118-22

Evaluation of aorta in the Marfan syndrome by magnetic resonance imaging (Boxer et al). 1986; 111:1001-2 (Brief comm.)

Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning (Lalonde et al). 1986; 111:679-82

Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise with aortic regurgitation (Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)

Starr-Edwards aortic prosthesis: A 20-year retrospective study (Best et al). 1986; 111:136-42 (Curriculum cardiol.)

Sudden hemodynamic collapse following relief of cardiac tamponade in aortic dissection (Coplan et al). 1986; 111:405-6 (Brief comm.)

Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta (Kahn et al). 1986; 111:606-8 (Brief comm.)

Systemic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis (Smith et al). 1986; 111:245-52

Valve-like intimal flap: A new echocardiographic finding of aortic dissection (Wilansky et al). 1986; 111:1204-5 (Brief comm.)

Apex

Bifid cardiac apex (Teja and Sturgill). 1986; 111:1004-5 (Brief comm.)

Argon laser

Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits (Anderson et al). 1986; 111:1065-72

Arrest; see also Myocardial infarction

Lorainade therapy in a cardiac arrest population (Somberg et al). 1986; 111:648-53

Respiratory arrest with IV verapamil (Radhakrishnan et al) (Letter). 1986; 111:622-3

Arrhythmia; see also Tachycardia; Ventricular fibrillation

Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8

Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6

Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk (Blevens et al). 1986; 111:638-44

Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Can potentially significant polymorphic ventricular arrhythmias initiated by programmed stimulation be distinguished

Arrhythmia—Cont'd

from those that are nonspecific? (Stevenson et al). 1986; 111:1073-80

Chemical ablation of ventricular tachycardia in the dog (Chilison et al). 1986; 111:1113-8

Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; 111:42-8

Determinants of prognosis in ventricular tachyarrhythmia patients without induced sustained arrhythmias (Swerdlow et al). 1986; 111:433-46

Diuretics, hypokalemia, and cardiac arrhythmias: A critical analysis (Papademetriou). 1986; 111:1217-24 (Editorial)

Effect of thromboxane synthetase inhibition on vulnerability to ventricular arrhythmia following coronary occlusion (O'Connor et al). 1986; 111:683-8

The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46

Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs (Lynch et al). 1986; 111:883-90

Factors that determine the occurrence of arrhythmias during acute myocardial ischemia (Boli et al). 1986; 111:261-70

Intravenous amiodarone in the treatment of refractory life-threatening cardiac arrhythmias in the critically ill patient (Leak). 1986; 111:456-62

Intravenous lorainade versus lidocaine in the treatment of frequent and complex ventricular arrhythmias (Blevins et al). 1986; 111:447-51

Intravenous and oral lorainade: Assessment of central nervous system toxicity and antiarrhythmic efficacy (Vlay and Mallis). 1986; 111:453-5

Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; 111:597-9

Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)

Long-term therapy with dipyrpyramide phosphate: Side effects and effectiveness (Bauman et al). 1986; 111:654-60

Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehman). 1986; 111:781-4 (Brief comm.)

Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Occurrence of ventricular arrhythmias in patients receiving acute and chronic infusions of milrinone (Anderson et al). 1986; 111:466-74

Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity (Zheutlin et al). 1986; 111:860-7

Relationship between ease of inducibility of arrhythmia with electrophysiologic testing and response to antiarrhythmic therapy (Amann et al). 1986; 111:625-31

The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia (Hirsowitz et al). 1986; 111:852-60

Serum digoxin concentrations during ethmozine antiarrhythmic therapy (Kennedy et al). 1986; 111:667-72

Supraventricular tachyarrhythmias: Their evaluation and therapy (Keefe et al). 1986; 111:1150-61 (Prog. cardiol.)

Thiazide therapy and ventricular arrhythmias (Siegel and Black) (Letter); (Papademetriou) (Reply). 1986; 111:1214-5

Transient exacerbation followed by control of ventricular tachycardia with amiodarone (Mostow et al). 1986; 111:178-80 (Brief comm.)

Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12

The treatment of ventricular rhythm disturbances (Somberg et al). 1986; 111:1162-76 (Prog. cardiol.)

An unusual ventricular tachycardia responsive to verapamil (Strasberg et al). 1986; 111:190-2 (Brief comm.)

Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8

Ventricular tachycardia induction: Comparison of triple extrasystoles with an abrupt change in ventricular drive cycle length (Rosenfeld et al). 1986; 111:868-74

Arrhythmia—Cont'd

- Ventricular tachycardia with QRS of variable amplitude: An implication of atrioventricular dissociation (Curione et al). 1986; **111**:1197-1200 (Brief comm.)
- Ventricular tachydysrhythmias in near-miss sudden infant death syndrome (Buchanan et al). 1986; **111**:398-400 (Brief comm.)
- Verapamil in parasystolic ventricular tachycardia and other wide QRS rhythms (Massummi et al). 1986; **111**:400-5 (Brief comm.)

Arteriovenous fistula

- Bilateral coronary arteriovenous fistulas associated with idiopathic hypertrophic cardiomyopathy (Fujiwara et al). 1986; **111**:1207-8 (Brief comm.)

Artery; see specific artery**Artifact**

- Pseudopacemaker malfunction secondary to digital ECG artifact (Higgins et al). 1986; **111**:608-10 (Brief comm.)

Ascending aorta

- Ascending aortic calcification and calcific aortic stenosis in a young woman (Goldbaum et al). 1986; **111**:992-3 (Brief comm.)

Ataxia

- Unusual manifestations of heart involvement in Friedreich's ataxia (Zimmermann et al). 1986; **111**:184-7 (Brief comm.)

Atherosclerosis

- Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits (Anderson et al). 1986; **111**:1065-72

Atrioventricular accessory pathway

- Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory pathway (O'Callaghan et al). 1986; **111**:1200-2 (Brief comm.)

Atrioventricular dissociation

- Ventricular tachycardia with QRS of variable amplitude: An implication of atrioventricular dissociation (Curione et al). 1986; **111**:1197-1200 (Brief comm.)

Atrioventricular junction

- Transmembrane potentials of canine AV junctional tissues (Tse). 1986; **111**:1100-5

Atrioventricular junctional rhythm

- Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; **111**:672-8

Atrium

- Atrial versus ventricular pacing in sinus node disease: A treatment comparison study (Rosenqvist et al). 1986; **111**:292-7
- Calcified left atrial mass associated with mitral valve prolapse (Bloomfield et al). 1986; **111**:1205-7 (Brief comm.)
- Echocardiographic diagnosis of congenital left atrial aneurysm (Pinamonti et al). 1986; **111**:406-9 (Brief comm.)
- Echocardiographic findings of metastatic chondrosarcoma involving the left atrium (Cohen et al). 1986; **111**:993-7
- Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; **111**:414-7 (Brief comm.)
- Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound (Panidis et al). 1986; **111**:927-31
- Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress (Brown et al). 1986; **111**:103-7
- Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; **111**:603-4
- Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; **111**:798-9 (Brief comm.)
- Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; **111**:781-4 (Brief comm.)
- Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; **111**:984-6 (Brief comm.)

Atropine

- Cardiovascular effects of atropine in postoperative cardiac patients receiving digoxin for ventricular dysfunction (Cook et al). 1986; **111**:80-4

B**Balloon angioplasty**

- Laser and balloon angioplasty in chronic occlusion of femoral artery in a canine model (Jain et al). 1986; **111**:794-5 (Brief comm.)

Balloon counterpulsation

- Clinical experience with intra-aortic balloon counterpulsation in 112 consecutive patients (Goldberger et al). 1986; **111**:497-502

Band

- Left ventricular bands (false tendons): Echocardiographic and angiocardigraphic delineation in children (Casta and Wolf). 1986; **111**:321-4

Basal cell carcinoma

- The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; **111**:1013-15 (Brief comm.)

Bepridil

- Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; **111**:271-9

- Nine cases of torsade de pointes with bepridil administration (Manouvrier et al). 1986; **111**:1005-7 (Brief comm.)

Beta agonist; see also specific agent

- Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₂ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; **111**:692-6

Beta blocker; see also specific agent

- Clinical electrophysiology of flestolol, a potent ultra short-acting beta blocker (Swerdlow et al). 1986; **111**:49-53
- Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; **111**:42-8
- The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia (Hirsowitz et al). 1986; **111**:852-60

Bifid cardiac apex

- Bifid cardiac apex (Teja and Sturgill). 1986; **111**:1004-5 (Brief comm.)

Bioprostheses; see Prosthesis**Biopsy**

- Right ventricular endomyocardial biopsy in chronic Chagas' disease (Barretto et al). 1986; **111**:307-12

Bleomycin

- Intrapericardial installation of bleomycin in malignant pericardial effusion (Maher and Buckman). 1986; **111**:613-4 (Brief comm.)

Block

- Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; **111**:597-9
- RBBB with transvenous pacemaker (Klein) (Letter). 1986; **111**:622-3

Blocker; see also specific agent

- Clinical electrophysiology of flestolol, a potent ultra short-acting beta blocker (Swerdlow et al). 1986; **111**:49-53
- Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; **111**:42-8
- Effect of tiapamil on canine myocardial infarct size (Kordenat and Leasure). 1986; **111**:502-12
- Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; **111**:271-9
- The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia (Hirsowitz et al). 1986; **111**:852-60
- The role of calcium channel blockers in the treatment of hypertension (Halperin and Cubeddu). 1986; **111**:363-82

Blood cell

- Amiodarone and *N*-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; **111**:280-5

Blood flow

- Echocardiographic evaluation of pulmonary flow pattern in Uhl's anomaly (Matsumoto et al). 1986; **111**:420-2 (Brief comm.)
- The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation (Kabela et al). 1986; **111**:702-9

Blood flow—Cont'd

- Effects of rapid blood pressure reduction on cerebral blood flow (Reed and Anderson). 1986; 111:226-8 (Symposium)
- Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)

Blood pool scanning

- Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning (Lalonde et al). 1986; 111:679-82

Blood pressure; see also Hypertension

- Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy (Jennings et al). 1986; 111:557-63
- Blood pressure in smokers and nonsmokers: Epidemiologic findings (Green et al). 1986; 111:932-40
- Effects of rapid blood pressure reduction on cerebral blood flow (Reed and Anderson). 1986; 111:226-8 (Symposium)
- Neonatal blood pressure at birth by the Doppler method (Zachman et al). 1986; 111:189-90 (Brief comm.)

Blunt trauma

- Bioprosthetic mitral valve dysfunction following blunt chest trauma (Reinfeld et al). 1986; 111:800-1 (Brief comm.)

Bookshelf

- Bookshelf. 1986; 111:204, 1020

Bradycardia

- Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8

Branch block

- RBBB with transvenous pacemaker (Klein) (Letter). 1986; 111:622-3

Brief communications

- Brief communications. 1986; 111:168-92, 398-429, 593-614, 781-811, 982-1015, 1193-1213

Bundle branch block

- RBBB with transvenous pacemaker (Klein) (Letter). 1986; 111:622-3

Bypass

- Etiology and clinical significance of new fascicular conduction defects following coronary bypass surgery (Wexelman et al). 1986; 111:923-7
- Myocardial revascularization with internal mammary artery bypass: An emerging treatment of choice (Bashour et al). 1986; 111:143-51 (Prog. cardiol.)
- Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

C

Calcification

- Ascending aortic calcification and calcific aortic stenosis in a young woman (Goldbaum et al). 1986; 111:992-3 (Brief comm.)
- Calcified left atrial mass associated with mitral valve prolapse (Bloomfield et al). 1986; 111:1205-7 (Brief comm.)

Calcium blocker

- Effect of tiapamil on canine myocardial infarct size (Kordenat and Leasure). 1986; 111:502-12
- Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; 111:271-9
- The role of calcium channel blockers in the treatment of hypertension (Halperin and Cubeddu). 1986; 111:363-82 (Curriculum cardiol.)
- Renal effects of nifedipine in patients with mild-to-moderate essential hypertension (Baba et al). 1986; 111:552-7

Candida albicans

- Candida albicans*-infected transvenous pacemaker wire: Detection by two-dimensional echocardiography (Cole et al). 1986; 111:417-8 (Brief comm.)

Captopril

- The role of renal hemodynamics in the antihypertensive effect of captopril (Ando et al). 1986; 111:347-52

Carbolic acid

- Chemical ablation of ventricular tachycardia in the dog (Chilston et al). 1986; 111:1113-8

Carcinoma

- The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; 111:1013-15 (Brief comm.)

Cardiac arrest; see also Myocardial infarction

- Lorcainide therapy in a cardiac arrest population (Somberg et al). 1986; 111:648-53

Cardiac arrhythmia; see Arrhythmia

Cardiac tamponade

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)
- Cardiac tamponade in medical patients: Treatment and prognosis in the echocardiographic era (Markiewicz et al). 1986; 111:1138-42
- Paradoxical motion of the left ventricular free wall in cardiac tamponade (Hsu et al). 1986; 111:807-8 (Brief comm.)
- Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6
- Sudden hemodynamic collapse following relief of cardiac tamponade in aortic dissection (Coplan et al). 1986; 111:405-6 (Brief comm.)

Cardiogenic shock

- Acute reversible cardiogenic shock: Immune-mediated with mild histologic change (Stevenson et al). 1986; 111:611-3 (Brief comm.)

Cardiology curriculum

- Curriculum in cardiology. 1986; 111:363-82, 564-72, 752-9, 941-69, 1143-9

Cardiology progress

- Progress in cardiology. 1986; 111:383-90, 578-92, 760-80, 970-81, 1150-76

Cardiomyopathy

- Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₂ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6
- Bilateral coronary arteriovenous fistulas associated with idiopathic hypertrophic cardiomyopathy (Fujiwara et al). 1986; 111:1207-8 (Brief comm.)
- HLA-DR3 antigen linkage in patients with hypertrophic obstructive cardiomyopathy (Fiorito et al). 1986; 111:91-4
- Idiopathic cardiomyopathy in the United States, 1970-1982 (Gillum). 1986; 111:752-5 (Curriculum cardiol.)
- Lower incidence of doxorubicin-induced cardiomyopathy by once-a-week low-dose administration (Anders et al). 1986; 111:755-9 (Curriculum cardiol.)
- Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)

Cardiopulmonary resuscitation

- Ischemia, resuscitation, and reperfusion: Mechanisms of tissue injury and prospects for protection (Krause et al). 1986; 111:768-80 (Prog. cardiol.)

Cardiotoxicity; see Toxicity

Cardiovascular malformation

- Offspring of fathers with cardiovascular malformations (Ferencz). 1986; 111:1212-3 (Brief comm.)

CASS

- Are the CASS statisticians answering a question no clinician is asking? (Gunnar and Loeb). 1986; 111:1016-9 (Editorial)

Catheter

- Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients (Seitz et al). 1986; 111:1118-22
- The efficacy of ambulatory cardiac catheterization in the hospital and free-standing setting (Kahn). 1986; 111:152-67 (Spec. rep.)
- Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits (Anderson et al). 1986; 111:1065-72
- Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12

Cell

- Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5
- Low blood mononuclear cell magnesium in intensive cardiac care unit patients (Ryzen et al). 1986; 111:475-80

Central nervous system

Intravenous and oral lorainide: Assessment of central nervous system toxicity and antiarrhythmic efficacy (Vlay and Malis). 1986; 111:453-5

Cerebral blood flow

Effects of rapid blood pressure reduction on cerebral blood flow (Reed and Anderson). 1986; 111:226-8 (Symposium)

Chagas' disease

Right ventricular endomyocardial biopsy in chronic Chagas' disease (Barretto et al). 1986; 111:307-12

Chemical ablation

Chemical ablation of ventricular tachycardia in the dog (Chilison et al). 1986; 111:1113-8

Chest trauma

Bioprosthetic mitral valve dysfunction following blunt chest trauma (Reinfeld et al). 1986; 111:800-1 (Brief comm.)

Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)

Child; see also Infant

Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients (Seitz et al). 1986; 111:1118-22

Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood (Boxer et al). 1986; 111:604-6 (Brief comm.)

Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4

Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30

China

Holt-Oram syndrome in China: A collective review of 18 cases (Zhang et al). 1986; 111:572-7 (Curriculum cardiol.)

Cholesterol

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Foreman et al). 1986; 111:982-4 (Brief comm.)

Chondrosarcoma

Echocardiographic findings of metastatic chondrosarcoma involving the left atrium (Cohen et al). 1986; 111:993-7

Cigarettes

Blood pressure in smokers and nonsmokers: Epidemiologic findings (Green et al). 1986; 111:932-40

CK-MB

Elevated CK-MB with normal total creatine kinase in suspected myocardial infarction: Associated clinical findings and early prognosis (Hong et al). 1986; 111:1041-7

Cocaine

Recurrent myocardial infarction caused by cocaine abuse (Weiss). 1986; 111:793 (Brief comm.)

Colectomy

Fatal giant cell myocarditis after colectomy for ulcerative colitis (McKeon et al). 1986; 111:1208-9 (Brief comm.)

Colitis

Fatal giant cell myocarditis after colectomy for ulcerative colitis (McKeon et al). 1986; 111:1208-9 (Brief comm.)

Pericarditis and ulcerative colitis (Gould et al). 1986; 111:802-3 (Brief comm.)

Complete heart block

Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; 111:597-9 (Brief comm.)

Computed tomography

The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)

Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardiol.)

Computer

Computer analysis of exercise-induced changes in QRS duration in patients with angina pectoris and in normal subjects (Ahnve et al). 1986; 111:903-8

Concentric hypertrophy

Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy (Blaustein et al). 1986; 111:340-6

Conduction

Etiology and clinical significance of new fascicular conduction defects following coronary bypass surgery (Wexelman et al). 1986; 111:923-7

A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-91

Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)

Congenital aneurysm

Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography (Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)

Echocardiographic diagnosis of congenital left atrial aneurysm (Pinamonti et al). 1986; 111:406-9 (Brief comm.)

Congestive heart failure

Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₁ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6

Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure (Elkayam et al). 1986; 111:1130-8

Predictive value of M-mode echocardiography in patients with congestive heart failure (Baker et al). 1986; 111:697-702

Constriction

Possible contribution of digitalis-induced coronary constriction to toxicity (Tanz). 1986; 111:812-7 (Editorial)

Continuous-wave Doppler echocardiography; see also Doppler echocardiography

Systemic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis (Smith et al). 1986; 111:245-52

Contractility

Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy (Blaustein et al). 1986; 111:340-6

Contrast medium

Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Contrast M-mode echocardiography

Noninvasive evaluation of pulmonary hypertension by quantitative contrast M-mode echocardiography (Zeiger et al). 1986; 111:297-306

Coronary angioplasty; see Angioplasty**Coronary artery**

Absence of the left pulmonary artery: Anomalous collateral from the coronary artery to affected lung (Thompson et al). 1986; 111:418-20 (Brief comm.)

Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk (Blevens et al). 1986; 111:638-44

Can myocardial ischemia be recognized by the exercise electrocardiogram in coronary disease patients with abnormal resting Q waves? (Ahnve et al). 1986; 111:909-16

Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)

Combined thrombolytic therapy and coronary angioplasty for acute myocardial infarction (Kitazume et al). 1986; 111:826-32

Coronary artery spasm after administration of dextran 40: implications concerning percutaneous transluminal coronary angioplasty (Klugmann et al). 1986; 111:1202-4 (Brief comm.)

Coronary spasm and AMI (Hansen and Mellemgaard) (Letter). 1986; 111:621

Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm (Picano et al). 1986; 111:688-91

Dose-related effects of intracoronary nitroglycerin on coronary hyperemia in patients with coronary artery disease (Kern et al). 1986; 111:845-52

Early and late outcome of percutaneous transluminal coronary angioplasty for subacute and chronic total coronary occlusion (DiSciascio et al). 1986; 111:833-9

Effect of gender on left ventricular function during exercise in patients with coronary artery disease (Hakki and Iskandrian). 1986; 111:543-6

Coronary artery—Cont'd

- Effect of programmed ventricular stimulation on myocardial lactate extraction in patients with and without coronary artery disease (Morady et al). 1986; 111:252-7
- Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24
- The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46
- Epinephrine-induced myocardial infarction in a patient with angiographically normal coronary arteries (Ferry et al). 1986; 111:1193-5 (Brief comm.)
- Etiology and clinical significance of new fascicular conduction defects following coronary bypass surgery (Wexelman et al). 1986; 111:923-7
- Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease (Wiener et al). 1986; 111:258-61
- Major anomalies of coronary arterial origin seen in adulthood (Roberts). 1986; 111:941-63 (Curriculum cardi.)
- Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardi.)
- Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Prog. cardi.)
- Percutaneous transluminal coronary angioplasty as palliation for patients considered poor surgical candidates (Taylor et al). 1986; 111:840-4
- Possible contribution of digitalis-induced coronary constriction to toxicity (Tanz). 1986; 111:812-7 (Editorial)
- Prospective evaluation of the severity of coronary artery disease with exercise radionuclide angiography and electrocardiography (Weintraub et al). 1986; 111:537-42
- Protective effect of tiapamil against ventricular fibrillation during coronary artery occlusion (Raeder et al). 1986; 111:878-82
- Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardi.)
- Right main coronary artery disease: Antemortem diagnosis and treatment (Fifer et al). 1986; 111:787-8 (Brief comm.)
- Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma (Vicari et al). 1986; 111:593-4 (Brief comm.)
- Triple-vessel coronary artery spasm (Makita et al). 1986; 111:594-7 (Brief comm.)

Correspondence

- Letters. 1986; 111:621-3, 1214-6

Corwin

- Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₂ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6

Counterpulsation

- Clinical experience with intra-aortic balloon counterpulsation in 112 consecutive patients (Goldberger et al). 1986; 111:497-502

Creatine kinase

- Elevated CK-MB with normal total creatine kinase in suspected myocardial infarction: Associated clinical findings and early prognosis (Hong et al). 1986; 111:1041-7

Curriculum in cardiology

- Curriculum in cardiology. 1986; 111:128-42, 363-82, 564-77, 752-759, 941-69, 1143-9

D

Death; see also Mortality

- Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk (Blevens et al). 1986; 111:638-44
- Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)

Death—Cont'd

- Lorcainide therapy in a cardiac arrest population (Somberg et al). 1986; 111:648-53
- Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (Friedmann et al). 1986; 111:1011-3 (Brief comm.)
- Ventricular tachyarrhythmias in near-miss sudden infant death syndrome (Buchanan et al). 1986; 111:398-400 (Brief comm.)

Defibrillation; see Fibrillation

Desethylamidarone

- Amiodarone and *N*-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5
- Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃ and the QT interval during long-term amiodarone treatment (Baerman et al). 1986; 111:644-8

Dextran 40

- Coronary artery spasm after administration of dextran 40: implications concerning percutaneous transluminal coronary angioplasty (Klugmann et al). 1986; 111:1202-4 (Brief comm.)

Diastolic indentation

- Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7 (Brief comm.)

Diatrizoate

- Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Digital electrocardiogram

- Pseudopacemaker malfunction secondary to digital ECG artifact (Higgins et al). 1986; 111:608-10 (Brief comm.)

Digital ventriculography

- Digital ventriculographic demonstration of ventricular septal defect after myocardial infarction (Klein et al). 1986; 111:791-2 (Brief comm.)

Digitalis

- Digitalis: 200 years in perspective (Somberg et al). 1986; 111:615-9 (Editorial)
- Possible contribution of digitalis-induced coronary constriction to toxicity (Tanz). 1986; 111:812-7 (Editorial)

Digitoxin

- Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency (Kirch et al). 1986; 111:325-9

Digoxin

- Cardiovascular effects of atropine in postoperative cardiac patients receiving digoxin for ventricular dysfunction (Cook et al). 1986; 111:80-4
- Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs (Lynch et al). 1986; 111:883-90
- Serum digoxin concentrations during ethacrynic acid antiarrhythmic therapy (Kennedy et al). 1986; 111:667-72

Diltiazem

- Diltiazem and propranolol in combination: Hemodynamic effects following acute intravenous administration (Oesterle et al). 1986; 111:489-97
- Hemodynamic effects of intravenous diltiazem in patients treated chronically with propranolol (Rocha et al). 1986; 111:62-8
- Pharmacodynamic aspects of intravenous diltiazem administration (Joyal et al). 1986; 111:54-61

Dipyridamole

- Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm (Picano et al). 1986; 111:688-91

Disopyramide

- Long-term therapy with disopyramide phosphate: Side effects and effectiveness (Bauman et al). 1986; 111:654-60

Dissection

- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardi.)
- Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)

Dissection—Cont'd

- Sudden hemodynamic collapse following relief of cardiac tamponade in aortic dissection (Coplan et al). 1986; 111:405-6 (Brief comm.)
- Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta (Kahn et al). 1986; 111:606-8 (Brief comm.)
- Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma (Vicari et al). 1986; 111:593-4 (Brief comm.)
- Valve-like intimal flap: A new echocardiographic finding of aortic dissection (Wilansky et al). 1986; 111:1204-5 (Brief comm.)

Diuretic

- Diuretics, hypokalemia, and cardiac arrhythmias: A critical analysis (Papademetriou). 1986; 111:1217-24 (Editorial)

Dobutamine

- The usefulness of dobutamine in the assessment of the severity of mitral stenosis (Hwang et al). 1986; 111:312-6

Dog

- Chemical ablation of ventricular tachycardia in the dog (Chilson et al). 1986; 111:1113-8
- Effect of tiapamil on canine myocardial infarct size (Kordenat and Leasure). 1986; 111:502-12
- Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; 111:271-9
- The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation (Kabela et al). 1986; 111:702-9
- Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24
- The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46
- Epicardial activation patterns of torsade de pointes in canine hearts with quinidine-induced long QT interval but without myocardial infarction (Inoue et al). 1986; 111:1080-7
- Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs (Lynch et al). 1986; 111:883-90
- Factors that determine the occurrence of arrhythmias during acute myocardial ischemia (Bolli et al). 1986; 111:261-70
- Laser and balloon angioplasty in chronic occlusion of femoral artery in a canine model (Jain et al). 1986; 111:794-5 (Brief comm.)
- Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog (Nanas and Kralios). 1986; 111:1094-1100
- Transmembrane potentials of canine AV junctional tissues (Tse). 1986; 111:1100-5
- Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8

Doppler blood pressure monitoring

- Neonatal blood pressure at birth by the Doppler method (Zachman et al). 1986; 111:189-90 (Brief comm.)

Doppler echocardiography; see also Echocardiography

- Acquired ventricular septal defect after myocardial infarction: Detection by combined two-dimensional and Doppler echocardiography (Panidis et al). 1986; 111:427-9 (Brief comm.)
- Can the technique for Doppler estimate of pulmonary stenosis gradient be simplified? (Goldberg et al). 1986; 111:709-15
- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography (Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Corrected transposition of the great arteries: Evaluation by two-dimensional and Doppler echocardiography (Meissner et al). 1986; 111:599-601 (Brief comm.)
- Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)
- Doppler echocardiographic evaluation of patients with porcine mitral valves (Ryan et al). 1986; 111:237-44

Doppler echocardiography—Cont'd

- Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound (Panidis et al). 1986; 111:927-31
- Systemic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis (Smith et al). 1986; 111:245-52

Dosage

- Dose-related effects of intracoronary nitroglycerin on coronary hyperemia in patients with coronary artery disease (Kern et al). 1986; 111:845-52
- Lower incidence of doxorubicin-induced cardiomyopathy by once-a-week low-dose administration (Anders et al). 1986; 111:755-9 (Curriculum cardiol.)

Doxorubicin

- Lower incidence of doxorubicin-induced cardiomyopathy by once-a-week low-dose administration (Anders et al). 1986; 111:755-9 (Curriculum cardiol.)

Drainage of pericardium

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)

Drive cycle

- Ventricular tachycardia induction: Comparison of triple extrastimuli with an abrupt change in ventricular drive cycle length (Rosenfeld et al). 1986; 111:868-74

Drug; see specific drug**Drug abuse**

- Recurrent myocardial infarction caused by cocaine abuse (Weiss). 1986; 111:793 (Brief comm.)

Drug efficacy

- Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8
- Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6
- Long-term therapy with disopyramide phosphate: Side effects and effectiveness (Bauman et al). 1986; 111:654-60

Drug interaction

- Serum digoxin concentrations during ethmozine antiarrhythmic therapy (Kennedy et al). 1986; 111:667-72

Dual-chamber pacing

- An annotation system for displaying operating parameter values in dual-chamber pacing (Parsonnet and Bernstein). 1986; 111:817-20 (Editorial)

Ductus arteriosus

- Pulmonary artery thrombus associated with ductus arteriosus (Clapp et al). 1986; 111:796-7 (Brief comm.)

Dysplasia

- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Dysrhythmia; see Arrhythmia**Dystrophy**

- A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-91
- Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)

E**ECG; see Electrocardiogram****Echocardiography**

- Anomalous left ventricular band diagnosed by two-dimensional echocardiography (Glover et al). 1986; 111:805-6 (Brief comm.)
- Can the technique for Doppler estimate of pulmonary stenosis gradient be simplified? (Goldberg et al). 1986; 111:709-15
- Candida albicans*-infected transvenous pacemaker wire: Detection by two-dimensional echocardiography (Cole et al). 1986; 111:417-8 (Brief comm.)
- Cardiac tamponade in medical patients: Treatment and prognosis in the echocardiographic era (Markiewicz et al). 1986; 111:1138-42
- Comparison of two-dimensional echocardiographic wall motion and wall thickening abnormalities in relation to the myocardium at risk (Buda et al). 1986; 111:587-92 (Prog. cardiol.)

Echocardiography—Cont'd

- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography (Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)
- Corrected transposition of the great arteries: Evaluation by two-dimensional and Doppler echocardiography (Meisner et al). 1986; 111:599-601 (Brief comm.)
- Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7 (Brief comm.)
- Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm (Picano et al). 1986; 111:688-91
- Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)
- Doppler echocardiographic evaluation of patients with porcine mitral valves (Ryan et al). 1986; 111:237-44
- Echocardiographic diagnosis of congenital left atrial aneurysm (Pinamonti et al). 1986; 111:406-9 (Brief comm.)
- Echocardiographic evaluation of pulmonary flow pattern in Uhl's anomaly (Matsumoto et al). 1986; 111:420-2 (Brief comm.)
- Echocardiographic features of a purulent pericardial peel (Wolf). 1986; 111:990-2 (Brief comm.)
- Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)
- Echocardiographic findings in primary pericardial mesothelioma (Agatston et al). 1986; 111:986-8 (Brief comm.)
- Echocardiographic LV wall motion in mitral prolapse (Casazza and Giannoni) (Letter; (Doi) (Reply). 1986; 111:1214
- Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound (Panidis et al). 1986; 111:927-31
- Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4
- Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)
- Myxoma of the mitral valve diagnosed by echocardiography (Gosse et al). 1986; 111:803-5 (Brief comm.)
- Noninvasive evaluation of pulmonary hypertension by quantitative contrast M-mode echocardiography (Zeiger et al). 1986; 111:297-306
- Observer variation in the echocardiographic diagnosis of mitral valve prolapse (Alpert et al). 1986; 111:1123-9
- Predictive value of M-mode echocardiography in patients with congestive heart failure (Baker et al). 1986; 111:697-702
- Quantitative two-dimensional echocardiographic assessment of patients undergoing left ventricular aneurysmectomy (Ryan et al). 1986; 111:714-20
- Systemic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis (Smith et al). 1986; 111:245-52
- Traumatic ventricular septal defect diagnosed by echocardiography (Watt et al). 1986; 111:174-5 (Brief comm.)
- Two-dimensional echocardiography during percutaneous transluminal coronary angioplasty (Viesser et al). 1986; 111:1035-41
- Valve-like intimal flap: A new echocardiographic finding of aortic dissection (Wilansky et al). 1986; 111:1204-5 (Brief comm.)

Ectopy

- Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; 111:597-9 (Brief comm.)
- Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory pathway (O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
- Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity (Zheutlin et al). 1986; 111:860-7

Editorial

- Editorial. 1986; 111:193-203, 430-2, 615-9, 812-20, 1016-9, 1217-24

Efficacy of drug

- Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8
- Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6
- Long-term therapy with disopyramide phosphate: Side effects and effectiveness (Bauman et al). 1986; 111:654-60

Effusion

- Intrapericardial installation of bleomycin in malignant pericardial effusion (Maher and Buckman). 1986; 111:613-4 (Brief comm.)

Ejection fraction

- Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy (Jennings et al). 1986; 111:557-63
- Decrease in global ejection fraction after volume challenge in long-standing hypertension (Marmor et al). 1986; 111:746-51

Electrical stimulation

- Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6
- Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease (Wiener et al). 1986; 111:258-61
- Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity (Zheutlin et al). 1986; 111:860-7

Electrocardiogram

- "Acute pericarditis": Myocardial enzyme release as evidence for myocarditis (Karjalainen and Heikkilä). 1986; 111:546-52
- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Can myocardial ischemia be recognized by the exercise electrocardiogram in coronary disease patients with abnormal resting Q waves? (Ahnve et al). 1986; 111:909-16
- Changes occurring in the postinfarction ECG in relation to age, sex, and previous myocardial infarction (Rissanen et al). 1986; 111:286-92
- Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6
- Computer analysis of exercise-induced changes in QRS duration in patients with angina pectoris and in normal subjects (Ahnve et al). 1986; 111:903-8
- Exercise-induced ST segment alternans (Ring and Fenster). 1986; 111:1009-11 (Brief comm.)
- A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-91
- Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)
- A new use for the esophageal lead: Continuous telemetry monitoring (Schuchard and Tristani). 1986; 111:1007-9 (Brief comm.)
- Prospective evaluation of the severity of coronary artery disease with exercise radionuclide angiography and electrocardiography (Weintraub et al). 1986; 111:537-42
- Pseudopacemaker malfunction secondary to digital ECG artifact (Higgins et al). 1986; 111:608-10 (Brief comm.)
- Wolff-Parkinson-White VCG patterns that mimic other cardiac pathologies: A correlative study with the preexcitation pathway localization (Giorgi et al). 1986; 111:891-902

Electrophysiology; see also Electrical stimulation

- Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8
- Clinical electrophysiology of flestolol, a potent ultra short-acting beta blocker (Swerdlow et al). 1986; 111:49-53
- Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; 111:271-9

Electrophysiology—Cont'd

Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Relationship between ease of inducibility of arrhythmia with electrophysiologic testing and response to antiarrhythmic therapy (Amann et al). 1986; 111:625-31

Elimination

Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency (Kirch et al). 1986; 111:325-9

Emergency

Current concepts in treatment of hypertensive emergencies (Vidt). 1986; 111:220-5 (Symposium)

Current concepts in treatment of hypertensive urgencies (Anderson and Reed). 1986; 111:211-9 (Symposium)

Effects of rapid blood pressure reduction on cerebral blood flow (Reed and Anderson). 1986; 111:226-8 (Symposium)

Hypertensive emergencies and urgencies: Pathophysiology and clinical aspects (Houston). 1986; 111:205-10 (Symposium)

The practical management of patients with severe hypertension and hypertensive emergencies (Vidt et al). 1986; 111:205-32 (Symposium)

Round table discussion (Houston et al). 1986; 111:229-32 (Symposium)

Treatment of hypertensive urgencies and emergencies with nifedipine (Houston). 1986; 111:963-9 (Curriculum cardiol.)

Endocarditis

Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)

Right-sided valvular endocarditis: Etiology, diagnosis, and an approach to therapy (Robbins et al). 1986; 111:128-35 (Curriculum cardiol.)

Endomyocardium

Right ventricular endomyocardial biopsy in chronic Chagas' disease (Barretto et al). 1986; 111:307-12

Enzyme

"Acute pericarditis": Myocardial enzyme release as evidence for myocarditis (Karjalainen and Heikkilä). 1986; 111:546-52

Epicardial activation pattern

Epicardial activation patterns of torsade de pointes in canine hearts with quinidine-induced long QT interval but without myocardial infarction (Inoue et al). 1986; 111:1080-7

Epinephrine

Epinephrine-induced myocardial infarction in a patient with angiographically normal coronary arteries (Ferry et al). 1986; 111:1193-5 (Brief comm.)33

Equilibrium radioventriculogram

Arrhythmic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Esmolol

Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; 111:42-8

Esophageal lead

A new use for the esophageal lead: Continuous telemetry monitoring (Schuchard and Tristani). 1986; 111:1007-9 (Brief comm.)

Essential hypertension

Comparative hypotensive effects of acebutolol and hydrochlorothiazide in patients with mild to moderate essential hypertension: A double-blind multicenter evaluation (Wahl et al). 1986; 111:353-62

Renal effects of nifedipine in patients with mild-to-moderate essential hypertension (Baba et al). 1986; 111:552-7

The role of renal hemodynamics in the antihypertensive effect of captopril (Ando et al). 1986; 111:347-52

Ethacizin

Differential inotropic actions of ethmozine and ethacizin (diethylamine analog of ethmozine) (Urthaler et al). 1986; 111:462-5

Ethmozine

Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6

Differential inotropic actions of ethmozine and ethacizin (diethylamine analog of ethmozine) (Urthaler et al). 1986; 111:462-5

Ethmozine—Cont'd

Serum digoxin concentrations during ethmozine antiarrhythmic therapy (Kennedy et al). 1986; 111:667-72

Exercise

Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33

Can myocardial ischemia be recognized by the exercise electrocardiogram in coronary disease patients with abnormal resting Q waves? (Ahnve et al). 1986; 111:909-16

Computer analysis of exercise-induced changes in QRS duration in patients with angina pectoris and in normal subjects (Ahnve et al). 1986; 111:903-8

Early exercise testing after stabilization of unstable angina: Correlation with coronary angiographic findings and subsequent cardiac events (Butman et al). 1986; 111:11-8

Effect of gender on left ventricular function during exercise in patients with coronary artery disease (Hakki and Iskandarian). 1986; 111:543-6

Effects of age on ventricular performance during graded supine exercise (Mann et al). 1986; 111:108-15

Exercise-induced precordial ST segment elevation due to right ventricular ischemia (Lew et al). 1986; 111:172-4 (Brief comm.)

Exercise-induced ST segment alternans (Ring and Fenster). 1986; 111:1009-11 (Brief comm.)

Prospective evaluation of the severity of coronary artery disease with exercise radionuclide angiography and electrocardiography (Weintraub et al). 1986; 111:537-42

Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo (Ericsson et al). 1986; 111:916-22

Extrastimulus

Ventricular tachycardia induction: Comparison of triple extrastimuli with an abrupt change in ventricular drive cycle length (Rosenfeld et al). 1986; 111:868-74

F**Failure; see Heart failure****False tendon**

Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4

Familial disease

The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; 111:1013-5 (Brief comm.)

A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-90

Offspring of fathers with cardiovascular malformations (Ferencz). 1986; 111:1212-3 (Brief comm.)

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

Fascicular conduction defect

Etiology and clinical significance of new fascicular conduction defects following coronary bypass surgery (Wexelman et al). 1986; 111:923-7

Fatty acid

Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium (Vik-Mo et al). 1986; 111:1048-54

Femoral artery

Laser and balloon angioplasty in chronic occlusion of femoral artery in a canine model (Jain et al). 1986; 111:794-5 (Brief comm.)

Fiber

Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; 111:271-9

Fiberoptics

Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits (Anderson et al). 1986; 111:1065-72

Fibrillation; see also Arrhythmia

Defibrillation with the sequential pulse technique: Reproducibility with repeated shocks (Rattes et al). 1986; 111:874-8

Fibrillation—Cont'd

- Protective effect of tiapamil against ventricular fibrillation during coronary artery occlusion (Raeder et al). 1986; 111:878-82
- Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog (Nanas and Kralios). 1986; 111:1094-1100

Fistula

- Bilateral coronary arteriovenous fistulas associated with idiopathic hypertrophic cardiomyopathy (Fujiwara et al). 1986; 111:1207-8 (Brief comm.)

Fitness

- Assessment methods for physical activity and physical fitness in population studies: Report of a NHLBI workshop (Wilson et al). 1986; 111:1177-92 (Spec. rep.)

Flail posterior mitral leaflet

- Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood (Boxer et al). 1986; 111:604-6 (Brief comm.)

Flecainide

- Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8

Flestolol

- Clinical electrophysiology of flestolol, a potent ultra short-acting beta blocker (Swerdlow et al). 1986; 111:49-53

Foramen ovale

- Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)

Forum

- Forum—Letters to the Editor. 1986; 111:621-3, 1214-6

Framingham study

- Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Prog. cardiol.)
- A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham study (Kannel and Abbott). 1986; 111:391-7 (Prog. cardiol.)

Frank vectorcardiogram

- Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30

Friedreich's ataxia

- Unusual manifestations of heart involvement in Friedreich's ataxia (Zimmermann et al). 1986; 111:184-7 (Brief comm.)

G

Gated radionuclear blood pool scanning

- Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning (Lalonde et al). 1986; 111:679-82

Gender

- Changes occurring in the postinfarction ECG in relation to age, sex, and previous myocardial infarction (Rissanen et al). 1986; 111:286-92
- Effect of gender on left ventricular function during exercise in patients with coronary artery disease (Hakki and Iskandrian). 1986; 111:543-6
- Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Progress cardiol.)

Genetics; see Hereditary disease

Giant cell myocarditis

- Fatal giant cell myocarditis after colectomy for ulcerative colitis (McKeon et al). 1986; 111:1208-9 (Brief comm.)

Gorlin formula

- Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients (Seitz et al). 1986; 111:1118-22

Gorlin syndrome

- The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; 111:1013-15 (Brief comm.)

Graft; see also Bypass

- Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

Great arteries

- Corrected transposition of the great arteries: Evaluation by two-dimensional and Doppler echocardiography (Meissner et al). 1986; 111:599-601 (Brief comm.)

H

Heart block

- Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; 111:597-9 (Brief comm.)
- RBBB with transvenous pacemaker (Klein) (letter). 1986; 111:622-3

Heart failure

- Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₁ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6
- Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure (Elkayam et al). 1986; 111:1130-8
- Predictive value of M-mode echocardiography in patients with congestive heart failure (Baker et al). 1986; 111:697-702

Heart-lung preparation

- The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation (Kabela et al). 1986; 111:702-9

Hematoma

- Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma (Vicari et al). 1986; 111:593-4 (Brief comm.)

Hemodialysis

- Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy (Blaustein et al). 1986; 111:340-6

Hemodynamics

- Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₁ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6
- Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5
- Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6
- Diltiazem and propranolol in combination: Hemodynamic effects following acute intravenous administration (Oesterle et al). 1986; 111:489-97
- The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation (Kabela et al). 1986; 111:702-9

Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound (Panidis et al). 1986; 111:927-31

- Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress (Brown et al). 1986; 111:103-7

- Hemodynamic effects of intravenous diltiazem in patients treated chronically with propranolol (Rocha et al). 1986; 111:62-8

- Hemodynamic responses of the acutely stressed neonatal right ventricle: A maturational study in lambs (Allen et al). 1986; 111:737-42

- Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog (Nanas and Kralios). 1986; 111:1094-1100

- The role of renal hemodynamics in the antihypertensive effect of captopril (Ando et al). 1986; 111:347-52

- Sudden hemodynamic collapse following relief of cardiac tamponade in aortic dissection (Coplan et al). 1986; 111:405-6 (Brief comm.)

- Systemic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis (Smith et al). 1986; 111:245-52

Hemophilia

- Percutaneous transluminal coronary angioplasty in hemophilia (Forman et al). 1986; 111:169-72 (Brief comm.)

Hepatorenal insufficiency

- Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency (Kirch et al). 1986; 111:325-9

Hepatotoxicity

Verapamil hepatotoxicity: A hypersensitivity reaction (Hare et al). 1986; 111:610-1 (Brief comm.)

Hereditary disease

A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-90

The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; 111:1013-5 (Brief comm.)

Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension (Radice et al). 1986; 111:115-20

Offspring of fathers with cardiovascular malformations (Ferencz). 1986; 111:1212-3 (Brief comm.)

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

His bundle

A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-91

Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12

HLA-DR3 antigen

HLA-DR3 antigen linkage in patients with hypertrophic obstructive cardiomyopathy (Fiorito et al). 1986; 111:91-4

Holter monitor

Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-3 (Brief comm.)

Holt-Oram syndrome

Holt-Oram syndrome in China: A collective review of 18 cases (Zhang et al). 1986; 111:572-7 (Curriculum cardiol.)

Hydralazine

Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure (Elkayam et al). 1986; 111:1130-8

Hydrochlorothiazide

Comparative hypotensive effects of acebutolol and hydrochlorothiazide in patients with mild to moderate essential hypertension: A double-blind multicenter evaluation (Wahl et al). 1986; 111:353-62

Hypercholesterolemia

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

Hyperemia

Dose-related effects of intracoronary nitroglycerin on coronary hyperemia in patients with coronary artery disease (Kern et al). 1986; 111:845-52

Hypersensitivity

Verapamil hepatotoxicity: A hypersensitivity reaction (Hare et al). 1986; 111:610-1 (Brief comm.)

Hypertension; see also Blood pressure

Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy (Jennings et al). 1986; 111:557-63

Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Comparative hypotensive effects of acebutolol and hydrochlorothiazide in patients with mild to moderate essential hypertension: A double-blind multicenter evaluation (Wahl et al). 1986; 111:353-62

Current concepts in treatment of hypertensive emergencies (Vidt). 1986; 111:220-5 (Symposium)

Current concepts in treatment of hypertensive urgencies (Anderson and Reed). 1986; 111:211-9 (Symposium)

Decrease in global ejection fraction after volume challenge in long-standing hypertension (Marmor et al). 1986; 111:746-51

Diuretics, hypokalemia, and cardiac arrhythmias: A critical analysis (Papademetriou). 1986; 111:1217-24 (Editorial)

Hypertensive emergencies and urgencies: Pathophysiology and clinical aspects (Houston). 1986; 111:205-10 (Symposium)

Hypertension—Cont'd

Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension (Radice et al). 1986; 111:115-20

Noninvasive evaluation of pulmonary hypertension by quantitative contrast M-mode echocardiography (Zeher et al). 1986; 111:297-306

Persistent pulmonary hypertension of the newborn (Tiefenbrunn and Riemenschneider). 1986; 111:564-72 (Curriculum cardiol.)

The practical management of patients with severe hypertension and hypertensive emergencies (Vidt et al). 1986; 111:205-32 (Symposium)

Renal effects of nicardipine in patients with mild-to-moderate essential hypertension (Baba et al). 1986; 111:552-7

The role of calcium channel blockers in the treatment of hypertension (Halperin and Cubeddu). 1986; 111:363-82 (Curriculum cardiol.)

The role of renal hemodynamics in the antihypertensive effect of captopril (Ando et al). 1986; 111:347-52

Round table discussion (Houston et al). 1986; 111:229-32 (Symposium)

Treatment of hypertensive urgencies and emergencies with nifedipine (Houston). 1986; 111:963-9 (Curriculum cardiol.)

Hypertrophy

Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)

Bilateral coronary arteriovenous fistulas associated with idiopathic hypertrophic cardiomyopathy (Fujiwara et al). 1986; 111:1207-8 (Brief comm.)

HLA-DR3 antigen linkage in patients with hypertrophic obstructive cardiomyopathy (Fiorito et al). 1986; 111:91-4

A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham study (Kannel and Abbott). 1986; 111:391-7 (Prog. cardiol.)

Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy (Blaustein et al). 1986; 111:340-6

Hypokalemia

Diuretics, hypokalemia, and cardiac arrhythmias: A critical analysis (Papademetriou). 1986; 111:1217-24 (Editorial)

Hypotension

Comparative hypotensive effects of acebutolol and hydrochlorothiazide in patients with mild to moderate essential hypertension: A double-blind multicenter evaluation (Wahl et al). 1986; 111:353-62

I**IABP; see Intra-aortic balloon pumping****ICI 118,587**

Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₂ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6

Idiopathic hypertrophic cardiomyopathy

Bilateral coronary arteriovenous fistulas associated with idiopathic hypertrophic cardiomyopathy (Fujiwara et al). 1986; 111:1207-8 (Brief comm.)

Idiopathic pericarditis

Pericardial web: Extensive pericardial adhesions associated with idiopathic pericarditis (Kessler et al). 1986; 111:602-3 (Brief comm.)

Imaging; see also Computed tomography; Radionuclide; Scanning; Scintigraphy

The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)

Evaluation of aorta in the Marfan syndrome by magnetic resonance imaging (Boxer et al). 1986; 111:1001-2 (Brief comm.)

Immune-mediated cardiogenic shock

Acute reversible cardiogenic shock: Immune-mediated with mild histologic change (Stevenson et al). 1986; 111:611-3 (Brief comm.)

Incompetent foramen ovale

Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)

Infant; see also Child

Neonatal blood pressure at birth by the Doppler method (Zachman et al). 1986; 111:189-90 (Brief comm.)

Persistent pulmonary hypertension of the newborn (Tiefenbrunn and Riemenschneider). 1986; 111:564-72 (Curriculum cardiol.)

Pinhole radionuclide ventriculography in small infants (Hannon et al). 1986; 111:316-21

Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30

Ventricular tachydysrhythmias in near-miss sudden infant death syndrome (Buchanan et al). 1986; 111:398-400 (Brief comm.)

Infarction; see also Myocardial infarction

Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs (Lynch et al). 1986; 111:883-90

Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty (Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)

Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)

Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-13 (Brief comm.)

Infection

Echocardiographic features of a purulent pericardial peel (Wolf). 1986; 111:990-2 (Brief comm.)

Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)

Infusion

Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33

Occurrence of ventricular arrhythmias in patients receiving acute and chronic infusions of milrinone (Anderson et al). 1986; 111:466-74

Inheritance; see Hereditary disease

Injury; see Trauma

Inotropic action

Differential inotropic actions of ethmozine and ethacizin (diethylamine analog of ethmozine) (Urthaler et al). 1986; 111:462-533

Occurrence of ventricular arrhythmias in patients receiving acute and chronic infusions of milrinone (Anderson et al). 1986; 111:466-74

Intensive care unit

Low blood mononuclear cell magnesium in intensive cardiac care unit patients (Ryzen et al). 1986; 111:475-80

Interaction; see Drug interaction

Interatrial septal aneurysm

Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; 111:603-4 (Brief comm.)

Internal mammary artery

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

Interventricular delay

Interventricular delay in severe aortic stenosis recognized by gated radionuclide blood pool scanning (Lalonde et al). 1986; 111:679-82

Interventricular septum

Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7 (Brief comm.)

Intestine; see Colitis

Intimal flap

Valve-like intimal flap: A new echocardiographic finding of aortic dissection (Wilansky et al). 1986; 111:1204-5 (Brief comm.)

Intra-aortic balloon counterpulsation

Clinical experience with intra-aortic balloon counterpulsation in 112 consecutive patients (Goldberger et al). 1986; 111:497-502

Intra-atrial conduction

Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)

Intracoronary administration

Dose-related effects of intracoronary nitroglycerin on coronary hyperemia in patients with coronary artery disease (Kern et al). 1986; 111:845-52

Intracoronary thrombolysis

Anterior ST depression in inferior myocardial infarction: Correlation with results of intracoronary thrombolysis (Berland et al). 1986; 111:481-8

Intramural electrical activation

Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease (Wiener et al). 1986; 111:258-61

Intramural hematoma

Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma (Vicari et al). 1986; 111:593-4 (Brief comm.)

Intrapericardial installation

Intrapericardial installation of bleomycin in malignant pericardial effusion (Maher and Buckman). 1986; 111:613-4 (Brief comm.)

Intravenous administration

Diltiazem and propranolol in combination: Hemodynamic effects following acute intravenous administration (Oesterle et al). 1986; 111:489-97

Hemodynamic effects of intravenous diltiazem in patients treated chronically with propranolol (Rocha et al). 1986; 111:62-8

Intravenous amiodarone in the treatment of refractory life-threatening cardiac arrhythmias in the critically ill patient (Leak). 1986; 111:456-62

Intravenous and oral lorazepam: Assessment of central nervous system toxicity and antiarrhythmic efficacy (Vlay and Mallis). 1986; 111:453-5

Intravenous streptokinase in acute myocardial infarction: Experience of community hospitals served by paramedics (Hartmann et al). 1986; 111:1030-4

IV metoprolol in RV-AMI (Ashburn and Savage) (letter). 1986; 111:621-2

Pharmacodynamic aspects of intravenous diltiazem administration (Joyal et al). 1986; 111:54-61

A randomized controlled trial of intravenous streptokinase in evolving acute myocardial infarction (Olson et al). 1986; 111:1021-9

Respiratory arrest with IV verapamil (Radhakrishnan et al) (Letter). 1986; 111:622

Ionic radiocontrast medium

Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Iopamidol

Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Ischemia

Can myocardial ischemia be recognized by the exercise electrocardiogram in coronary disease patients with abnormal resting Q waves? (Ahnve et al). 1986; 111:909-16

Exercise-induced precordial ST segment elevation due to right ventricular ischemia (Lew et al). 1986; 111:172-4 (Brief comm.)

Factors that determine the occurrence of arrhythmias during acute myocardial ischemia (Bolli et al). 1986; 111:261-70

Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)

Ischemia, resuscitation, and reperfusion: Mechanisms of tissue injury and prospects for protection (Krause et al). 1986; 111:768-80 (Prog. cardiol.)

The leukery test in patients with ischemic heart disease (Berliner et al). 1986; 111:19-20

Ischemia—Cont'd

Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium (Vik-Mo et al). 1986; 111:1048-54

Isosorbide dinitrate

Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33

J**Junctional arrhythmia**

Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; 111:597-9 (Brief comm.)

Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8

K**Kidney**

Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency (Kirch et al). 1986; 111:325-9

Renal effects of nifedipine in patients with mild-to-moderate essential hypertension (Baba et al). 1986; 111:552-7

The role of renal hemodynamics in the antihypertensive effect of captopril (Ando et al). 1986; 111:347-52

L**Lactate**

Effect of programmed ventricular stimulation on myocardial lactate extraction in patients with and without coronary artery disease (Morady et al). 1986; 111:252-7

Laser

Laser and balloon angioplasty in chronic occlusion of femoral artery in a canine model (Jain et al). 1986; 111:794-5 (Brief comm.)

Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits (Anderson et al). 1986; 111:1065-72

Leaflet

Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood (Boxer et al). 1986; 111:604-6 (Brief comm.)

Left atrium

Calcified left atrial mass associated with mitral valve prolapse (Bloomfield et al). 1986; 111:1205-7 (Brief comm.)

Echocardiographic diagnosis of congenital left atrial aneurysm (Pinamonti et al). 1986; 111:406-9 (Brief comm.)

Echocardiographic findings of metastatic chondrosarcoma involving the left atrium (Cohen et al). 1986; 111:993-7

Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)

Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound (Panidis et al). 1986; 111:927-31

Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)

Left atrial myxoma with multicentric recurrence and evidence of metastases (Markel et al). 1986; 111:409-13 (Brief comm.)

Left pulmonary artery

Absence of the left pulmonary artery: Anomalous collateral from the coronary artery to affected lung (Thompson et al). 1986; 111:418-20 (Brief comm.)

Left superior vena cava

Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory pathway (O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)

Left ventricle; see also Ventricle

Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy (Jennings et al). 1986; 111:557-63

Left ventricle—Cont'd

Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Anomalous left ventricular band diagnosed by two-dimensional echocardiography (Glover et al). 1986; 111:805-6 (Brief comm.)

Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)

Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Echographic LV wall motion in mitral prolapse (Casazza and Giannoni) (Letter); (Doi) (Reply). 1986; 111:1214

Effect of gender on left ventricular function during exercise in patients with coronary artery disease (Hakki and Iskandrian). 1986; 111:543-6

Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)

Increased left ventricular volume following myocardial infarction in man (Lamas and Pfeffer). 1986; 111:30-5

Left ventricular aneurysm as a coronary risk factor independent of overall left ventricular function (Cohen and Vogel). 1986; 111:23-30

Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4

Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension (Radice et al). 1986; 111:115-20

Paradoxical motion of the left ventricular free wall in cardiac tamponade (Hsu et al). 1986; 111:807-8 (Brief comm.)

A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham study (Kannel and Abbott). 1986; 111:391-7 (Prog. cardiol.)

Quantitative two-dimensional echocardiographic assessment of patients undergoing left ventricular aneurysmectomy (Ryan et al). 1986; 111:714-20

Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise in patients with aortic regurgitation (Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)

Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)

Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy (Blaustein et al). 1986; 111:340-6

Letters

Letters. 1986; 111:621-3, 1214-6

Leukery test

The leukery test in patients with ischemic heart disease (Berliner et al). 1986; 111:19-20

Lidocaine

The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46

Intravenous lorainide versus lidocaine in the treatment of frequent and complex ventricular arrhythmias (Blevins et al). 1986; 111:447-51

Liver

Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency (Kirch, Ohnhaus, Dylewicz, et al). 1986; 111:325-9

Verapamil hepatotoxicity: A hypersensitivity reaction (Hare et al). 1986; 111:610-1 (Brief comm.)

Lorainide

Intravenous and oral lorainide: Assessment of central nervous system toxicity and antiarrhythmic efficacy (Vlay and Malis). 1986; 111:453-5

Intravenous lorainide versus lidocaine in the treatment of frequent and complex ventricular arrhythmias (Blevins et al). 1986; 111:447-51

Lorainide therapy in a cardiac arrest population (Somberg et al). 1986; 111:648-53

Lung

Absence of the left pulmonary artery: Anomalous collateral from the coronary artery to affected lung (Thompson et al). 1986; 111:418-20 (Brief comm.)

Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress (Brown et al). 1986; 111:103-7

Lupus erythematosus

Quinidine-induced lupus erythematosus (Bar-El et al). 1986; 111:1209-10 (Brief comm.)

Lymphoma

Lymphoma with primary cardiac manifestations (Gelman et al). 1986; 111:808-11 (Brief comm.)

M

Magnesium

Low blood mononuclear cell magnesium in intensive cardiac care unit patients (Ryzen et al). 1986; 111:475-80

Magnetic resonance imaging

The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)

Evaluation of aorta in the Marfan syndrome by magnetic resonance imaging (Boxer et al). 1986; 111:1001-2 (Brief comm.)

Malformation; see also Anomaly

Offspring of fathers with cardiovascular malformations (Ferencz). 1986; 111:1212-3 (Brief comm.)

Malfunction

Pseudopacemaker malfunction secondary to digital ECG artifact (Higgins et al). 1986; 111:608-10 (Brief comm.)

Malignant pericardial effusion

Intrapericardial installation of bleomycin in malignant pericardial effusion (Maher and Buckman). 1986; 111:613-4 (Brief comm.)

Mammary artery

Myocardial revascularization with internal mammary artery bypass: An emerging treatment of choice (Bashour et al). 1986; 111:143-51 (Prog. cardiol.)

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

Mapping

Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Marfan's syndrome

Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)

Evaluation of aorta in the Marfan syndrome by magnetic resonance imaging (Boxer et al). 1986; 111:1001-2 (Brief comm.)

Maturation

Hemodynamic responses of the acutely stressed neonatal right ventricle: A maturational study in lambs (Allen et al). 1986; 111:737-42

Maturation changes in myocardial pump performance in newborn lambs (Riemenschneider et al). 1986; 111:731-6

MB isoenzyme fraction

Elevated CK-MB with normal total creatine kinase in suspected myocardial infarction: Associated clinical findings and early prognosis (Hong et al). 1986; 111:1041-7

Membrane stabilization

The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia (Hirshowitz et al). 1986; 111:852-69

Mesothelioma

Echocardiographic findings in primary pericardial mesothelioma (Agatston et al). 1986; 111:986-8 (Brief comm.)

Metabolism

Acute hemodynamic and metabolic effects of ICI 118,587 (Corwin), a selective partial beta₂ agonist, in patients with dilated cardiomyopathy (Bhatia et al). 1986; 111:692-6

Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium (Vik-Mo et al). 1986; 111:1048-54

Metabolite

Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium (Vik-Mo et al). 1986; 111:1048-54

Metastasis

Echocardiographic findings of metastatic chondrosarcoma involving the left atrium (Cohen et al). 1986; 111:993-7

Left atrial myxoma with multicentric recurrence and evidence of metastases (Markel et al). 1986; 111:409-13 (Brief comm.)

Metoprolol

IV metoprolol in RV-AMI (Ashburn and Savage) (Letter). 1986; 111:621-2

Milrinone

The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation (Kabela et al). 1986; 111:702-9

Occurrence of ventricular arrhythmias in patients receiving acute and chronic infusions of milrinone (Anderson et al). 1986; 111:466-74

Mitral leaflet

Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood (Boxer et al). 1986; 111:604-6 (Brief comm.)

Mitral valve

Bioprosthetic mitral valve dysfunction following blunt chest trauma (Reinfeld et al). 1986; 111:800-1 (Brief comm.)

Calcified left atrial mass associated with mitral valve prolapse (Bloomfield et al). 1986; 111:1205-7 (Brief comm.)

Doppler echocardiographic evaluation of patients with porcine mitral valves (Ryan et al). 1986; 111:237-44

Echographic LV wall motion in mitral prolapse (Casazza and Giagnoni) (Letter); (Doi) (Reply). 1986; 111:1214

Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; 111:603-4 (Brief comm.)

Myxoma of the mitral valve diagnosed by echocardiography (Gosse et al). 1986; 111:803-5 (Brief comm.)

Observer variation in the echocardiographic diagnosis of mitral valve prolapse (Alpert et al). 1986; 111:1123-9

The usefulness of dobutamine in the assessment of the severity of mitral stenosis (Hwang et al). 1986; 111:312-16

M-mode echocardiography; see also Echocardiography

Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients (Seitz et al). 1986; 111:1118-22

Noninvasive evaluation of pulmonary hypertension by quantitative contrast M-mode echocardiography (Zeiger et al). 1986; 111:297-306

Observer variation in the echocardiographic diagnosis of mitral valve prolapse (Alpert et al). 1986; 111:1123-9

Predictive value of M-mode echocardiography in patients with congestive heart failure (Baker et al). 1986; 111:697-702

Monitoring

A new use for the esophageal lead: Continuous telemetry monitoring (Schuchard and Tristani). 1986; 111:1007-9 (Brief comm.)

Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-3 (Brief comm.)

Mononuclear cell

Low blood mononuclear cell magnesium in intensive cardiac care unit patients (Ryzen et al). 1986; 111:475-80

Morbidity

Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Prog. cardiol.)

Mortality; see also Death

Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Prog. cardiol.)

Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma (Vicari et al). 1986; 111:593-7 (Brief comm.)

Mural thrombus

Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)

Murmur

Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)

Muscle; see also Myocardium

Papillary muscle activity on thallium scintigraphy: A potential source of misinterpretation (Edelman et al). 1986; 111:1210-2 (Brief comm.)

Myocardial infarction

Acquired ventricular septal defect after myocardial infarction: Detection by combined two-dimensional and Doppler echocardiography (Panidis et al). 1986; 111:427-9 (Brief comm.)

Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Anterior ST depression in inferior myocardial infarction: Correlation with results of intracoronary thrombolysis (Berland et al). 1986; 111:481-8

The assessment of contractile reserve after thrombolytic therapy for acute myocardial infarction (Satler et al). 1986; 111:821-5

Changes occurring in the postinfarction ECG in relation to age, sex, and previous myocardial infarction (Rissanen et al). 1986; 111:286-92

Combined thrombolytic therapy and coronary angioplasty for acute myocardial infarction (Kitazume et al). 1986; 111:826-32

Comparison of clinical features of non-Q wave myocardial infarction and Q wave myocardial infarction (Ogawa et al). 1986; 111:513-8

Coronary spasm and AMI (Hansen and Mellemgaard). 1986; 111:621 (Letter)

Digital ventriculographic demonstration of ventricular septal defect after myocardial infarction (Klein et al). 1986; 111:791-2 (Brief comm.)

Effect of tiapamil on canine myocardial infarct size (Kordenat and Leasure). 1986; 111:502-12

Elevated CK-MB with normal total creatine kinase in suspected myocardial infarction: Associated clinical findings and early prognosis (Hong et al). 1986; 111:1041-7

Epinephrine-induced myocardial infarction in a patient with angiographically normal coronary arteries (Ferry et al). 1986; 111:1193-5 (Brief comm.)

Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs (Lynch et al). 1986; 111:883-90

Increased left ventricular volume following myocardial infarction in man (Lamas and Pfeffer). 1986; 111:30-5

Intravenous streptokinase in acute myocardial infarction: Experience of community hospitals served by paramedics (Hartmann et al). 1986; 111:1030-4

IV metoprolol in RV-AMI (Ashburn and Savage) (Letter). 1986; 111:621-2

Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium (Vik-Mo et al). 1986; 111:1048-54

Myocardial infarction associated with a myocardial bridge (Feldman and Baughman). 1986; 111:784-7 (Brief comm.)

A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham study (Kannel and Abbott). 1986; 111:391-7 (Prog. cardiol.)

Radionuclide assessment of regional left ventricular function in acute myocardial infarction (Buda et al). 1986; 111:36-41

A randomized controlled trial of intravenous streptokinase in evolving acute myocardial infarction (Olson et al). 1986; 111:1021-9

Recurrent myocardial infarction caused by cocaine abuse (Weiss). 1986; 111:793 (Brief comm.)

Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo (Ericsson et al). 1986; 111:916-22

Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)

Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6 (Brief comm.)

Type A behavior and myocardial infarction (Myrtek) (Letter); (Friedman) (Reply). 1986; 111:1215-6

Myocardial ischemia; see Ischemia**Myocarditis**

"Acute pericarditis": Myocardial enzyme release as evidence for myocarditis (Karjalainen and Heikkilä). 1986; 111:546-52

Fatal giant cell myocarditis after colectomy for ulcerative colitis (McKeon et al). 1986; 111:1208-9 (Brief comm.)

Myocardium; see also Myocardial infarction; Myocarditis

"Acute pericarditis": Myocardial enzyme release as evidence for myocarditis (Karjalainen and Heikkilä). 1986; 111:546-52

Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33

Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5

Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)

Comparison of two-dimensional echocardiographic wall motion and wall thickening abnormalities in relation to the myocardium at risk (Buda et al). 1986; 111:587-92 (Prog. cardiol.)

Effect of programmed ventricular stimulation on myocardial lactate extraction in patients with and without coronary artery disease (Morady et al). 1986; 111:252-7

Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; 111:271-9

Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24

Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction (Schelbert et al). 1986; 111:1055-64

Fatal giant cell myocarditis after colectomy for ulcerative colitis (McKeon et al). 1986; 111:1208-9 (Brief comm.)

Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)

Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease (Wiener et al). 1986; 111:258-61

Maturation changes in myocardial pump performance in newborn lambs (Riemenschneider et al). 1986; 111:731-6

Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)

Myocardial infarction associated with a myocardial bridge (Feldman and Baughman). 1986; 111:784-7 (Brief comm.)

Myocardial revascularization with internal mammary artery bypass: An emerging treatment of choice (Bashour et al). 1986; 111:143-51 (Prog. cardiol.)

Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardiol.)

Right ventricular endomyocardial biopsy in chronic Chagas' disease (Barretto et al). 1986; 111:307-12

Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)

Spontaneous angina during serial resting thallium-201 myocardial scintigraphy (Dottore et al). 1986; 111:788-91 (Brief comm.)

Myopathy; see also Cardiomyopathy**Myotonic dystrophy**

A family with myotonic dystrophy associated with diffuse cardiac conduction disturbances as demonstrated by His bundle electrocardiography (Hiromasa et al). 1986; 111:85-91

Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)

Myxoma

- Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)
- Hemodynamic consequences of left atrial myxomas as assessed by Doppler ultrasound (Panidis et al). 1986; 111:927-31
- Left atrial myxoma with multicentric recurrence and evidence of metastases (Markel et al). 1986; 111:409-13 (Brief comm.)
- Myxoma of the mitral valve diagnosed by echocardiography (Gosse et al). 1986; 111:803-5 (Brief comm.)

N

National Heart, Lung, and Blood Institute workshop

- Assessment methods for physical activity and physical fitness in population studies: Report of a NHLBI workshop (Wilson et al). 1986; 111:1177-92 (Spec. rep.)

Neonate; see also Infant

- Neonatal blood pressure at birth by the Doppler method (Zachman et al). 1986; 111:189-90 (Brief comm.)
- Persistent pulmonary hypertension of the newborn (Tiefenbrunn and Riemenschneider). 1986; 111:564-72 (Curriculum cardiol.)

Nervous system

- Intravenous and oral lorazepam: Assessment of central nervous system toxicity and antiarrhythmic efficacy (Vlay and Mallis). 1986; 111:453-5

Neurohumoral effect

- Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure (Elkayam et al). 1986; 111:1130-8

Nevoid basal cell carcinoma syndrome

- The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; 111:1013-15 (Brief comm.)

NHLBI workshop

- Assessment methods for physical activity and physical fitness in population studies: Report of a NHLBI workshop (Wilson et al). 1986; 111:1177-92 (Spec. rep.)

Nicardipine

- Renal effects of nicardipine in patients with mild-to-moderate essential hypertension (Baba et al). 1986; 111:552-7

Nicotinic acid

- Limitation of myocardial infarct size by metabolic interventions that reduce accumulation of fatty acid metabolites in ischemic myocardium (Vik-Mo et al). 1986; 111:1048-54

Nifedipine

- Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy (Jennings et al). 1986; 111:557-63
- Controlled double-blind trial of the clinical effect of nifedipine in the treatment of idiopathic Raynaud's phenomenon (Gjörup et al). 1986; 111:742-5
- Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure (Elkayam et al). 1986; 111:1130-8
- Treatment of hypertensive urgencies and emergencies with nifedipine (Houston). 1986; 111:963-9 (Curriculum cardiol.)
- Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-3 (Brief comm.)

Nitroglycerin

- Dose-related effects of intracoronary nitroglycerin on coronary hyperemia in patients with coronary artery disease (Kern et al). 1986; 111:845-52

Node disease

- Atrial versus ventricular pacing in sinus node disease: A treatment comparison study (Rosenqvist et al). 1986; 111:292-7

Nonionic radiocontrast medium

- Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Non-Q wave myocardial infarction

- Comparison of clinical features of non-Q wave myocardial infarction and Q wave myocardial infarction (Ogawa et al). 1986; 111:513-8

O

Obesity

- Radionuclide evaluation of cardiac function in obesity (Iskandarian). 1986; 111:1003-4 (Brief comm.)

Obstruction; see also Occlusion

- HLA-DR3 antigen linkage in patients with hypertrophic obstructive cardiomyopathy (Fiorito et al). 1986; 111:91-4
- Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta (Kahn et al). 1986; 111:606-8 (Brief comm.)

Occlusion

- Effect of thromboxane synthetase inhibition on vulnerability to ventricular arrhythmia following coronary occlusion (O'Connor et al). 1986; 111:683-8
- Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24
- The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46

P

Pacing

- An annotation system for displaying operating parameter values in dual-chamber pacing (Parsonnet and Bernstein). 1986; 111:817-20 (Editorial)
- Atrial versus ventricular pacing in sinus node disease: A treatment comparison study (Rosenqvist et al). 1986; 111:292-7
- Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress (Brown et al). 1986; 111:103-7
- RBBB with transvenous pacemaker (Klein) (Letter). 1986; 111:622-3
- Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8

Palmitate

- Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction (Schelbert et al). 1986; 111:1055-64

Papillary muscle

- Papillary muscle activity on thallium scintigraphy: A potential source of misinterpretation (Edelman et al). 1986; 111:1210-2 (Brief comm.)

Paradoxical motion

- Paradoxical motion of the left ventricular free wall in cardiac tamponade (Hsu et al). 1986; 111:807-8, (Brief comm.)

Paramedic

- Intravenous streptokinase in acute myocardial infarction: Experience of community hospitals served by paramedics (Hartmann et al). 1986; 111:1030-4

Parasystolic ventricular tachycardia

- Verapamil in parasystolic ventricular tachycardia and other wide QRS rhythms (Massummi et al). 1986; 111:400-5 (Brief comm.)

Paroxysmal supraventricular tachycardia

- Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Peel

- Echocardiographic features of a purulent pericardiac peel (Wolf). 1986; 111:990-2 (Brief comm.)

Penetrating injury

- Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)

Percutaneous transluminal coronary angioplasty

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)
- Coronary artery spasm after administration of dextran 40: Implications concerning percutaneous transluminal coronary angioplasty (Klugmann et al). 1986; 111:1202-4 (Brief comm.)
- Early and late outcome of percutaneous transluminal coronary angioplasty for subacute and chronic total coronary occlusion (DiSciascio et al). 1986; 111:833-9
- Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty (Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)
- Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)
- Percutaneous transluminal coronary angioplasty in hemophilia (Forman et al). 1986; 111:169-72 (Brief comm.)
- Percutaneous transluminal coronary angioplasty as palliation for patients considered poor surgical candidates (Taylor et al). 1986; 111:840-4
- Sustained efficacy of percutaneous transluminal coronary angioplasty (Berger et al). 1986; 111:233-6
- Thromboxane release during percutaneous transluminal coronary angioplasty (Peterson et al). 1986; 111:1-6
- Two-dimensional echocardiography during percutaneous transluminal coronary angioplasty (Visser et al). 1986; 111:1035-41

Perforation of coronary artery

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)

Perfusion

- Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33
- Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24
- Ischemia, resuscitation, and reperfusion: Mechanisms of tissue injury and prospects for protection (Krause et al). 1986; 111:768-80 (Prog. cardiol.)
- Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)

Pericardial conditions; see also Pericarditis

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)
- Cardiac tamponade in medical patients: Treatment and prognosis in the echocardiographic era (Markiewicz et al). 1986; 111:1138-42
- Intrapericardial installation of bleomycin in malignant pericardial effusion (Maher and Buckman). 1986; 111:613-4 (Brief comm.)
- Echocardiographic findings in primary pericardial mesothelioma (Agatston et al). 1986; 111:986-8 (Brief comm.)
- Pericardial web: Extensive pericardial adhesions associated with idiopathic pericarditis (Kessler et al). 1986; 111:602-3 (Brief comm.)

Pericarditis

- "Acute pericarditis": Myocardial enzyme release as evidence for myocarditis (Karjalainen et al). 1986; 111:546-52
- Echocardiographic features of a purulent pericardial peel (Wolf). 1986; 111:990-2 (Brief comm.)
- Pericardial web: Extensive pericardial adhesions associated with idiopathic pericarditis (Kessler et al). 1986; 111:602-3 (Brief comm.)
- Pericarditis and ulcerative colitis (Gould et al). 1986; 111:802-3 (Brief comm.)

Persistent left superior vena cava

- Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory

Persistent left superior vena cava—Cont'd

- pathway (O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)

Pharmacodynamics

- Pharmacodynamic aspects of intravenous diltiazem administration (Joyal et al). 1986; 111:54-61

Phase mapping

- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Phenol

- Chemical ablation of ventricular tachycardia in the dog (Chilson et al). 1986; 111:1113-8

Physical activity and fitness

- Assessment methods for physical activity and physical fitness in population studies: Report of a NHLBI workshop (Wilson et al). 1986; 111:1177-92 (Spec. rep.)

Pinhole radionuclide ventriculography

- Pinhole radionuclide ventriculography in small infants (Hannon et al). 1986; 111:316-21

Placebo

- Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; 111:42-8
- Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo (Ericsson et al). 1986; 111:916-22

Planar measurement

- Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30

Plasma

- Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5

Polymorphic ventricular arrhythmia

- Can potentially significant polymorphic ventricular arrhythmias initiated by programmed stimulation be distinguished from those that are nonspecific? (Stevenson et al). 1986; 111:1073-80

Population studies; see also Framingham study

- Assessment methods for physical activity and physical fitness in population studies: Report of a NHLBI workshop (Wilson et al). 1986; 111:1177-92 (Spec. rep.)
- Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Prog. cardiol.)
- A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham study (Kannel and Abbott). 1986; 111:391-7 (Prog. cardiol.)

Porcine valve

- Doppler echocardiographic evaluation of patients with porcine mitral valves (Ryan et al). 1986; 111:237-44

Positron emission tomography

- Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction (Schelbert et al). 1986; 111:1055-64

Posterior mitral leaflet

- Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood (Boxer et al). 1986; 111:604-6 (Brief comm.)

Postextrasystolic potentiation

- Postextrasystolic potentiation: Analysis of methods of induction (Cooper et al). 1986; 111:330-3
- Postextrasystolic potentiation: Regional wall motion before and after revascularization (Cooper et al). 1986; 111:334-9

Postoperative period

- Cardiovascular effects of atropine in postoperative cardiac patients receiving digoxin for ventricular dysfunction (Cook et al). 1986; 111:80-4

Potential

- Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)

Potentiation

- Postextrasystolic potentiation: Analysis of methods of induction (Cooper et al). 1986; 111:330-3

Potentiation—Cont'd

Postextrasystolic potentiation: Regional wall motion before and after revascularization (Cooper et al). 1986; 111:334-9

Precordial ST segment

Exercise-induced precordial ST segment elevation due to right ventricular ischemia (Lew et al). 1986; 111:172-4 (Brief comm.)

Predictive testing

Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8

Preexcitation

Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Wolff-Parkinson-White VCG patterns that mimic other cardiac pathologies: A correlative study with the preexcitation pathway localization (Giorgi et al). 1986; 111:891-902

Premature beat

Intravenous lorainide versus lidocaine in the treatment of frequent and complex ventricular arrhythmias (Blevins et al). 1986; 111:447-51

Prenylamine

Amelioration of Adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E (Milei et al). 1986; 111:95-102

Presentation

The 10-minute talk: Organization, slides, writing, and delivery (Garson Jr et al). 1986; 111:193-203 (Editorial)

Procainamide

Antiarrhythmic drug efficacy at electrophysiologic testing: Predictive effectiveness of procainamide and flecainide (Wynn et al). 1986; 111:632-8

Programmed electrical stimulation

Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6

Can potentially significant polymorphic ventricular arrhythmias initiated by programmed stimulation be distinguished from those that are nonspecific? (Stevenson et al). 1986; 111:1073-80

Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity (Zheutlin et al). 1986; 111:860-7

Progress in cardiology

Progress in cardiology. 1986; 111:1150-76, 143-51, 383-97, 578-92, 760-80, 1150-76

Prolapse

Calcified left atrial mass associated with mitral valve prolapse (Bloomfield et al). 1986; 111:1205-7 (Brief comm.)

Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)

Echographic LV wall motion in mitral prolapse (Casazza and Giagnoni) (Letter); (Doi) (Reply). 1986; 111:1214

Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; 111:603-4 (Brief comm.)

Observer variation in the echocardiographic diagnosis of mitral valve prolapse (Alpert et al). 1986; 111:1123-9

Propranolol

Diltiazem and propranolol in combination: Hemodynamic effects following acute intravenous administration (Oesterle et al). 1986; 111:489-97

Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24

Hemodynamic effects of intravenous diltiazem in patients treated chronically with propranolol (Rocha et al). 1986; 111:62-8

Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog (Nanas and Kralios). 1986; 111:1094-1100

Prosthesis; see also Graft

Bioprosthetic mitral valve dysfunction following blunt chest trauma (Reinfeld et al). 1986; 111:800-1 (Brief comm.)

Percutaneous transluminal angioplasty of an internal mammary graft in homozygous familial hypercholesterolemia (Forman et al). 1986; 111:982-4 (Brief comm.)

Starr-Edwards aortic prosthesis: A 20-year retrospective study (Best et al). 1986; 111:136-42 (Curriculum cardiol.)

Pseudomalfunction

Pseudopacemaker malfunction secondary to digital ECG artifact (Higgins et al). 1986; 111:608-10 (Brief comm.)

Pulmonary artery

Absence of the left pulmonary artery: Anomalous collateral from the coronary artery to affected lung (Thompson et al). 1986; 111:418-20 (Brief comm.)

Echocardiographic evaluation of pulmonary flow pattern in Uhl's anomaly (Matsumoto et al). 1986; 111:420-2 (Brief comm.)

Pulmonary artery thrombus associated with ductus arteriosus (Clapp et al). 1986; 111:796-7 (Brief comm.)

Pulmonary hypertension

Noninvasive evaluation of pulmonary hypertension by quantitative contrast M-mode echocardiography (Zeiger et al). 1986; 111:297-306

Persistent pulmonary hypertension of the newborn (Tiefenbrunn and Riemenschneider). 1986; 111:564-72 (Curriculum cardiol.)

Pulmonary stenosis

Can the technique for Doppler estimate of pulmonary stenosis gradient be simplified? (Goldberg et al). 1986; 111:709-15

Pulse

Clinical experience with intra-aortic balloon counterpulsation in 112 consecutive patients (Goldberger et al). 1986; 111:497-502

Defibrillation with the sequential pulse technique: Reproducibility with repeated shocks (Rattes et al). 1986; 111:874-8

Pulsed Doppler echocardiography

Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography (Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)

Pump

Clinical experience with intra-aortic balloon counterpulsation in 112 consecutive patients (Goldberger et al). 1986; 111:497-502

Maturational changes in myocardial pump performance in newborn lambs (Riemenschneider et al). 1986; 111:731-6

Purulent pericarditis

Echocardiographic features of a purulent pericardial peel (Wolf). 1986; 111:990-2 (Brief comm.)

Q

Q wave

Can myocardial ischemia be recognized by the exercise electrocardiogram in coronary disease patients with abnormal resting Q waves? (Ahnve et al). 1986; 111:909-16

Comparison of clinical features of non-Q wave myocardial infarction and Q wave myocardial infarction (Ogawa et al). 1986; 111:513-8

QRS rhythm

Computer analysis of exercise-induced changes in QRS duration in patients with angina pectoris and in normal subjects (Ahnve et al). 1986; 111:903-8

Verapamil in parasympathetic ventricular tachycardia and other wide QRS rhythms (Massummi et al). 1986; 111:400-5 (Brief comm.)

QT interval

Epicardial activation patterns of torsade de pointes in canine hearts with quinidine-induced long QT interval but without myocardial infarction (Inoue et al). 1986; 111:1080-7

Incidence and clinical features of the quinidine-associated long QT syndrome: Implications for patient care (Roden et al). 1986; 111:1088-93

Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₁ and the QT interval during long-term amiodarone treatment (Baerman et al). 1986; 111:644-8

Quinidine

Epicardial activation patterns of torsade de pointes in canine hearts with quinidine-induced long QT interval but without myocardial infarction (Inoue et al). 1986; 111:1080-7

Incidence and clinical features of the quinidine-associated long QT syndrome: Implications for patient care (Roden et al). 1986; 111:1088-93

Quinidine-induced lupus erythematosus (Bar-El et al). 1986; 111:1209-10 (Brief comm.)

R

Rabbit

- Amelioration of Adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E (Milei et al). 1986; 111:95-102
- Effects of bepridil on the electrophysiologic properties of isolated canine and rabbit myocardial fibers (Kato and Singh). 1986; 111:271-9
- Steerable fiberoptic catheter delivery of laser energy in atherosclerotic rabbits (Anderson et al). 1986; 111:1065-72

Radionuclide

- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6
- Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning (Lalonde et al). 1986; 111:679-82
- Pinhole radionuclide ventriculography in small infants (Hannon et al). 1986; 111:316-21
- Prospective evaluation of the severity of coronary artery disease with exercise radionuclide angiography and electrocardiography (Weintraub et al). 1986; 111:537-42
- Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise in patients with aortic regurgitation (Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)
- Radionuclide assessment of regional left ventricular function in acute myocardial infarction (Buda et al). 1986; 111:36-41
- Radionuclide evaluation of cardiac function in obesity (Iskandrian). 1986; 111:1003-4 (Brief comm.)

Radioventriculography

- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Rat

- Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Raynaud's phenomenon

- Controlled double-blind trial of the clinical effect of nifedipine in the treatment of idiopathic Raynaud's phenomenon (Gjerp et al). 1986; 111:742-5

RBBB

- RBBB with transvenous pacemaker (Klein) (Letter). 1986; 111:622-3

Red blood cell

- Amiodarone and N-desethylamiodarone concentrations in plasma, red blood cells, and myocardium after a single oral dose: Relation to hemodynamic effects in surgical patients (Escoubet et al). 1986; 111:280-5

Reentry tachycardia

- Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Regurgitation

- Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7 (Brief comm.)
- Flail posterior mitral leaflet: An unusual cause of mitral regurgitation in childhood (Boxer et al). 1986; 111:604-6 (Brief comm.)
- Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise in patients with aortic regurgitation (Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)

Renal effects

- Renal effects of nifedipine in patients with mild-to-moderate essential hypertension (Baba et al). 1986; 111:552-7
- Bioavailability and elimination of digitoxin in patients with hepatorenal insufficiency (Kirch et al). 1986; 111:325-9
- The role of renal hemodynamics in the antihypertensive effect of captopril (Ando et al). 1986; 111:347-52

Reperfusion

- Effects of propranolol on myocardial damage resulting from coronary artery occlusion followed by reperfusion (Miyazawa et al). 1986; 111:519-24

Reperfusion—Cont'd

- Ischemia, resuscitation, and reperfusion: Mechanisms of tissue injury and prospects for protection (Krause et al). 1986; 111:768-80 (Prog. cardiol.)

Resistance

- Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Resonance imaging

- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardiol.)
- Evaluation of aorta in the Marfan syndrome by magnetic resonance imaging (Boxer et al). 1986; 111:1001-2 (Brief comm.)

Respiratory arrest

- Respiratory arrest with IV verapamil (Radhakrishnan et al) (Letter). 1986; 111:622

Resuscitation

- Ischemia, resuscitation, and reperfusion: Mechanisms of tissue injury and prospects for protection (Krause et al). 1986; 111:768-80 (Prog. cardiol.)

Retraction

- Intravascular and extravascular pulmonary fluid volumes during chronic experimental left ventricular dysfunction. (1984; 108:543-7). 1986; 111:623
- Pulmonary density distribution in experimental and clinical cardiogenic pulmonary edema evaluated by computed transmission tomography. (1984; 108:401-7). 1986; 111:623
- Radionuclide evaluation of the systolic blood pressure/end-systolic volume relationship: Response to pharmacologic agents in patients with coronary artery disease. (1983; 105:53-9). 1986; 111:632.

Revascularization

- Myocardial revascularization with internal mammary artery bypass: An emerging treatment of choice (Bashour et al). 1986; 111:143-51 (Prog. cardiol.)
- Postextrasystolic potentiation: Regional wall motion before and after revascularization (Cooper et al). 1986; 111:334-9

Reverse tri-iodothyronine

- Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃ and the QT interval during long-term amiodarone treatment (Baerman et al). 1986; 111:644-8

Rheumatic heart disease

- Trends in acute rheumatic fever and chronic rheumatic heart disease: A national perspective (Gillum). 1986; 111:430-2 (Editorial)

Right atrium

- Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6 (Brief comm.)

Right bundle branch block

- RBBB with transvenous pacemaker (Klein) (Letter). 1986; 111:622-3

Right coronary artery

- The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46

Right ventricle; see also Ventricle

- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Exercise-induced precordial ST segment elevation due to right ventricular ischemia (Lew et al). 1986; 111:172-4 (Brief comm.)
- Hemodynamic responses of the acutely stressed neonatal right ventricle: A maturational study in lambs (Allen et al). 1986; 111:737-42
- Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty (Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)
- IV metoprolol in RV-AMI (Ashburn and Savage) (Letter). 1986; 111:621-2
- Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)
- Right ventricular endomyocardial biopsy in chronic Chagas' disease (Barretto et al). 1986; 111:307-12

Right-sided valvular endocarditis

Right-sided valvular endocarditis: Etiology, diagnosis, and an approach to therapy (Robbins et al). 1986; 111:128-35 (Curriculum cardiol.)

Risk

Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk (Blevens et al). 1986; 111:638-44
Left ventricular aneurysm as a coronary risk factor independent of overall left ventricular function (Cohen and Vogel). 1986; 111:23-30

Rotational tomography

Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardiol.)

S

Safety

Long-term therapy with disopyramide phosphate: Side effects and effectiveness (Bauman et al). 1986; 111:654-60

Sarcoma

Echocardiographic findings of metastatic chondrosarcoma involving the left atrium (Cohen et al). 1986; 111:993-7

Scalar measurement

Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30

Scanning; see also Computed tomography; Imaging; Radionuclide; Scintigraphy

Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning (Lalonde et al). 1986; 111:679-82

Scintigraphy

Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33

Papillary muscle activity on thallium scintigraphy: A potential source of misinterpretation (Edelman et al). 1986; 111:1210-2 (Brief comm.)

Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo (Ericsson et al). 1986; 111:916-22

Spontaneous angina during serial resting thallium-201 myocardial scintigraphy (Dottore et al). 1986; 111:788-91 (Brief comm.)

Secondary Prevention Reinfarction Nifedipine Trial

Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-3 (Brief comm.)

Sensitivity

Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Septum

Acquired ventricular septal defect after myocardial infarction: Detection by combined two-dimensional and Doppler echocardiography (Panidis et al). 1986; 111:427-9 (Brief comm.)

Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7 (Brief comm.)

Digital ventriculographic demonstration of ventricular septal defect after myocardial infarction (Klein et al). 1986; 111:791-2 (Brief comm.)

Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; 111:603-4 (Brief comm.)

Traumatic ventricular septal defect diagnosed by echocardiography (Watt et al). 1986; 111:174-5 (Brief comm.)

Sequential pulse technique

Defibrillation with the sequential pulse technique: Reproducibility with repeated shocks (Rattes et al). 1986; 111:874-8

Serum

Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃ and the QT interval during

Serum—Cont'd

long-term amiodarone treatment (Baerman et al). 1986; 111:644-8

Serum digoxin concentrations during ethmozine antiarrhythmic therapy (Kennedy et al). 1986; 111:667-72

Sheep

Hemodynamic responses of the acutely stressed neonatal right ventricle: A maturational study in lambs (Allen et al). 1986; 111:737-42

Maturational changes in myocardial pump performance in newborn lambs (Riemenschneider et al). 1986; 111:731-6

Shock

Acute reversible cardiogenic shock: Immune-mediated with mild histologic change (Stevenson et al). 1986; 111:611-3 (Brief comm.)

Defibrillation with the sequential pulse technique: Reproducibility with repeated shocks (Rattes et al). 1986; 111:874-8

SIDS; see Sudden infant death syndrome

Single-photon emission computerized rotational tomography

Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardiol.)

Sinus

Atrial versus ventricular pacing in sinus node disease: A treatment comparison study (Rosenqvist et al). 1986; 111:292-7

Congenital aneurysm of sinus of Valsalva detected by pulsed Doppler echocardiography (Vargas-Barron et al). 1986; 111:181-4 (Brief comm.)

Smoking

Blood pressure in smokers and nonsmokers: Epidemiologic findings (Green et al). 1986; 111:932-40

Spasm

Coronary artery spasm after administration of dextran 40: Implications concerning percutaneous transluminal coronary angioplasty (Klugmann et al). 1986; 111:1202-4 (Brief comm.)

Coronary spasm and AMI (Hansen and Mellemgaard) (Letter). 1986; 111:621

Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm (Picano et al). 1986; 111:688-91

Triple-vessel coronary artery spasm (Makita et al). 1986; 111:594-7 (Brief comm.)

Spatial measurement

Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30

Special report

Special report. 1986; 111:152-67, 1177-92

SPRINT

Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-3 (Brief comm.)

ST segment

Anterior ST depression in inferior myocardial infarction: Correlation with results of intracoronary thrombolysis (Berland et al). 1986; 111:481-8

Exercise-induced precordial ST segment elevation due to right ventricular ischemia (Lew et al). 1986; 111:172-4 (Brief comm.)

Exercise-induced ST segment alternans (Ring and Fenster). 1986; 111:1009-11 (Brief comm.)

Staphylococcus aureus

Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)

Starr-Edwards aortic prosthesis

Starr-Edwards aortic prosthesis: A 20-year retrospective study (Best et al). 1986; 111:136-42 (Curriculum cardiol.)

Statistical study; see also Population study

Are the CASS statisticians answering a question no clinician is asking? (Gunnar and Loeb). 1983; 111:1016-9 (Editorial)

Stenosis

Ascending aortic calcification and calcific aortic stenosis in a young woman (Goldbaum et al). 1986; 111:992-3 (Brief comm.)

Stenosis—Cont'd

Can the technique for Doppler estimate of pulmonary stenosis gradient be simplified? (Goldberg et al). 1986; 111:709-15

Dipyridamole-echocardiography test in angina at rest: Noninvasive assessment of coronary stenosis underlying spasm (Picano et al). 1986; 111:688-91

Echographic application of the Gorlin formula for assessment of aortic stenosis: Correlation with cardiac catheterization in pediatric patients (Seitz et al). 1986; 111:1118-22

Interventricular delay in severe aortic stenosis recognized by gated radionuclear blood pool scanning (Lalonde et al). 1986; 111:679-82

Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6 (Brief comm.)

Systemic correlation of continuous-wave Doppler and hemodynamic measurements in patients with aortic stenosis (Smith et al). 1986; 111:245-52

The usefulness of dobutamine in the assessment of the severity of mitral stenosis (Hwang et al). 1986; 111:312-6

Stimulation; see also Electrophysiology

Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6

Can potentially significant polymorphic ventricular arrhythmias initiated by programmed stimulation be distinguished from those that are nonspecific? (Stevenson et al). 1986; 111:1073-80

Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease (Wiener et al). 1986; 111:258-62

Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity (Zheutlin et al). 1986; 111:860-7

Streptokinase

Intravenous streptokinase in acute myocardial infarction: Experience of community hospitals served by paramedics (Hartmann et al). 1986; 111:1030-4

A randomized controlled trial of intravenous streptokinase in evolving acute myocardial infarction (Olson et al). 1986; 111:1021-9

Stress

Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress (Brown et al). 1986; 111:103-7

ST-T wave

"Acute pericarditis": Myocardial enzyme release as evidence for myocarditis (Karjalainen and Heikkilä). 1986; 111:546-52

Substrate

Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction (Schelbert et al). 1986; 111:1055-64

Sudden death; see also Mortality

Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk (Blevens et al). 1986; 111:638-44

Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)

Lorcinide therapy in a cardiac arrest population (Somberg et al). 1986; 111:648-53

Two cases of sudden death documented by Holter monitor during Secondary Prevention Reinfarction Nifedipine Trial (SPRINT) (Friedmann et al). 1986; 111:1011-3 (Brief comm.)

Ventricular tachydysrhythmias in near-miss sudden infant death syndrome (Buchanan et al). 1986; 111:398-400 (Brief comm.)

Superior vena cava

Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory pathway (O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)

Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta (Kahn et al). 1986; 111:606-8 (Brief comm.)

Supraventricular tachyarrhythmia

Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; 111:42-8

Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)

Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Supraventricular tachyarrhythmias: Their evaluation and therapy (Keefe et al). 1986; 111:1150-61 (Prog. cardiol.)

Surface potential

Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)

Survival rate

Patterns of coronary heart disease morbidity and mortality in the sexes: A 26-year follow-up of the Framingham population (Lerner and Kannel). 1986; 111:383-90 (Prog. cardiol.)

Survival following spontaneous coronary artery dissection: Surgical repair by extrusion of intramural hematoma (Vicari et al). 1986; 111:593-7 (Brief comm.)

Symposium

Symposium. 1986; 111:205-32

Syndrome

Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)

Evaluation of aorta in the Marfan syndrome by magnetic resonance imaging (Boxer et al). 1986; 111:1001-2 (Brief comm.)

The Gorlin syndrome: A genetically determined disorder associated with cardiac tumor (Jones et al). 1986; 111:1013-15 (Brief comm.)

Holt-Oram syndrome in China: A collective review of 18 cases (Zhang et al). 1986; 111:572-7 (Curriculum cardiol.)

Wolff-Parkinson-White VCG patterns that mimic other cardiac pathologies: A correlative study with the preexcitation pathway localization (Giorgi et al). 1986; 111:891-902

Systolic murmur

Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)

T**T₃**

Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃ and the QT interval during long-term amiodarone treatment (Baerman et al). 1986; 111:644-8

Tachycardia; see also Arrhythmia

Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6

Chemical ablation of ventricular tachycardia in the dog (Chilson et al). 1986; 111:1113-8

Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; 111:42-8

Determinants of prognosis in ventricular tachyarrhythmia patients without induced sustained arrhythmias (Swerdlow et al). 1986; 111:433-46

The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46

Junctional ectopic tachycardia in a young woman with chronic complete heart block (Laurent et al). 1986; 111:597-9 (Brief comm.)

Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)

Long-term therapy with disopyramide phosphate: Side effects and effectiveness (Bauman et al). 1986; 111:654-60

Marked intra-atrial conduction delay with split atrial electro-

Tachycardia—Cont'd

- gram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)
- Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80
- Supraventricular tachyarrhythmias: Their evaluation and therapy (Keefe et al). 1986; 111:1150-61 (Prog. cardi.)
- Transient exacerbation followed by control of ventricular tachycardia with amiodarone (Mostow et al). 1986; 111:178-80 (Brief comm.)
- Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12
- The treatment of ventricular rhythm disturbances (Somberg et al). 1986; 111:1162-76 (Prog. cardi.)
- An unusual ventricular tachycardia responsive to verapamil (Strasberg et al). 1986; 111:190-2 (Brief comm.)
- Ventricular tachycardia induction: Comparison of triple extrasystoles with an abrupt change in ventricular drive cycle length (Rosenfeld et al). 1986; 111:868-74
- Ventricular tachycardia with QRS of variable amplitude: An implication of atrioventricular dissociation (Curione et al). 1986; 111:1197-1200 (Brief comm.)
- Ventricular tachydysrhythmias in near-miss sudden infant death syndrome (Buchanan et al). 1986; 111:398-400 (Brief comm.)
- Verapamil in parasystolic ventricular tachycardia and other wide QRS rhythms (Massummi et al). 1986; 111:400-5 (Brief comm.)

Tamponade

- Cardiac tamponade following perforation of the left anterior descending coronary system during percutaneous transluminal coronary angioplasty: Successful treatment by pericardial drainage (Altman et al). 1986; 111:1196-7 (Brief comm.)
- Cardiac tamponade in medical patients: Treatment and prognosis in the echocardiographic era (Markiewicz et al). 1986; 111:1138-42
- Paradoxical motion of the left ventricular free wall in cardiac tamponade (Hsu et al). 1986; 111:807-8, (Brief comm.)
- Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6 (Brief comm.)
- Sudden hemodynamic collapse following relief of cardiac tamponade in aortic dissection (Coplan et al). 1986; 111:405-6 (Brief comm.)

Telemetry monitoring

- A new use for the esophageal lead: Continuous telemetry monitoring (Schuchard and Tristani). 1986; 111:1007-9 (Brief comm.)

Tendon

- Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4

Ten-minute talk

- The 10-minute talk: Organization, slides, writing, and delivery (Garson Jr et al). 1986; 111:193-203 (Editorial)

Thallium-201

- Alterations in myocardial perfusion during exercise after isosorbide dinitrate infusion in patients with coronary disease: Assessment by thallium-201 scintigraphy (Tono-oka et al). 1986; 111:525-33
- Hemodynamic determinants of thallium-201 lung uptake in patients during atrial pacing stress (Brown et al). 1986; 111:103-7
- Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardi.)
- Papillary muscle activity on thallium scintigraphy: A potential source of misinterpretation (Edelman et al). 1986; 111:1210-2 (Brief comm.)
- Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo (Ericsson et al). 1986; 111:916-22
- Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardi.)

Thallium-201—Cont'd

- Spontaneous angina during serial resting thallium-201 myocardial scintigraphy (Dottore et al). 1986; 111:788-91 (Brief comm.)

Thiazide

- Thiazide therapy and ventricular arrhythmias (Siegel and Black) (Letter); (Papademetriou) (Reply). 1986; 111:1214-5

Thoracic aneurysm

- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardi.)

Thrombolysis

- Anterior ST depression in inferior myocardial infarction: Correlation with results of intracoronary thrombolysis (Berland et al). 1986; 111:481-8
- The assessment of contractile reserve after thrombolytic therapy for acute myocardial infarction (Satler et al). 1986; 111:821-5
- Combined thrombolytic therapy and coronary angioplasty for acute myocardial infarction (Kitazume et al). 1986; 111:826-32

Thromboxane

- Effect of thromboxane synthetase inhibition on vulnerability to ventricular arrhythmia following coronary occlusion (O'Connor et al). 1986; 111:683-8
- Thromboxane release during percutaneous transluminal coronary angioplasty (Peterson et al). 1986; 111:1-6

Thrombus

- Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)
- Pulmonary artery thrombus associated with ductus arteriosus (Clapp et al). 1986; 111:796-7 (Brief comm.)

Tiampamil

- Effect of tiampamil on canine myocardial infarct size (Kordenat and Leasure). 1986; 111:502-12
- Protective effect of tiampamil against ventricular fibrillation during coronary artery occlusion (Raeder et al). 1986; 111:878-82

Timolol

- Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog (Nanas and Kralios). 1986; 111:1094-1100
- Repeated exercise and redistribution thallium-201 scintigrams in patients with myocardial infarction treated with timolol or placebo (Ericsson et al). 1986; 111:916-22

Tomography

- The complementary role of magnetic resonance imaging, Doppler echocardiography, and computed tomography in the diagnosis of dissecting thoracic aneurysms (Goldman et al). 1986; 111:970-81 (Prog. cardi.)
- Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction (Schelbert et al). 1986; 111:1055-64
- Noninvasive quantification of the extent of jeopardized myocardium in patients with single-vessel coronary disease by stress thallium-201 single-photon emission computerized rotational tomography (Prigent et al). 1986; 111:578-86 (Prog. cardi.)

Torsade de pointes

- Epicardial activation patterns of torsade de pointes in canine hearts with quinidine-induced long QT interval but without myocardial infarction (Inoue et al). 1986; 111:1080-7
- Incidence and clinical features of the quinidine-associated long QT syndrome: Implications for patient care (Roden et al). 1986; 111:1088-93
- Nine cases of torsade de pointes with bepridil administration (Manouvrier et al). 1986; 111:1005-7 (Brief comm.)
- The treatment of ventricular rhythm disturbances (Somberg et al). 1986; 111:1162-76 (Prog. cardi.)

Toxicity

- Amelioration of Adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E (Milei et al). 1986; 111:95-102
- Intravenous and oral lorainide: Assessment of central nervous system toxicity and antiarrhythmic efficacy (Vlay and Malis). 1986; 111:453-5

Toxicity—Cont'd

- Possible contribution of digitalis-induced coronary constriction to toxicity (Tanz). 1986; 111:812-7 (Editorial)
Verapamil hepatotoxicity: A hypersensitivity reaction (Hare et al). 1986; 111:610-1 (Brief comm.)

Transluminal angioplasty; see Percutaneous transluminal angioplasty**Transmembrane potential**

- Transmembrane potentials of canine AV junctional tissues (Tse). 1986; 111:1100-5

Transposition of artery

- Corrected transposition of the great arteries: Evaluation by two-dimensional and Doppler echocardiography (Meissner et al). 1986; 111:599-601 (Brief comm.)

Transvenous catheter ablation

- Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12

Transvenous pacemaker

- RBBB with transvenous pacemaker (Klein) (Letter). 1986; 111:622-3

Trauma

- Bioprosthetic mitral valve dysfunction following blunt chest trauma (Reinfeld et al). 1986; 111:800-1 (Brief comm.)
Doppler echocardiographic determination of the cause of a systolic murmur following penetrating chest trauma (Miller et al). 1986; 111:988-90 (Brief comm.)
Traumatic ventricular septal defect diagnosed by echocardiography (Watt et al). 1986; 111:174-5 (Brief comm.)

Tricuspid valve

- Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6 (Brief comm.)

Tri-iodothyronine

- Interrelationships between serum levels of amiodarone, desethylamiodarone, reverse T₃, and QT interval during long-term amiodarone treatment (Baerman et al). 1986; 111:644-8

Triple valve prolapse

- Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)

Triple-vessel coronary artery spasm

- Triple-vessel coronary artery spasm (Makita et al). 1986; 111:594-7 (Brief comm.)

Tumor; see Carcinoma**Two-dimensional echocardiography**

- Acquired ventricular septal defect after myocardial infarction: Detection by combined two-dimensional and Doppler echocardiography (Panidis et al). 1986; 111:427-9 (Brief comm.)
Candida albicans-infected transvenous pacemaker wire: Detection by two-dimensional echocardiography (Cole et al). 1986; 111:417-8 (Brief comm.)
Comparison of two-dimensional echocardiographic wall motion and wall thickening abnormalities in relation to the myocardium at risk (Buda et al). 1986; 111:587-92 (Prog. cardi.)
Corrected transposition of the great arteries: Evaluation by two-dimensional and Doppler echocardiography (Meissner et al). 1986; 111:599-601 (Brief comm.)
Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)
Quantitative two-dimensional echocardiographic assessment of patients undergoing left ventricular aneurysmectomy (Ryan et al). 1986; 111:714-20
Two-dimensional echocardiography during percutaneous transluminal coronary angioplasty (Visser et al). 1986; 111:1035-41
Valve-like intimal flap: A new echocardiographic finding of aortic dissection (Wilansky et al). 1986; 111:1204-5 (Brief comm.)
Type A behavior
Type A behavior and myocardial infarction (Myrtek) (Letter); (Friedman) (Reply). 1986; 111:1215-6

U**Uhl's anomaly**

- Echocardiographic evaluation of pulmonary flow pattern in Uhl's anomaly (Matsumoto et al). 1986; 111:420-2 (Brief comm.)

Ulcerative colitis

- Fatal giant cell myocarditis after colectomy for ulcerative colitis (McKeon et al). 1986; 111:1208-9 (Brief comm.)
Pericarditis and ulcerative colitis (Gould et al). 1986; 111:802-3 (Brief comm.)

Ultrasound; see Echocardiography**Urgency**

- Current concepts in treatment of hypertensive emergencies (Vidit). 1986; 111:220-5 (Symposium)
Current concepts in treatment of hypertensive urgencies (Anderson and Reed). 1986; 111:211-9 (Symposium)
Effects of rapid blood pressure reduction on cerebral blood flow (Reed and Anderson). 1986; 111:226-8 (Symposium)
Hypertensive emergencies and urgencies: Pathophysiology and clinical aspects (Houston). 1986; 111:205-10 (Symposium)
The practical management of patients with severe hypertension and hypertensive emergencies (Vidit et al). 1986; 111:205-32 (Symposium)
Round table discussion (Houston et al). 1986; 111:229-32 (Symposium)
Treatment of hypertensive urgencies and emergencies with nifedipine (Houston). 1986; 111:963-9 (Curriculum cardi.)

V**Valve**

- Bioprosthetic mitral valve dysfunction following blunt chest trauma (Reinfeld et al). 1986; 111:800-1 (Brief comm.)
Can the technique for Doppler estimate of pulmonary stenosis gradient be simplified? (Goldberg et al). 1986; 111:709-15
Doppler echocardiographic evaluation of patients with porcine mitral valves (Ryan et al). 1986; 111:237-44
Echocardiographic features of triple valve prolapse with incompetent foramen ovale in Marfan's syndrome (Petitalot et al). 1986; 111:187-9 (Brief comm.)
Incidental interatrial septal aneurysm associated with mitral valve prolapse (Arvan). 1986; 111:603-4 (Brief comm.)
Myxoma of the mitral valve diagnosed by echocardiography (Gosse et al). 1986; 111:803-5 (Brief comm.)
Observer variation in the echocardiographic diagnosis of mitral valve prolapse (Alpert et al). 1986; 111:1123-9
Right atrial tamponade simulating tricuspid stenosis following acute myocardial infarction (Silver et al). 1986; 111:984-6 (Brief comm.)
Right-sided valvular endocarditis: Etiology, diagnosis, and an approach to therapy (Robbins et al). 1986; 111:128-35 (Curriculum cardi.)

Valve-like intimal flap

- Valve-like intimal flap: A new echocardiographic finding of aortic dissection (Wilansky et al). 1986; 111:1204-5 (Brief comm.)

Vascular resistance

- Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7

Vasodilator

- Neurohumoral consequences of vasodilator therapy with hydralazine and nifedipine in severe congestive heart failure (Elkayam et al). 1986; 111:1130-8

Vectorcardiography

- Scalar, planar, and spatial measurements of the Frank vectorcardiogram in normal infants and children (Perry et al). 1986; 111:721-30
Wolff-Parkinson-White VCG patterns that mimic other cardiac pathologies: A correlative study with the preexcitation pathway localization (Giorgi et al). 1986; 111:891-902

Vegetation

- Giant vegetation due to *Staphylococcus aureus* endocarditis simulating left atrial myxoma (Zee-Cheng et al). 1986; 111:414-7 (Brief comm.)

Vena cava

- Persistent left superior vena cava: Localization of site of ectopic atrial pacemaker and associated atrioventricular accessory pathway (O'Callaghan et al). 1986; 111:1200-2 (Brief comm.)
Superior vena caval obstruction secondary to acute dissecting aneurysm of the aorta (Kahn et al). 1986; 111:606-8 (Brief comm.)

Ventricle; see also Ventricular arrhythmia

- Acquired ventricular septal defect after myocardial infarction: Detection by combined two-dimensional and Doppler echocardiography (Panidis et al). 1986; 111:427-9 (Brief comm.)
- Acute effect of nifedipine on blood pressure and left ventricular ejection fraction in severely hypertensive outpatients: Predictive effects of acute therapy and prolonged efficacy when added to existing therapy (Jennings et al). 1986; 111:557-63
- Altered sensitivity to increases in vascular resistance in rats with hypertension and myocardial infarction (Fletcher et al). 1986; 111:120-7
- Anomalous left ventricular band diagnosed by two-dimensional echocardiography (Glover et al). 1986; 111:805-6 (Brief comm.)
- Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)
- Asymmetric myocardial hypertrophy, left ventricular aneurysm, mural thrombus, and sudden death (Macina et al). 1986; 111:175-8 (Brief comm.)
- Atrial versus ventricular pacing in sinus node disease: A treatment comparison study (Rosenqvist et al). 1986; 111:292-7
- Cardiovascular effects of atropine in postoperative cardiac patients receiving digoxin for ventricular dysfunction (Cook et al). 1986; 111:80-4
- Diastolic indentation of the interventricular septum: A new cross-sectional echocardiographic sign of aortic regurgitation (Harrigan et al). 1986; 111:425-7
- Digital ventriculographic demonstration of ventricular septal defect after myocardial infarction (Klein et al). 1986; 111:791-2 (Brief comm.)
- Echographic LV wall motion in mitral prolapse (Casazza and Gianoni) (Letter); (Doi) (Reply). 1986; 111:1214
- Effect of gender on left ventricular function during exercise in patients with coronary artery disease (Hakki and Iskandrian). 1986; 111:543-6
- Effect of programmed ventricular stimulation on myocardial lactate extraction in patients with and without coronary artery disease (Morady et al). 1986; 111:252-7
- Effects of age on ventricular performance during graded supine exercise (Mann et al). 1986; 111:108-15
- Effects of substrate availability on myocardial C-11 palmitate kinetics by positron emission tomography in normal subjects and patients with ventricular dysfunction (Schelbert et al). 1986; 111:1055-64
- Exercise-induced precordial ST segment elevation due to right ventricular ischemia (Lew et al). 1986; 111:172-4 (Brief comm.)
- Hemodynamic responses of the acutely stressed neonatal right ventricle: A maturational study in lambs (Allen et al). 1986; 111:737-42
- Increased left atrial myocardial blood flow during acute ischemic left ventricular failure (Smiseth and Mjøs). 1986; 111:798-9 (Brief comm.)
- Increased left ventricular volume following myocardial infarction in man (Lamas and Pfeffer). 1986; 111:30-5
- Intramural activation of the human ventricle: Findings in normal and abnormal myocardial segments in patients with coronary artery disease (Wiener et al). 1986; 111:258-61
- Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty (Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)
- IV metoprolol in RV-AMI (Ashburn and Savage) (Letter). 1986; 111:621-2
- Left ventricular aneurysm as a coronary risk factor independent of overall left ventricular function (Cohen and Vogel). 1986; 111:23-30
- Left ventricular bands (false tendons): Echocardiographic and angiographic delineation in children (Casta and Wolf). 1986; 111:321-4
- Left ventricular structure and function in normotensive adolescents with a genetic predisposition to hypertension (Radice et al). 1986; 111:115-29
- Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80
- Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)

Ventricle—Cont'd

- Paradoxical motion of the left ventricular free wall in cardiac tamponade (Hsu et al). 1986; 111:807-8, (Brief comm.)
- A prognostic comparison of asymptomatic left ventricular hypertrophy and unrecognized myocardial infarction: The Framingham study (Kannel and Abbott). 1986; 111:391-7 (Prog. cardiol.)
- Programmed electrical stimulation to determine the need for antiarrhythmic therapy in patients with complex ventricular ectopic activity (Zheutlin et al). 1986; 111:860-7
- Quantitative two-dimensional echocardiographic assessment of patients undergoing left ventricular aneurysmectomy (Ryan et al). 1986; 111:714-20
- Radionuclide angiographic evaluation of left ventricular performance at rest and during exercise in patients with aortic regurgitation (Iskandrian and Heo). 1986; 111:1143-9 (Curriculum cardiol.)
- Radionuclide assessment of regional left ventricular function in acute myocardial infarction (Buda et al). 1986; 111:36-41
- Resting thallium-201 myocardial perfusion patterns in patients with severe left ventricular dysfunction: Differences between patients with primary cardiomyopathy, chronic coronary artery disease, or acute myocardial infarction (Iskandrian et al). 1986; 111:760-7 (Prog. cardiol.)
- Right ventricular endomyocardial biopsy in chronic Chagas' disease (Barretto et al). 1986; 111:307-12
- The role of beta blocking agents as adjunct therapy to membrane stabilizing drugs in malignant ventricular arrhythmia (Hirsowitz et al). 1986; 111:852-60
- Serial effects on left ventricular load and contractility during hemodialysis in patients with concentric hypertrophy (Blaustein et al). 1986; 111:340-6
- Traumatic ventricular septal defect diagnosed by echocardiography (Watt et al). 1986; 111:174-5 (Brief comm.)
- Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8
- Ventricular tachycardia induction: Comparison of triple extrastimuli with an abrupt change in ventricular drive cycle length (Rosenfeld et al). 1986; 111:868-74
- Ventricular arrhythmia; see also Arrhythmia**
- Antiarrhythmic efficacy of ethmozine in patients with ventricular tachycardia as determined by programmed electrical stimulation (Miura et al). 1986; 111:661-6
- Can potentially significant polymorphic ventricular arrhythmias initiated by programmed stimulation be distinguished from those that are nonspecific? (Stevenson et al). 1986; 111:1073-80
- Chemical ablation of ventricular tachycardia in the dog (Chilson et al). 1986; 111:1113-8
- Comparison of the efficacy and safety of esmolol, a short-acting beta blocker, with placebo in the treatment of supraventricular tachyarrhythmias (Anderson et al). 1986; 111:42-8
- Determinants of prognosis in ventricular tachyarrhythmia patients without induced sustained arrhythmias (Swerdlow et al). 1986; 111:433-46
- Effect of thromboxane synthetase inhibition on vulnerability to ventricular arrhythmia following coronary occlusion (O'Connor et al). 1986; 111:683-8
- The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46
- Facilitation of lethal ventricular arrhythmias by therapeutic digoxin in conscious post infarction dogs (Lynch et al). 1986; 111:883-90
- Intravenous lorainide versus lidocaine in the treatment of frequent and complex ventricular arrhythmias (Bieviens et al). 1986; 111:447-51
- Late surface potentials in myotonic dystrophy with ventricular tachycardia (Baciarello et al). 1986; 111:413-4 (Brief comm.)
- Marked intra-atrial conduction delay with split atrial electrogram: Substrate for reentrant supraventricular tachycardia (Fisher and Lehmann). 1986; 111:781-4 (Brief comm.)
- Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80
- Occurrence of ventricular arrhythmias in patients receiving acute and chronic infusions of milrinone (Anderson et al). 1986; 111:466-74

Ventricular arrhythmia—Cont'd

Protective effect of tiapamil against ventricular fibrillation during coronary artery occlusion (Raeder et al). 1986; 111:878-82

Relative effects of propranolol and timolol on ventricular fibrillation threshold and hemodynamics in the dog (Nanas and Kralios). 1986; 111:1094-1100

Thiazide therapy and ventricular arrhythmias (Siegel and Black) (Letter); (Papademetriou) (Reply). 1986; 111:1214-5

Transient exacerbation followed by control of ventricular tachycardia with amiodarone (Mostow et al). 1986; 111:178-80 (Brief comm.)

Transvenous catheter ablation of the His bundle in ventricular tachycardia (Critelli et al). 1986; 111:1106-12

The treatment of ventricular rhythm disturbances (Somberg et al). 1986; 111:1162-76 (Prog. cardiol.)

An unusual ventricular tachycardia responsive to verapamil (Strasberg et al). 1986; 111:190-2 (Brief comm.)

Ventricular echo beats during ventricular pacing or junctional bradycardia: Studies in the normal canine heart (Urthaler). 1986; 111:672-8

Ventricular tachycardia induction: Comparison of triple extrastimuli with an abrupt change in ventricular drive cycle length (Rosenfeld et al). 1986; 111:868-74

Ventricular tachycardia with QRS of variable amplitude: An implication of atrioventricular dissociation (Curione et al). 1986; 111:1197-1200 (Brief comm.)

Ventricular tachydysrhythmias in near-miss sudden infant death syndrome (Buchanan et al). 1986; 111:398-400 (Brief comm.)

Verapamil in parasystolic ventricular tachycardia and other wide QRS rhythms (Massummi et al). 1986; 111:400-5 (Brief comm.)

Ventricular infarction; see also Myocardial infarction

Isolated right ventricular infarction following percutaneous transluminal coronary angioplasty (Bellamy and Hollman). 1986; 111:168-9 (Brief comm.)

IV metoprolol in RV-AMI (Ashburn and Savage) (Letter). 1986; 111:621-2

Myocardial dissection in right ventricular infarction: Two-dimensional echocardiographic recognition and pathologic study (Scanu et al). 1986; 111:422-5 (Brief comm.)

Ventriculography

Arrhythmogenic right ventricular dysplasia demonstrated by phase mapping of gated equilibrium radioventriculography (Bourguignon et al). 1986; 111:997-1000 (Brief comm.)

Comparison of the electrocardiographic and hemodynamic responses to ionic and nonionic radiocontrast media during

Ventriculography—Cont'd

left ventriculography: A randomized double-blind study (Salem et al). 1986; 111:533-6

Digital ventriculographic demonstration of ventricular septal defect after myocardial infarction (Klein et al). 1986; 111:791-2 (Brief comm.)

Pinhole radionuclide ventriculography in small infants (Hannon et al). 1986; 111:316-21

Verapamil

The efficacy of lidocaine and verapamil alone and in combination on spontaneously occurring automatic ventricular tachycardia in conscious dogs one day after right coronary artery occlusion (Karagueuzian et al). 1986; 111:438-46

Respiratory arrest with IV verapamil (Radhakrishnan et al) (Letter). 1986; 111:622

An unusual ventricular tachycardia responsive to verapamil (Strasberg et al). 1986; 111:190-2 (Brief comm.)

Verapamil hepatotoxicity: A hypersensitivity reaction (Hare et al). 1986; 111:610-1 (Brief comm.)

Verapamil in parasystolic ventricular tachycardia and other wide QRS rhythms (Massummi et al). 1986; 111:400-5 (Brief comm.)

Vitamin A

Amelioration of Adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E (Milei et al). 1986; 111:95-102

Vitamin E

Amelioration of Adriamycin-induced cardiotoxicity in rabbits by prenylamine and vitamins A and E (Milei et al). 1986; 111:95-102

W**Win 47203**

The effects of milrinone (Win 47203) on the coronary blood flow and oxygen consumption of the dog heart-lung preparation (Kabela et al). 1986; 111:702-9

Wire

Candida albicans-infected transvenous pacemaker wire: Detection by two-dimensional echocardiography (Cole et al). 1986; 111:417-8 (Brief comm.)

Wolff-Parkinson-White syndrome

Multiple reentry tachycardia in patients with ventricular preexcitation: Report of three cases (Murabit et al). 1986; 111:69-80

Wolff-Parkinson-White VCG patterns that mimic other cardiac pathologies: A correlative study with the preexcitation pathway localization (Giorgi et al). 1986; 111:891-902

